

**VENEER SHEETS****FORMWOOD 2-PLY  
VENEER SHEETS**

FormWood 2-Ply hardwood veneer has a perpendicular face-to-back construction utilizing a thin acrylic membrane to provide extra protection against bubbling, glue seepage and telegraphing. The product provides no unsightly edge lines, unlike phenolic-backed veneer. The crossband construction allows FormWood 2-Ply veneer to bend on moderate curves in the horizontal or vertical direction.

**4' x 8' Sheets. Wood Backing (1 per box)**

<u>Code</u>	<u>Description</u>	<u>List/sheet</u>
FJO461	Maple, 4' x 8'	\$ 134.24
FJO455	Cherry, 4' x 8'	136.08
FJO458	Red Oak, 4' x 8'	131.76
FJO505	Alder, 4' x 8'	187.65

**FORMWOOD PREMIUM  
VENEER SHEETS**

High grade sanded veneers. Backing provides stability and flexibility while helping to minimize splitting, grainraise and glue seepage.



10 mil paper back. Sold in full boxes only.

**2' x 8' Sheets Unglued (2 each/box)**

<u>Code</u>	<u>Description</u>	<u>List/sheet</u>
FJG461	Maple, 2' x 8'	\$ 59.76
FJG454	Walnut, 2' x 8'	53.43
FJG455	Cherry, 2' x 8'	54.16
FJG457	White Oak, 2' x 8'	72.22
FJG458	Red Oak, 2' x 8'	49.31

**2' x 8' Sheets w/PSA (2 per box)**

With Pressure Sensitive Adhesive Backing; peel off back and press on. 10 mil paperback.

<u>Code</u>	<u>Description</u>	<u>List/sheet</u>
FJA461	Maple, 2' x 8'	\$ 97.65
FJA453	Red Birch, 2' x 8'	133.00
FJA455	Cherry, 2' x 8'	88.26
FJA458	Red Oak, 2' x 8'	78.63
FJA505	Alder, 2' x 8'	123.77

**4' x 8' Sheets Unglued (1 per box)**

10 mil paperback.

<u>Code</u>	<u>Description</u>	<u>List/sheet</u>
FJK461	Maple, 4' x 8'	\$ 97.95
FJK452	White Birch, 4' x 8'	105.99
FJK453	Red Birch, 4' x 8'	240.57
FJK454	Walnut, 4' x 8'	140.72
FJK455	Cherry, 4' x 8'	98.83
FJK456	Mahogany, 4' x 8'	92.67
FJK457	White Oak, 4' x 8'	129.53
FJK458	Red Oak, 4' x 8'	79.85
FJK505	Alder, 4' x 8'	156.59
FJK239	Rift White Oak, 4' x 8'	187.20

**Bulk 4' x 8' Sheets Unglued - 10 sheets/box.**

Matched for grain and color by factory. 10 mil paperback. Sold in full boxes only.

FJK461X	4' x 8'	Maple	\$ 766.00
---------	---------	-------	-----------



## EDGEBANDING, WOOD

### PRE-GLUED EDGEBOARDING

#### Genuine Wood Veneer

Genuine Wood veneer in **250' rolls**.  
Pre-glued. The resin impregnated  
backer helps reduce splitting, tearing  
and checking. Unfinished. .5mm.



Pack: 12 Rolls

Code	Width	Specie	List/Roll
KO-MP-58	5/8"	Maple	\$ 29.45
KO-WBI-58	"	White Birch	29.98
KO-RWO-1316	13/16"	Rift White Oak	80.57
KO-WBI-1316	"	White Birch	54.00
KO-RBI-1316	"	Red Birch	37.85
KO-WL-1316	"	Walnut	53.12
KO-CH-1316	"	Cherry	47.73
KO-MAA-1316	"	Mahogany	41.67
KO-WO-1316	"	White Oak	49.93
KO-MP-1316	"	Maple	43.32
KO-ASH-1316	"	Ash	48.53
KO-RA-1316	"	Alder	37.93
KO-WBI-78	7/8"	White Birch	47.59
KO-RBI-78	"	Red Birch	36.64
KO-WL-78	"	Walnut	74.46
KO-CH-78	"	Cherry	59.45
KO-WO-78	"	White Oak	60.92
KO-RO-78	"	Red Oak	40.02
KO-MP-78	"	Maple	51.52
KO-RA-78	"	Alder	47.78
KO-ASH-78	"	Ash	48.00
KO-VFI-78	"	Vert Grain Fir	72.00

### SPEEDROLLER PRO FOR FASTEDGE



Ergonomically designed  
with laminate rollers to be  
used for any PSA application  
- especially FastEdge and  
SpeedTape. Includes two  
sets of interchangeable  
wheels (rubber and steel),  
3-1/2" in length.



SPEEDROLLER-PRO List \$ 56.91/ea

### POLYBAGGED PRE-GLUED EDGEBOARDING

#### Real Wood Veneer



#### Pre-Glued 13/16" Wide x 50' Long

Code	Specie	Ctn	List/bg
M8-WBI-1316	Wht Birch	12 cds.	\$ 19.75
M8-RO-1316	Red Oak	12	20.31
M8-MP-1316	Maple	5	17.81

#### Peel & Stick 13/16" Wide x 50' Long


Backed with pressure sensitive adhesive

Code	Specie	Ctn	List/cd
MO-NBI-1316	Nat Birch	10 bgs.	\$ 32.39
MO-CH-1316	Cherry	12	25.63
MO-RO-1316	Red Oak	10	35.63
MO-MP-1316	Maple	10	32.39

### FASTCAP "FASTEDGE" PEEL & STICK EDGEBOARDING



#### Amazing Adhesion



#### No more Ironing!

Fastedge is the perfect solution for field repairs, inside  
and outside radiuses, scribe tape, and other applications.  
Durable and easy to use. Made from high quality PVC and  
real wood veneers. High performance pressure sensitive  
acrylic adhesive increases in strength as it cures, provid-  
ing a long lasting, permanent bond. (For other veneers or  
PVC/laminate matches contact your sales representative.)

Rolls are 250' in length, all 15/16" Width. Real wood  
unless noted as PVC.

Code	Description	List/rl
FESP1516-250WH	PVC, White	\$ 138.94
FESP1516-250BL	PVC, Black	138.94
FEWP1516-250HM	PVC, Hard Rock Maple	163.09
FESW1516-250CH	Cherry	248.82
FESW1516-250MP	Maple	248.71
FESW1516-250AD	Alder	248.71

#### Pre-Finished Peel & Stick

FEPW1516-250MP	Maple	\$ 274.85
----------------	-------	-----------

**WOOD EDGEBANDING****AUTOMATIC EDGEBOARDING**

Genuine Wood Veneer

Fleece-backed, Automatic  
Edgebanding. **500' Rolls.**

Unfinished. .5mm.



Pack: 12 Rolls

Code	Width	Specie	List/Roll
K6-MP-58	5/8"	Maple	\$ 43.99
K6-RWO-78	7/8"	Rift White Oak	127.57
K6-WBI-78	"	White Birch	75.37
K6-RBI-78	"	Red Birch	86.04
K6-WL-78	"	Walnut	95.68
K6-CH-78	"	Cherry	77.10
K6-MAA-78	"	Mahogany	66.44
K6-WO-78	"	White Oak	92.41
K6-RO-78	"	Red Oak	58.97
K6-MP-78	"	Maple	91.66
K6-ASH-78	"	Ash	90.89
K6-VFI-78	"	Vertical Fir	133.62
K6-RA-78	"	Red Alder	94.55
K6-BAM-78	"	Carmel Bamboo	182.40
K6-SBE-78	"	Steamed Beech	112.95
K6-MP-1516	15/16"	Maple	86.37
K6-MP-118	1-1/8"	Maple	110.00

**FORMWOOD THICK WOOD VENEER****AUTOMATIC EDGEBOARDING - 328' ROLLS**

Advanced Finger Joints

Real Wood:  
High Grade Veneer  
Sanded, No Backing**Automatic - 328' Rolls: 1mm Thick Wood Veneer**

Code	Description	List/roll
NG1MMMAP58	1mm, 5/8", Maple	\$ 131.37
NG1MMMAP78	1mm, 7/8", Maple	159.28
NG1MMCHE78	1mm, 7/8", Cherry	172.56
NG1MM-RWO-78	1mm, 7/8", Rift Wh Oak	206.07
NG1MMWAL78	1mm, 7/8", Walnut	215.89
NG1MMMAP138	1mm, 1-3/8", Maple	199.37
NG1MMCHE138	1mm, 1-3/8", Cherry	234.32
NG1MMWAL138	1mm, 1-3/8", Walnut	282.67
NG1MM-MAP-158	1mm, 1-5/8", Maple	189.00

**CLEAR FINISHED  
EDGEBOARDING**

Genuine Wood Veneer

Pack: 12 Rolls

**Pre-Glued, 250' Rolls**

Code	Width	Specie	List/Roll
KP-MP-58	5/8"	Maple	\$ 56.68
KP-CH-78	7/8"	Cherry	69.00
KP-MP-78	"	Maple	70.88
KP-WL-78	"	Walnut	73.83
KP-CH-1316	13/16"	Cherry	64.00
KP-MP-1316	"	Maple	73.65
KP-WBI-1316	"	White Birch	76.24

**Automatic, 500' Rolls**

KTB-MP-58	5/8"	Maple	\$ 124.90
KTB-MP-78	7/8"	Maple	165.18
KTB-WL-78	"	Walnut	171.87
KTB-CH-78	"	Cherry	110.70


**PSA, 50' Rolls. Peel off backer, Pack: 12 cards**

Retail Packs: 1 roll/card

Code	Description	List/cd
MZ-MP-1316	13/16" Maple	\$ 36.91
MZ-RO-1316	13/16" Red Oak	29.66
MZ-WBI-1316	13/16" Wht Birch	44.14
MZ-CH-1316	13/16" Cherry	34.75

**SHELF EDGING**

Snap-On



High impact strength, butyrate plastic edging to fit nominal size plywood &amp; particle board shelves for a finished appearance. Spring gripper action holds edge secure without need for fasteners. White satin finish. Paintable but do not use lacquer.

Code	Description	Ctn	List/ea
588WH	5/8" x 8' White	125	\$ 4.13
348WH	3/4" x 8' White	84	6.60

## EDGEBOARDING, PVC

### POLYESTER EDGEBOARDING

Pre-Glued

Polyester pre-glued edgebanding in 250' rolls. 2-ply.



<u>Code</u>	<u>Width</u>	<u>Color</u>	<u>Ctn</u>	<u>List/rl</u>
D4-WH-58	"	White	5	\$ 35.68
D4-ALM-34	3/4"	Almond	5	40.01
D4-BL-34	"	Black	5	40.32
D4-WH-34	"	White	5	44.51
Y1-PNT-34	"	Paintable	5	34.70
D4-ALM-1316	13/16"	Almond	5	40.44
D4-BL-1316	"	Black	5	55.40
Y1-PNT-1316	"	Paintable	4	34.64
D4-ALM-78	7/8"	Almond	4	39.27
D4-BL-78	"	Black	5	47.77
D4-WH-78	"	White	4	56.00
PG-HRM78	"	Hard Rock Maple	10	65.21
D4-WH-2	2"	White	2	95.00

### POLYBAGGED POLYESTER - PRE-GLUED

13/16" Wide x 50' Long

<u>Code</u>	<u>Color</u>	<u>Ctn</u>	<u>List/bg</u>
M7-BL-1316	Black	12	\$ 17.14
M7-MWH-1316	Melam Wht	12	16.95

### POLYBAGGED POLYESTER - PEEL & STICK

13/16" Wide x 50' Long

<u>Code</u>	<u>Color</u>	<u>Ctn</u>	<u>List/bg</u>
M9-WH-1316	White	12 bgs	\$ 19.11
M9-BL-1316	Black	12	20.75

### PAINTABLE POLYESTER EDGEBOARDING

500' Rolls, Automatic

<u>Code</u>	<u>Width</u>	<u>Ctn</u>	<u>List/rl</u>
PNT-1516	15/16"	5	\$ 116.94



### PVC EDGEBOARDING

Automatic

PVC edgebanding for automatic edgebanding machines.



#### PVC White / .5mm Thickness / 600' rolls

<u>Code</u>	<u>Width</u>	<u>Roll Length</u>	<u>List/rl</u>
WH-58	5/8"	600'	\$ 49.00
WH-78	7/8"	600	49.00

#### PVC White / 1mm Thickness / 300' rolls

WH-1MM-1516	15/16"	300'	\$ 97.01
-------------	--------	------	----------



#### PVC Black / .5mm

1005-9-78	7/8"	600'	\$ 37.65
-----------	------	------	----------

#### PVC Black / 1mm Thickness / 300' rolls

BL-1MM-1516	15/16"	300'	\$ 110.00
-------------	--------	------	-----------



#### PVC Hardrock Maple / .5mm

HRM-58	5/8"	600'	\$ 91.42
HRM34	3/4"	600'	88.52
HRM78	7/8"	600'	91.18
M1701DB	15/16"	600'	98.84

#### 1mm Thickness - PVC HRM

HRM-1MM-1516	15/16"	300'	\$ 119.00
--------------	--------	------	-----------

#### 2mm Thickness - PVC HRM

4975P-1202-1	3/4"	328'	\$ 156.54
4975P-1502-1	15/16"	328'	178.49

Other PVC colors, both in .5mm and 3mm are available on a special order basis.





## SPEED TAPE

### **FASTCAP SPEEDTAPE**

Contact Cement on a Roll



1" - Great for edgebanding



2" - Great for face frames

SpeedTape is an ultra bond transfer adhesive. Apply to a substrate then peel off paper backing and stick on laminate or veneer. Excellent for refacing, locating moldings, eliminating nail holes, and cabinet scribe. Apply edging without the glue clean-up from sprayed or rolled glue. Rolls are 50'. Other sizes can be special ordered.

Code	Size	List/rl
ST-34	3/4" x 50'	\$ 13.27
ST-1	1" x 50'	17.58
ST-2	2" x 50'	35.16

### **HAND EDGEBANDING IRON**



Thermostat adjusts surface temperature. Useful for applying preglued edgebanding and for in-the-field repairs. Used for warming plastics and resilient materials to prevent cracking or crazing when making bends. Handy for heating loose areas or lifted edges to reactivate the adhesive for rebonding. The bases are about 1-5/8" x 4". 250° to 350°F (176°C).


Cat. No. HI-165A, Length 12", Wt 1.5 lb, 120 VAC, 165 W

Code	Description	List/ea
HI-165A	Hand Iron	\$ 94.50

## EDGING ACCESSORIES

### **VIRUTEX EDGE TRIMMER**

This tool simultaneously trims both edges of vinyl or other press-on edging. For panels 9/16" to 1-3/4" thick.



Code	Description	Ctn	List/ea
ET93	Edge Trimmer	1 ea	\$ 42.27
ET94RP	Replacement Blades (6 ea. per card)	1 set	25.16

### **VIRUTEX END TRIMMER**

Manual end trimmer.

Allows a perfect, clean and high quality cut on all the corners of the board. No other finishing operations are needed.



Equipped with double-sided blades. Cuts edgebanding up to 1mm thick. (Not for laminates)

Code	Description	List/ea
RC21E	End Trimmer	\$ 80.56

### **VIRUTEX LAMINATE CUTTER**

Strip cutter for laminates, quick and easy to use. With it, you obtain a clean splinter free cut with no waste. Also used for the edgebanding process.



Special system of cutting made of two wheels that make a very clean cut, with no waste and with a guide to keep the strip straight. Planing width: 12-110 mm, Cutting depth: 0-2 mm, Weight: 2.65 lbs.

Code	Description	List/ea
C015L	Laminate & Veneer Cutter	\$ 315.00

**MAKSIWA®** Portable Edgebander and Edge Trimmer**Portable Edgebander CBC.E****Net \$ 2299**


This portable, automatic edgebanding machine is designed to be used with traditional glue pellets and is compatible with PVC, ABS and real wood edgebanding. It is capable of gluing tape from .3mm to 2mm in thickness and up to 3" in width. The machine comes equipped with a digital temperature thermostat for precise heat control. Convenient, portable, and economic for the discerning woodworker.

Tape thickness:	.3 - 2mm
Max. Tape width:	3" (80mm)
Power:	1500 W
Motor/Voltage:	110V - 1 Phase
Weight:	114.6 lbs.
Box dimensions:	32.7" x 21.2" x 19.3"

**Edge Trimmer Machine RBB.1000****Net \$ 1169**

Precise trimming and scraping ensure a perfect finish for edgebanding applied to MDF or similar wood panels. Easy to operate, simple to install, and works with ABS, PVC and real wood. Versatile mounting system allows attachment to any kind of work bench.

Max Workpiece Height:	2-3/8" (60mm)
Table dimensions:	39" Length x 6 to 16"
Trimmer Speed:	32 RPM
Power:	500 W
Weight:	41.9 lbs.

**Workbench for Edge Trimmer MA.1000 (Optional)****Net \$ 649**

MDF work table with 39" x 16-1/2" of useable surface area. Structure is made of rigid metal and supports up to 440 lbs.

Contains a drawer for storing accessories, 79" power cord, and 2 electrical sockets. Table legs are retractable and come with wheels for easy transport.

**Factory Recommended Jowat Pellets 282.20 for CBC.E Edgebander**

See page 1107 for details.

Low-viscosity hot melt with fast melting properties, long open time, and good color and heat stability.

Low Temp, low feed speed. Natural in color.



Code  
282.20

List/bg  
\$ 366.96

**DORUS HOT MELT ADHESIVE****DORUS  
HOT MELT PELLETS****KS205 Hot Melt Pellets**

High Viscosity

High viscosity, excellent bonding, and high heat resistance make this an ideal all-purpose edgebanding adhesive. The spread and flow qualities allow both moderate and high speed applications without stringing. EVA rubber based.

Recommended for veneer, polyester, PVC, melamine, solid wood, ABS, thick PVC and laminate. 55 lb. bag. Sold per bag.

Application roller: 220° C (425° F)  
Melting container: 200° - 210° C, (392 - 410° F)  
Feed speed: Minimum 50 ft./minute

<u>Code</u>	<u>Color</u>	<u>List</u>
KS205N	Natural	\$ 864.37
KS205W	White	1025.15

**KS217 Hot Melt Pellets**

Low Viscosity

Low viscosity, EVA based hot melt. Recommended for use in granular feed or quick step hotmelt systems. Has fast melting properties, and easy spread and flow. It should run at moderate to high line speeds and is formulated not to string. Superior bonding strength.

Recommended for veneer, polyester, PVC, melamine, solid wood, ABS, tropical and oily veneers, laminates and thick PVC. 55 lb. bag. Sold per bag.

Application roller: 220° C (428° F)  
Melting container: 190° - 210° C, (374° - 410° F)  
Feed speed: Minimum 50 ft./minute

<u>Code</u>	<u>Color</u>	<u>List</u>
KS217N	Natural	\$ 884.63
KS217W	White	886.00

**KS208/2 Hot Melt Pellets**

Medium Viscosity

Recommended for veneer, polyester, PVC or melamine. A medium viscosity EVA hot melt with fast melting properties and good flowing characteristics that permit high feed speed without stringing. Sold per 55 lb. bag.

Application roller: 210° C (410° F)  
Melting container: 200° - 210° C, (392° - 410° F)  
Feed speed: Minimum 40 ft./minute

<u>Code</u>	<u>Color</u>	<u>List</u>
KS2082N	Natural	\$ 612.31

**DORUS  
HOT MELT CARTRIDGES****HKP21**  
Medium Speed**HKP25**  
Slow Speed

The viscosity, spread and flow characteristics of these cartridges were specially formulated for use in Holzher machines. Dorus adhesives will not clog or block the application nozzles on the special glue application head.

Processing Temperature: 200-220°C (392-428° F)  
Feed speed (Holzer machine): minimum 30 ft/minute  
Heating time: 2-4 minutes

**Medium speed**, recommended for veneer, polyester, PVC, melamine, solid wood, thick PVC, and ABS. 45 cartridges per box. Sold per box.

<u>Code</u>	<u>Color</u>	<u>List</u>
HKP21	Natural	\$ 533.93

**Slow speed**, recommended for veneer, polyester, PVC, melamine, solid wood, thick PVC, high pressure laminates and ABS. 45 cartridges per box. Sold per box.

<u>Code</u>	<u>Color</u>	<u>List</u>
HKP25	Natural	\$ 795.91



## HOT MELT GLUE

### JOWAT HOT MELT GLUE

Medium low viscosity hotmelt. Good adhesion to high pressure laminate. Good color and heat stability in the melt. Ethylene-Vinyl-acetate base.

Hotmelt for Holzher type cartridge edgebanders. Especially suitable for high pressure laminates; also used for solid wood, veneer, PVC, and resinated paper edgebands.

Application Temp: 180-200°C/356-392F in the melt.  
Feed Speed: approximately 10-40 m/min.  
(30-120 ft./minute)

### Hot Melt Pellets: 44 lbs/bag

<u>Code</u>	<u>Color</u>	<u>List/bag</u>
288.60	Natural	\$ 262.86
288.61	White	291.46
288.62	Brown	309.34
288.63	Black	262.83
280-90*	Clear	332.62
280-30*	Translucent (user friendly)	353.85

\* Higher heat resistance than the 288. Works on all colors. Use less of this as it is pure glue, no fillers.

### Hot Melt Pellets: 44 lbs/bag

Suitable for primed PVC, ABS, PP, veneer, solid wood and resinated paper edgebands. Can also be used for softforming. **Excellent thermal stability, no stringing.** Medium viscosity.

### For Contour Edgebanding

<u>Code</u>	<u>Color</u>	<u>List/bag</u>
282.20	Natural	\$ 366.96



## JOWAT

### JOWAT HIGH HEAT RESISTANT HOT MELT GLUE

Equal to Doris  
KS215, KS205

Characteristics: High viscosity hotmelt. High heat (167°F) resistance and good cold flexibility of glue line. Excellent color and heat stability in the melt. Excellent on high speed glue lines.

Applications: Hotmelt for automatic edgebanding suitable for PVC, solid wood, veneer, and resinated paper edgebands. Also, used for soft-forming applications. (Not recommended for HPL applications).  
Direction for Use: Application Temperature: 200° to 220°C/392° to 428°F in the melt.

Feed Speed: Roller applications: 50-60 ft/min.  
Nozzle application: 30-120 ft/min.

### Hot Melt Pellets: 44 lbs/bag

<u>Code</u>	<u>Color</u>	<u>List/bag</u>
288-50	Natural	\$ 336.30



### Hot Melt Cartridges: 35 lbs./box (48 cart.)

<u>Code</u>	<u>Color</u>	<u>List/box</u>
286.80	Natural	\$ 358.73
286.81	White	303.73
286.82	Brown	301.41
286.83	Black	303.73
286.30	Translucent	431.29





**Abet Laminati Order Form**

Email form to orders@macmurraypacific.com

Date \_\_\_\_\_

Contact Name \_\_\_\_\_

Contact Phone # \_\_\_\_\_

Account Name \_\_\_\_\_

Street \_\_\_\_\_

City \_\_\_\_\_

State \_\_\_\_\_ Zip \_\_\_\_\_

Job Name \_\_\_\_\_

**ABET LAMINATI :**

- Offers the largest choice of colors and designs in North America
- Cutting edge styles and colors; design driven laminates
- Europe's leading producer of High Pressure Laminates
- See [www.abetlaminati.com](http://www.abetlaminati.com) for pictures

**Colors and patterns:**

A full range of 408 solid colors, wood grains, patterns, stones, metals, marbles, translucents, magnetics and iridescent colors is available. Custom Silkscreen and digital print patterns are available on special order.

**Finishes:**


Sei	A smooth textured matte with a moderate sheen
Soft	A smooth low sheen
Super Matte	The look of flat paint
Lucida	High gloss finish
Millerighe	Horizontal line embossed finish
Millerighe-2	Horizontal line embossed finish
Cresp	An embossed finish with highlighted pattern
Cresp-2	Raised vertical line embossed finish
Fiber	Fiber inclusion embossed finish
Mandarin	A pebbled textured finish with moderate reflective value
Nutshell	Woodgrain tick embossed pattern
Magma	Embossed stone pattern
Muro	Embossed pattern
Multirighe	Embossed line pattern
Satinata	Brushed metal pattern
Onda	An embossed grooved curved pattern

	<u>Qty</u>	<u>Stock (#)</u>	<u>Finish</u>
1			
2			
3			
4			
5			
6			

Std Sheet Size: 51" (130cm) x 120" (305 cm)  
 Std Thickness: .035" (0.9 mm) (post formable)  
 Stocked in California.

**Please send me:**
☐ Sample Chain    ☐ Chip Book    ☐ Chip Boards

only a sampling of ABET colors





## ROLLING LADDERS

### **PUTNAM NO.1 ROLLING LADDER**

The Putnam No.1 Rolling Ladder is made of best grade red oak (standard, but other hardwoods available), which is filled and finished. Steps are screwed to rails, not nailed, and rods are placed under each step, for greater strength.

The top slide feature, available in either roll type (No. 210) or hook slide, (No. 230) permits the rolling ladder to be pulled out for use or pushed back against shelves to conserve space. The roll type fixture (No. 210) is for a ladder permanently attached to the track. The hook slide feature (No. 230) is used when a ladder needs to be removed from one section of track to another.

The ladder easily rolls on bottom fixtures (No. 270). Also available is an old style bottom fixture (No. 270 Old Style) for a more antique look.

In lieu of a regular oak finish, (a Dupont clear penetrating wood finish) the ladder can be finished in various popular wood shades, as desired. You may choose from any of the Minwax interior wood finishes. Should you desire to finish the ladder yourself, unfinished oak is also available.

The normal measurements of The No. 1 Rolling Ladder are as follows:

Height: As required	Side Rails: 3-1/4" deep
Steps: 4-1/4" deep	Outside Width: 16"

Rolling  
Library  
Ladder



Library  
Ladder  
with a  
Top Bent



### **"TOP BENT" ROLLING LADDER FOR A LOFT**

Walk through the top of this ladder into a loft or mezzanine. The "Top Bent" section is normally 24" high. For ordering, please provide vertical measurements from floor to track.

Top Bent  
Rolling  
Ladder  
for a Loft



### **ALL LADDERS ARE MADE TO ORDER. PLEASE INDICATE:**

1. Height (floor to center of track. 7" clearance above the track is required)
2. If Top Bent is desired, specify "Library Ladder with a Top Bent", or "Top Bent Ladder for a Loft". Top Bent section is standard 24" high.
3. Length of track and any 90° or 135° curves
4. Bracket desired (vertical, horizontal, or top of shelf mount)
5. Stamped or Old Style bottom fixtures
6. Type of wood-  
Red Oak is standard. Mahogany, Maple, Birch, Cherry, Walnut, and others are available at an extra charge
7. Wood Finish -  
DuPont clear, any Minwax interior wood finish, or unfinished. (If nothing is specified, factory will ship "clear finished")
8. Finish on top and bottom fixtures on ladder, track and brackets -  
Standard-ladder fixture is zinc plated, steel track is aluminum painted  
Also available in: Ant. Brass, Satin Brass, Satin Nickel, Pol. Chrome, Oil R. Bronze, Pol. Nickel, Pol. Brass & Black.


If shelving or layout is unusual, please provide a rough sketch.

You can find Putnam Rolling Ladder Order Form on our website: [macpac1.com/forms.html](http://macpac1.com/forms.html)



## ROLLING LADDERS Cont.


### ROLLING LADDER - TOP FIXTURES




No. 230 Hook Slide

No. 210 Roll Type

### ROLLING LADDER - BOTTOM FIXTURES






No. 270 Stamped



No. 270 Old Style


### BRACKETS FOR NO.1 TRACK

	Roll Type <u>No. 210</u>	Hook Slide <u>No. 230</u>
Vertical Mount on Uprights	No. 14	No.14H
Horizontal Mount	No. 27	No. 27H
Top of Shelving Mount	No. 29	No. 29H

No. 14  
Vertical mount  
on uprightsNo. 14H  
Vertical mount  
on uprightsNo. 27  
Horizontal mountNo. 27H  
Horizontal mount

**POSTS & COLUMNS**



**PRIDE**





**PRIDE INDUSTRIAL**

**DECORATIVE WOODEN POSTS & COLUMNS**

Finely carved architectural wood. All Special Order, Fast Delivery.

Square Post				Square Fluted Post			
		<b>POST-S-</b> 35-1/4" H 3-1/2" D 3-1/2" W				<b>POST-K-</b> 35-1/4" H 3-1/2" D 3-1/2" W	
<u>Code</u>	<u>AL</u>	<u>MP</u>	<u>RW</u>	<u>Code</u>	<u>AL</u>	<u>MP</u>	<u>RW</u>
POST-S-	\$ 161.06	\$ 171.98	\$ 135.84	POST-A-	\$ 154.90	\$ 176.10	\$ 89.73
POST-K-	170.87	181.75	145.66	POST-C-	168.99	190.18	110.07

Shaker Post				Mission Post			
		<b>POST-X-</b> 35-1/4" H 3-1/2" D 3-1/2" W				<b>POST-M-</b> 35-1/4" H 3-1/2" D 3-1/2" W	
<u>Code</u>	<u>AL</u>	<u>MP</u>	<u>RW</u>	<u>Code</u>	<u>AL</u>	<u>MP</u>	<u>RW</u>
POST-X-	\$ 196.03	\$ 213.12	\$ 155.43	POST-B-	\$ 161.95	\$ 183.14	\$ 95.30
POST-M-	240.47	279.54	175.11	POST-G-	161.95	183.14	95.30

Turned Post				Rope Post			
		**POST-A-** 35-1/4" H 3-1/2" D 3-1/2" W				**POST-C-** 35-1/4" H 3-1/2" D 3-1/2" W	
Code	AL	MP	RW	Code	AL	MP	RW
POST-A-	\$ 154.90	\$ 176.10	\$ 89.73	POST-C-	\$ 154.90	\$ 176.10	\$ 89.73
POST-C-	168.99	190.18	110.07				
Reed Post				Tuscan Post			
		**POST-B-** 35-1/4" H 3-1/2" D 3-1/2" W				**POST-G-** 35-1/4" H 3-1/2" D 3-1/2" W	
Code	AL	MP	RW	Code	AL	MP	RW
POST-B-	\$ 161.95	\$ 183.14	\$ 95.30	POST-G-	\$ 161.95	\$ 183.14	\$ 95.30
POST-G-	161.95	183.14	95.30				

Wood Species: AL - Alder, MP - Maple, RW - Rubberwood



**PRIDE****CORBELS****PRIDE INDUSTRIAL****DECORATIVE WOODEN CORBELS**

Finely carved architectural wood. All Special Order, Fast Delivery.

**CRAFTSMAN CORBEL****CORBEL-K-**  
10" L  
3-1/2" W  
7" Proj**CORBEL-KL-**  
13-3/4" L  
5" W  
8" Proj

<u>Code</u>	<u>AL</u>	<u>MP</u>	<u>RW</u>
CORBEL-K-	\$ 140.24	\$149.37	\$ 102.13
CORBEL-KL-	262.97	280.91	188.71

**SHAKER CORBEL****CORBEL-M-13-**  
9" L  
3.15" W x  
4.1" Proj**CORBEL-M-14-**  
14" L  
6.375" W  
4.9" Proj

<u>Code</u>	<u>AL</u>	<u>MP</u>	<u>RW</u>
CORBEL-M-13-	\$ 96.02	\$ 102.61	\$ 83.76
CORBEL-M-14-	247.84	264.77	189.72

**TRADITIONAL CORBEL****CORBEL-T-1-**  
Small Traditional Corbel  
10" L x 4-1/2" W x 5-1/4" Proj.**CORBEL-T-4-**  
Traditional Bar Bracket  
13" L x 3-3/8" W x 7-3/4" Proj.

<u>Code</u>	<u>AL</u>	<u>MP</u>	<u>RW</u>
CORBEL-T-1-	\$ 176.10	\$ 183.14	\$ 154.90
CORBEL-T-4-	230.97	250.21	192.45

**ACANTHUS CORBEL****CORBEL-A-2-**  
Medium Acanthus Corbel  
14" L x 5" W x 7" Projection**CORBEL-A-4-**  
Acanthus Bar Bracket  
13" L x 3-1/2" W x 7-3/4" Projection**CORBEL-A-5-**  
Low Profile Acanthus Corbel  
6" L x 2-3/4" W x 1-3/8" Projection

<u>Code</u>	<u>AL</u>	<u>MP</u>	<u>RW</u>
CORBEL-A-2-	\$ 278.75	\$ 285.79	\$ 232.51
CORBEL-A-4-	243.78	250.21	211.68
CORBEL-A-5-	70.26	76.68	63.82


**MISSION CORBEL****CORBEL-M-2-**  
12" L x 3" W x  
9" Projection**CORBEL-M-4-**  
12" L x 2-1/2" W x  
6-1/2" Projection

<u>Code</u>	<u>AL</u>	<u>MP</u>	<u>RW</u>
CORBEL-M-2-	\$ 129.60	\$ 146.39	\$ 109.76
CORBEL-M-4-	113.80	125.75	103.39

Wood Species: AL - Alder, MP - Maple, RW - Rubberwood

WOOD PARTS

PRIDE



**PRIDE INDUSTRIAL**  
**DECORATIVE WOOD PARTS**  
 Finely carved architectural wood. All Special Order, Fast Delivery.

CORBELS CONT.

**Small Mordern  
Craft Corbel**


**CORBEL-T-7-**  
 7" L x  
 1-3/4" W x  
 5" Proj.

**Classic Corbel**


**CORBEL-B-**  
 10-7/8" L x  
 1-3/4" W x  
 8-3/8" Proj.

Code	AL	MP	RW
CORBEL-T-7-	\$ 51.68	\$ 55.05	\$ 43.57
CORBEL-B-	67.37	-	49.06

BUNN FEET



**BUNN-8-**  
 Square Bunn Foot  
 4" x 4" x 4"



**BUNN-1-**  
 Round Bunn Foot  
 5" x 3"




**BUNN-2-**  
 Turned Bunn Foot  
 4" x 4"

Code	AL	MP	RW
BUNN-1-	\$ 25.30	\$ 29.81	\$ 26.53
BUNN-2-	25.30	27.13	22.97
BUNN-8-	31.03	33.26	21.80


CARVED PEDESTALS



**PED-C-**  
 Pedestal Foot Corner  
 6-1/2" x 6-1/2" x 4"



**PED-L-**  
 Pedestal Foot Left  
 6-1/8" x 4" x 2-1/2"




**PED-R-**  
 Pedestal Foot Right  
 6-1/8" x 4" x 2-1/2"

Code	AL	MP	RW
PED-C-	\$ 50.53	\$ 55.00	\$ 30.86
PED-L-	18.43	21.80	11.58
PED-R-	18.43	21.80	11.58

CORK ROLLS

Bulletin Board Cork with a smooth texture, a very close grain, light brown in color. Trimmed and finished edges. Surface finish smooth on both sides.



#232: 3/16" thick x 4' wide, 10' or 60' rolls

#250: 1/4" thick x 3' wide, 10' or 100' rolls

Code	Length	List/roll
232-10	10'	\$ 284.25
250-10	10'	238.12
250-100	100'	1260.72

Wood Species: AL - Alder, MP - Maple, RW - Rubberwood