

**CASTERS****CASTERS WITH RUBBEREX WHEELS**

A wheel with a soft rubber tread and a hard rubber core. For light duty application or where a cushioned effect is required & quiet movement is necessary. Unique King Pin Design, corrosion resistant, general purpose, deeply formed single raceway, hardened ball-bearing. 90-225 lbs.

**Dimensions for Rubberex Swivel & Rigid Casters:**

Wheel Size	Wheel Dia x Face	Load/Caster	Overall Height
2"	2" x 1"	90 lb	2-7/16"
2-1/2"	2-1/2" x 1-1/8"	100 lb	3-1/4"
3"	3" x 1-1/4"	175 lb	3-13/16"
4"	4" x 1-5/16"	225 lb	5"

**SWIVEL SERIES**

Code	Size	Ctn	List/ea
CGD20RS	2"	24 ea.	\$ 6.36
CGD25RS	2-1/2"	18	8.72
CGD30RS	3"	12	12.51
CGD40RS	4"	6	16.98

**RIGID SERIES**

Code	Size	Ctn	List/ea
CGD20RR	2"	24 ea.	\$ 6.13
CGD30RR	3"	18	10.61
CGD40RR	4"	12	15.72

**TOP PLATE DIMENSIONS**

Wheel Size	Swivel	Rigid
2"	1-7/8 x 2-9/16	1-1/2 x 2-21/32
2-1/2"	2-3/4 x 3-15/16	2-1/4 x 4-7/16
3"	3-1/8 x 4-1/8	2-1/2 x 4-15/16
4"	4 x 5-1/8	3-1/8 x 6-1/4

**SWIVEL SERIES w/Side Brake**

Code	Size	List/ea
CGD20RSB	2"	\$ 5.94
CGD30RSB	3"	13.14
CGD40RSB	4"	22.03



Dimensions & Load Cap same as Swivel Series without side brake.

**SEMI-STEEL WHEEL CASTERS**

High quality wheel with semi-steel castings. A good choice for heavy loads. Corrosion resistant, general purpose, deeply formed single raceway, hardened ball-bearings.



Pack: 4 each/ctn.

Code	Wheel Dia. x Face	Load/Caster	Overall Height	List/ea
CGD30SS	3" x 1-5/16"	250 lbs.	3-13/16"	\$ 16.13
108-4	4" x 1-1/2"	450 lbs.	5"	34.05

**PIANO CASTER**

With Rubberex Wheels



Top plate: 2-3/4" x 4".  
Copper oxidized.

479-2

Pack: 4 each/ctn.

Code	Wheel Dia. x Face	Load/Caster	Overall Height	List/ea
479-2	2" x 7/8"	160 lbs.	2-13/16"	\$ 28.48

13

## CASTERS

### LIGHT/MEDIUM DUTY SWIVEL CASTERS

CLMA40P1RS



Aluminum hub, gray non-marking wheels, double raceway ball-bearing, yoke cups seal, annular ball-bearing wheel. 225-240 lb load capacity per each caster. Available with or without brakes.

Wheel Size	Wheel Dia. x Face	Plate Size	Overall Height	Swivel Radius
3-1/2"	3-1/2" x 1-1/4"	3-5/8" x 2-1/2"	4.75"	3-1/16"
4"	4" x 1-1/4"	3-5/8" x 2-1/2"	5.125"	3-5/16"

Code	Wheel	Load/Caster	List/ea
CLMA35P1RS	3.5"	225 lbs	\$ 40.61
CLMA40P1RS	4"	240 lbs	41.69
<b>W/ Brake</b>			
CLMA35P1RSB	3.5"	225 lbs	41.65
CLMA40P1RSB	4"	240 lbs	46.85

13

### METAL FURNITURE CASTERS

With Rubberex Wheels

Threaded Stem Caster:

Wheel dia. x Face: 2" x 7/8"

Overall height: 2-17/32"

Stem: 3/8-16 x 1-1/2"

Load Cap: 80 lbs. each





EY459

Rubberex Wheels have a soft rubber tread and a hard rubber core. Self-lubricating bearing wheel. Double ball-bearing raceways. Pack: 4 each.

Code	Wheel	Load/Caster	List/ea
EY459	2"	80 lbs	\$ 11.47

### TWIN-WHEEL CASTERS



Choose from screw-on plate or knock-in socket attachments, with or without brake. Cover is made of polypropylene, and the wheels are made of nylon. Wheel diameter: 2". Load Capacity: 550 lbs/set of four. Carton Qty: 48 each.

Code	Caster	Finish	List/ea
1238	Socket Stem	Black Matte	\$ 1.95
1237	Plate	Black Matte	2.75

### With Brake:


Code	Caster	Finish	List/ea
1236	Socket Stem	Black Matte	\$ 4.65
1235	Plate	Black Matte	4.72

### PLATE STYLE - SPHERICAL WHEEL



Metal-hooded rubber ball caster combines load capacity and style into one caster. Non-marking spherical wheel and double ball-bearing raceway caster provide easy movement of heavy loads. Use on sofas, chairs or heavy chests. Hardware finish is bright brass. Pack 10 per box.

Code	Wheel	O/A Ht.	Capacity	List/ea
CH15P2BR	1-1/2"	2-1/8"	90 lbs.	\$ 5.46
CH20P2BR	2"	2-1/2"	90	5.46

**DOLLIES****GATE WHEEL** - 4" Dia.CGSL4  
4" Dia.

The Gate Wheel is ideal for uneven walkways. Helps support heavy gates. (Spring must be fully depressed to install.) Overall Ht: 11-1/4". Rubber wheel.

<u>Code</u>	<u>Load Cap</u>	<u>Wheel Dia.</u>	<u>List/ea</u>
CGSL4	240 lbs.	4"	\$ 54.35

**FURNITURE DOLLY**

Thick carpeting protects furniture against scratching and marring. Extra wide 6" end rails give added support under heavy loads. Solid 1" kiln-dried hardwood frame. Shaped inside edge for easy handling. Plastic 3" wheels are non-marking. Load Capacity: 700 lbs. Frame Size: 18" L x 30" W.

<u>Code</u>	<u>Ctn</u>	<u>List/ea</u>
DL31830-MS	1 ea.	\$ 80.63

**HEAVY DUTY DOLLY**

Heavy Duty Dolly, 19" x 32". Constructed with 4" casters, grey, non-marring tread and ball bearing axles.

13

1,000 lb capacity.

<u>Code</u>	<u>Ctn</u>	<u>List/ea</u>
HD1932-4	1 ea.	\$ 163.78

## CABINET LEVELERS

### CAMAR CABINET LEVELER

Black Plastic Leg & Black Plastic Foot  
With 35mm Press Fit Socket



840-F2-00  
Socket



35mm x 12mm hole required  
for press fit portion of socket.  
Socket outside diameter = 48mm.

448-10-P2  
4" to 6-11/16"  
height adjustment

Black plastic leg is adjustable from 4" to 6-11/16" in height. Load capacity: 650 lbs (per 4 levelers). Black plastic socket press-fits into 35mm x 12mm hole.

One Set = 1 ea. leg, 1 ea. foot, and 1 ea. socket:

Order (1) 448-10-P2 and (1) 840-F2-00 for complete set. Order toe kick separately.

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List</u>
448-10-P2	Shaft, Insert & Foot	100 sts.	\$ 2.26
840-F2-00	Socket	100 ea.	1.29

### TOE KICK CLIP

13  
Groove mount or Screw mount - works with all Camar levelers. Each Toe Kick includes a 4-Finger clip for attachment. Carton: 100/ea.




4 finger clip



202-AN-C2  
Groove Mount



202-V1-T2  
Screw Mount



<u>Code</u>	<u>Description</u>	<u>List/ea</u>
202-AN-C2	Groove Mount Toe Kick	\$ 1.10
202-V1-T2	Screw Mount Toe Kick	1.10

### PLASTIC LEG LEVELER SYSTEM

Load Capacity: 1500 lbs/set of 4

Heavy gauge plastic leg levelers, load cap. 375 lbs. per leg or 1500 lbs. per set of 4. Legs have a locating lug that allow you to adjust all legs to a 4-1/4" starting point. Legs can be adjusted from 3-7/8" to 6". Optional leg extender allows adjustment to 7-1/2". Black in color.



#5600-000

**Leg Leveler Set**

Includes Top,  
Tube and Bottom.



Leveler Top

Leveler Tube

Leveler Bottom



#5675-000

**Leveler Extender**

Allows adjustment  
to 7-1/2".



#5696-000


**Screw-On  
Toe Kick Clip.**

Snaps on to leg.

<u>Code</u>	<u>Caster</u>	<u>Ctn</u>	<u>List</u>
5600-000	Screw-On Leveler Set*	1 set/bg	\$ 4.64/st
5675-000	Leveler Extender	100	2.08/ea
5696-000	Screw-On Toe Kick Clip	100	2.56

\*One set consists of: 1 top, 1 tube & 1 bottom.

### BASE ELEVATING SCREW



Pack: 100/ctn.

Protective Cap

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
RL260GS	Double Angle Bracket w/ four fixing holes	\$ 1.58
RL2241070	Threaded screw, 2-3/4"	1.95
RL22410X90	Threaded screw, 3-9/16"	1.82
RL225	Protective Cap, polythene, 1/4" Ht, 1-5/16 Dia.	.18



## CABINET LEVELERS

### CAMAR CABINET LEVELERS



400-025



Camar levelers provide a load capacity of up to 850 lbs./385 kg per cabinet. Levelers screw on the bottom of the cabinet. They are adjustable from either the inside or the outside of the cabinet with a long shaft screwdriver. Allow for precision adjustment of cabinetry. Black ABS foot.

Pack: Each kit outfits one base cabinet.

Ctn: 10 kits per carton.

400-023BList \$ 31.44/bg

Contains 4 metal legs, plastic sockets, screw-mount toe kick clips, cover caps, with hollow screw and instructions.

400-024BList \$ 31.56/bg

Same as 400-023B but with groove-mounting toe kick clips.

400-025List \$ 45.42/bg

Contains 4 metal legs, metal sockets, groove-mount toe kick clips, cover caps, with hollow screw and instructions.

400-026BList \$ 46.15/bg

Same as 400-025 but with screw-mounting toe kick clips.

400-027BList \$ 36.13/bg

Same as 400-025 except with wood screw mounting (instead of hollow screw).

## LEG LEVELERS

### CAMAR CABINET LEVELERS

Camar Three-piece levelers (foot, shaft and insert) available individually (from kits prev. column).

Provides a load capacity of up to 600 lbs. per leveler + socket. Required socket sold separately.




345 leveler

socket

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
345-10-02	Metal leveler, 4 - 6.5" adj.	\$ 6.29
345-17-02	Metal leveler, 6.5" - 9" adj.	7.61
835-E1-00	Metal socket, screw mount	2.91

### LEG ADJUSTER

Heavy Duty Leveling Leg Adjuster.



Thread: 3/8" - 16

Steel base, zinc plated.

Base: 1-3/4" O.D. 500 ea. per carton. May be used with T-Nuts or threaded bases.

<u>Code</u>	<u>Bolt Length</u>	<u>Ctn</u>	<u>List/C</u>
LA-175	1-1/2"	500 ea.	\$ 153.67
LA-175-2	2"	300	184.44

13

### T-NUTS



TNUT-14-20

1/4-20 thread

T38-16

3/8-16 thread



4-Prong Type

	<u>A</u>	<u>B</u>	<u>C</u>	<u>D</u>
T38-16	7/16	5/16	7/16	1
TNUT-14	13/32	1/4	5/16	11/16

### 4 Prong:

<u>Code</u>	<u>Thread</u>	<u>List</u>
T38-16	3/8-16	\$ 46.75 /C
TNUT-14-20	1/4-20	.35 /ea

**TACK GLIDES****ADJUSTABLE GLIDES**

Floor is protected by plastic base - white in color. Thread dia: 1/4-20. Thread length: 1". Cover shell chrome in color.



<u>Code</u>	<u>Ctn</u>	<u>List/ea</u>
FT53941	1000 ea.	\$ 1.95

A silent shock-absorbing adjustable glide for straight legs with the stud completely encased. Zinc plated stud is 1/4-20 x 1". Nickel plated solid shell is 1-1/4" outside diameter. Base is also nickel plated.



<u>Code</u>	<u>Ctn</u>	<u>List/ea</u>
7504-4-24	100 ea.	\$ 2.64

**PLASTIC THREADED INSERTS**

Threaded Insert


Shown with glide  
(Glide not included)

Rounded threaded insert for wood or die cast holes. Natural Nylon for 3/8" hole. (Glide not included.) For use with 1/4-20 threads.

<u>Code</u>	<u>Ctn</u>	<u>List/ea</u>
1313-49	100 ea.	\$ .40

**STANDARD NAIL GLIDE**

White Nylon Glide



White Nylon

D = 5/8", 3/4", 7/8" dia.  
H = 3/4" nail length  
T = 6mm thickness of glide

<u>Code</u>	<u>Dia.</u>	<u>Ctn</u>	<u>List/M</u>
53813WH	5/8"	1000	\$ 53.87
53814WH	3/4"	1000	63.13
53815WH	7/8"	1000	47.39

**SINGLE PRONG GLIDE**

Tough steel, nickel plated.  
5/8" Long shank.



<u>Code</u>	<u>Dia.</u>	<u>Ctn</u>	<u>List/C</u>
6112	1/2"	4000	\$ 5.42
6158	5/8"	4000	6.67
6134	3/4"	4000	12.06



## TABLE LEGS

### TABLE LEGS - CHROME


Peter Meier/Camar




Height Adjustable: 1-1/8"

Leg Width: 2-3/8"

Min Table Thickness: 1.10"



Built-in Height Adjustment



Special aluminum bracket

Table legs with built-in height adjustment to eliminate shimming. Easily installed by screwing them to the underside of the table-top.

Load Capacity: 660 lb. per leg. Legs are 27-3/4" but are adjustable to a maximum of 28-7/8". Each set includes 4 legs, 1 ea. allen wrench, and 7 x 10-1" screws per leg. One set per carton. Other colors and sizes available special order.

Code	Description	Leg Dia.	List/set
330-70-CH	Chrome Table Legs, 4 ea/set.	2-3/4"	\$ 105.43

### INSET DOOR STOPS



251.79.600

Steel Inset Door Stop with polyurethane bumper. Various inset door applications. Use with Inset doors when self-closing concealed hinges are used. Nickel plated, 1-7/16" x 3/8". Use #6 pan head screw - sold separately.



251.79.604


Inset door stop for double doors when self-closing concealed hinges are used. Nickel plated, 15/16" x 1". Use #6 pan head screw - sold separately.

Code	Description	Pk	List/Pk
251.79.600	Door Stop w/ Bumper	48 ea	\$ 38.15
251.79.604	Double Door Bumper	48	75.00

## INSET DOOR STOPS

### INSET DOOR STOP

Tenn-Tex



Door stop for cabinet inset doors. Clear in color. Uses #5 or #6 flathead screws (sold separately).

Code	Ctn	List/C
T230	1000 ea.	\$ 19.49

### INSET EURO DOOR STOP

Fastcap "Cam" adjustable inset stop

ED-BR



ED-CL



Easy to Adjust



Screw Euro Door Stop at desired depth


Designed for use with inset cabinets. Simply screw inside cabinet and rotate to adjust where you want the cabinet door to shut.

Code	Color	Ctn	List/ea
ED-BR	Brown	100 ea.	\$ .27
ED-CL	Clear	100	.54

### DOOR STOP JIG

Fastcap




The Euro Door Jig is a compact tool used for accurate and repeatable placement of Euro Door Stops on cabinets. Door Stops sold separately (above).



Code	Description	List/ea
ED-JIG	Euro Door Stop Jig	\$ 7.84

**BUMPERS & PADS****CLEAR PLASTIC BUMPERS**


Bumper Specialties

**Must order per sheet.**

Code	Ht.	Dia.	Sheet	List
BS-7	3/32"	5/16"	450 ea.	\$ 5.95/C
BS-12-SD	5/32"	3/8"	288	12.01
BS-1-SD	1/8"	1/2"	200	11.10
BS-10-SD	1/8"	3/8"	288	90.80/M

**BS-2 CLEAR PLASTIC BUMPERS**

Bumper Specialties



The BS-2 clear, plastic bumper is 7/16" in diameter and 3/16" high. The height of this bumper works well with Salice compact hinges.

**There are 242 bumpers per pad and 5082 bumpers per Ctn. Must order in increments of 242.**

Code	Ht.	Dia.	Sheet	Ctn	List/C
BS-2	3/16"	7/16"	242 ea.	21 sheets (5082 ea.)	\$ 10.49

**EXTRA SOFT BUMPER**

Bumper Specialties

Made of 100% polyurethane resin.  
Extra soft yet extremely tough.  
Adhesive backed.

**Must order in increments of 200.**

Code	Ht.	Dia.	Sheet	List/M
BS-58SD	3/16"	1/2"	200 ea.	\$ 79.98

**GRASS PLASTIC BUMPERS**

Slightly Opaque



**Must order in increments of 50 (1 sheet).  
10 sheets per Ctn (500 ea.)**

Code	Ht.	Dia.	Sheet	Ctn	List/M
31002	1/8"	7/16"	50 ea.	10 sheets	\$ 124.73
31004	1/16"	7/16"	50 ea.	10 sheets	108.01

**PRESS-IN BUMPERS**

This press-in plastic bumper is an easy way to protect most types of surfaces and prevent damage to furniture and equipment. 3/16" dia, 5/16" drilling depth. Clear finish.

Code	Description	List/M
MP-590	Press-In Bumper	\$ 267.86

**DECCO FELT HINGE PADS**

Felt hinge pads, dia: 3/8".  
5000 pads per roll, complete rolls only.



Code	Color	Thick	Roll	List/RL
PADS-5M-GR	Gray	1/16"	5000	\$ 67.62
PADS-5M-BL	Black	3/32"	5000	67.62