

**GLUE****TITEBOND ORIGINAL WOOD GLUE**

The original yellow PVA aliphatic resin glue; blended PVA and polyvinyl alcohol esters. More than twice as strong as white glue. Bonds wood, and other porous materials. Spreads easily, sets fast and is sandable. Resists heat and solvents. Nontoxic, nonflammable.

<u>Code</u>	<u>Size</u>	<u>Pack</u>	<u>List/ea</u>
506-3	8 oz.	12	\$ 5.26
506-4	16 oz.	12	9.05
506-6	1 Gallon	2	36.05
506-7	5 Gallons	1	172.52

**TITEBOND II PREMIUM WOOD GLUE**

Titebond II is a crosslinking PVA glue. First one-part glue to pass type II water resistance. Dries very hard, sands easily, fast tack. High water and heat resistance. Fills small (1/32") gaps with strength. Solvent-free, non-toxic, paintable, water clean-up, freeze/thaw stable, resists solvents, environmentally safe. For wood, particle board and other porous materials. (Not for continuous submersion). Dries yellow.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
500-3	8 oz.	12	\$ 6.44
500-4	16 oz.	12	10.48
500-6	1 Gallon	2	42.72
500-7	5 Gallons	1	192.40

**TITEBOND II EXTEND – longer open time**

413-7	5 Gallons	1	\$ 234.75
-------	-----------	---	-----------

**TITEBOND II FLUORESCENT WOOD GLUE**

Titebond II glue that contains fluorescent dye so glue can be seen under a black-light. 5 gallon pails only.

<u>Code</u>	<u>Size</u>	<u>List/ea</u>
231-7	5 Gal.	\$ 224.76

**TITEBOND III ULTIMATE WOOD GLUE**

Titebond III combines the strength, sandability, ease of use and water cleanup of PVAs (aliphatic resins) with the durability, open time and water-resistance of polyurethanes. Especially useful for outdoor applications in cooler temperatures or when concern for moisture calls for the use of a water-resistant glue.

• Unaffected by finishes	Strength:	4000psi
• Water clean-up, Non-Toxic	Open Time:	10 minutes
• Sands easily w/o softening	Chalk Temp:	47° F
• Dries Neutral Tan	Exterior Use:	Yes

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
1413	8 oz.	12	\$ 10.77
1414	16 oz.	12	14.91
1416	1 Gallon	2	57.16
1417	5 Gallons	1	301.36

**SUPER TITEBOND WOOD GLUE**

A high-quality, professional woodworking glue that offers superior sandability and solvent-resistance. It resists stress imposed by heat and moisture during the production of panels, squares and other wood parts. This makes it the ideal choice for edge and face gluing as well as other woodworking operations.



<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
507-7	5 Gallons	1	\$ 215.96

**GLUE****TITEBOND EXTEND WOOD GLUE**

Titebond Extend is a slower setting version of the Titebond Original. Use in hot weather or for complex assembly work. It is compatible with all common species of wood, as well as particle board, MDF, plywood and other porous materials. Dries yellow. Keep from freezing. Not for moist areas. For interior use. Clean up with damp cloth or scrape.

Application Temp	Above 40°F
Storage Life	6 mos. at 70°F
Assembly Time	15 mins. at 70°F
Bond Strength	72°F = 3,510 PSI* 150°F = 3,120 PSI*



<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
910-6	1 Gallon	2	\$ 40.43
910-7	5 Gallon	1	196.73

**TITEBOND WHITE GLUE**

Titebond White Glue is a strong, economical white glue that sets faster than most other comparable glues. It provides a strong initial tack and sets fast to reduce clamp time. Translucent glue line, excellent sandability and is unaffected by finishes.



Non-toxic and cleans up with water. Ideal for general wood-working applications, as well as many other porous and semi-porous materials.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
502-6	1 Gallon	2	\$ 36.08
502-7	5 Gallons	1	176.42

**GLUE BOTTLES****EMPTY GLUE BOTTLES AND SPOUTS**

16 oz. Wide Plastic Bottles with Wide Spouts.

Order bottles and spouts separately.



<u>Code</u>	<u>Description</u>	<u>List/ea</u>
GBW	16 oz, 2-3/8" Dia.	\$ 2.24
GSW	1-1/4" Spout for GBW	.58


**GLU-BOT SPILL-PROOF GLUE BOTTLE**

Fastcap



- Spill-proof nozzle
- Easy-squeeze bottle
- Never drip again
- Essential for every craftsman
- Vacuum valve keeps glue level high, even when you're getting low!
- Replacement tips sold separately

<u>Code</u>	<u>Description</u>	<u>List</u>
GLU-BOT	16 oz. Glue Bottle	\$ 11.26/ea
GB-BLADE	Replacement blade tips, 5 ea/ pack	2.83/pk

**GLUE****MELAMINE GLUE****"ROO-CLEAR"**

AV56-1



AV56-16

For all melamine butt joints, including anchoring drawer bottoms to sides, especially at front & back where currently only staples are holding bottoms to front & back pieces.

Melamine "Roo" Glue is specifically made for bonding melamine coated boards. Makes butt joints stronger than the board's surfaces. Dries translucent (clear). Waterbased and non-toxic. 20 years in use; proven long term.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
AV56-16	16 oz.	12	\$ 12.15
AV56-1	1 Gallon	4	61.23

**TITEBOND MELAMINE GLUE**

Thick formula bonds wood, particle board, MDF and other porous substrates to synthetic materials such as melamine, vinyl and HPL as well as metals. Fast initial tack, yet has a long open time that allows for the accurate alignment of working materials.

A water-based adhesive that is non-flammable, has low odor, dries clear and cleans up with water. Thick formulation for fewer runs and drips. Assembly time after glue application: 10-15 min (at 70° F).

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
4014	16 oz.	12	\$ 10.47
4016	1 Gallon	2	41.92

**TITEBOND DOWELING GLUE****Low Viscosity**

Designed for use with automatic doweling equipment. Its low viscosity (140 cps) allows the appropriate flow through the narrow feed lines and injectors of European-made doweling machinery. Sets fast to reduce assembly time, offers excellent strength and provides a translucent glue line.

For use on solid wood, particle board, MDF, plywood and other porous materials. 5 Gallon pails.

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
381-7	Doweling Glue, 5 Gal.	\$ 167.11

**TITEBOND SPEED SET WOOD GLUE**

Titebond Speed Set Wood Glue is an extremely fast-setting, high solids PVA adhesive. It provides exceptional gap filling properties developing a bond stronger than the wood itself. This product offers excellent sandability, unaffected by finishes, and increases productivity through its shorter clamp time with no increase in viscosity. Titebond Speed Set is non-toxic and cleans up with water.



- Extremely fast set – 15 minute clamp time
- Excellent strength & durability
- Visible under black light
- Unaffected by finishes
- Heat resistant – Sands easily
- Easy water cleanup

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
436-6	1 Gallon	2	\$ 55.00

**GLUE****SUPER BOND ADHESIVE SYSTEM** - Fastcap 2P10

With 2P-10 you can easily glue the hardest joints in cabinetry without clamping!

Bonding time: 10 seconds, Cure time: 30 seconds.

**Solo Kit:**

12 oz Activator  
2+ oz Thick  
Adhesive

**Sold Separately:**

12 oz. or 3.5 oz.  
(mini) Activator



10 oz.  
Adhesive

2.25 oz.  
Adhesive



2P - 2 parts



Breaks the wood,  
not the glue

**Choose from four adhesive types:**

- Excellent for filling micro cracks
- Zero glue line



- For use on smooth surfaces such as laminate
- Excellent for filling medium cracks



- For use on porous surfaces such as particle board



- Will not run
- All purpose application
- Excellent for vertical surfaces

**Code**  
2P10-ACTIVATOR

**Description**  
12 oz. Activator Aerosol

**List/ea**  
\$ 23.01

2P10-JEL-2

Jel Adhesive, 2.25 oz.

23.01

2P10-JEL-10

Jel Adhesive, 10 oz.

89.74

2P10-THICK-2

Thick Adhesive, 2.25 oz.

18.40

2P10-THICK-10

Thick Adhesive, 10 oz.

64.06

2P10-MED-2

Med Adhesive, 2.25 oz.

18.40

2P10-MED-10

Med Adhesive, 10 oz.

65.16

2P10-THIN-2

Thin Adhesive, 2.25 oz.

18.40

2P10SOLO

Kit Includes:

40.95

1 ea. 12 oz. Activator  
1 ea. 2+ oz. Thick Adhesive

**TITEBOND MOLDING & TRIM WOOD GLUE**

Quick & Thick



Thickest, fastest drying glue for use with porous and semi-porous materials. Ideal for finish trim, crown molding, baseboards, window casings and other applications requiring a professional strength, no run wood glue.

Strong initial tack and fast speed of set, yet allows realignment of working pieces.

Develops a bond stronger than the wood itself, offers excellent sandability and is unaffected by finishes.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
2404-	16 oz.	12	\$ 10.41

**TITEBOND COLD PRESS FOR VENEER**

A high quality, economical alternative to contact cement for large-scale bonding of veneers to flat surfaces. Specifically formulated PVA glue for cold press laminating of wood to solid woods, particle board, MDF, plywood and other porous materials. Water-based.



- Economical alternative to contact cement
- Formulated to minimize "bleed-through"
- Moderate speed of set, 15 min. at 70° F
- No harmful vapors
- Safe - nonflammable
- Application Temp: Above 50° F
- Clamp at 100-200 PSI
- Freeze-Thaw stable (stir before using)
- Tan in color, dries dark brown

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
517-6	1 Gallon	2	\$ 43.18
517-7	5 Gallon	1	166.82

**CONTACT CEMENT****3M "FASTBOND" No. 10 - BRUSH TYPE**

Yellow  
Contact Cement  
**FB10**

For professional or industrial use only. A yellow adhesive used for bonding decorative laminates, aluminum, steel, copper, wallboard, plywood panels, wood and wood veneer, masonry, rubber, leather, canvas, and other porous and non-porous materials to each other or to themselves. Oil, water, and heat resistant. Coverage: up to 200 square feet/ gallon. Flammable. VOC Rating: 422 grams/liter.

<u>Code</u>	<u>Size</u>	<u>List/ea</u>
FB10-1NU	1 Gallon	\$ 189.65
FB10-5NU	5 Gallon	714.37

**3M "FASTBOND" No. 30 - WATER BASE**

Neutral  
Contact Cement  
**FB30**

A water dispersed adhesive available in green or neutral. Has high immediate bond strength, a long bonding range, and good heat resistance. Used to bond foamed plastics, plastic laminate, wood, plywood and wood veneer, wall board, plaster and canvas to themselves and to each other as well as for post forming operations. Meets requirements of MIL-A-24179-A. Non-flammable, odorless, liquid adhesive for brush, roller or spray application. Not recommended for use on metal surfaces. Covers up to 320 square feet/ gallon.

<u>Code</u>	<u>Color</u>	<u>Size</u>	<u>List/ea</u>
FB30-1NU	Neutral	1 Gallon	\$ 214.31

**DAP WELDWOOD CONTACT CEMENT**

Contact cement, Smooth Spreading Grade: Maximum strength, waterproof, fast drying. Neoprene and resin formulation provides maximum strength and toughness. Permanently bonds laminates to wood, plywood, hardboard, metal, or plaster. Heat resistant and waterproof. Fast drying. Tan color. VOC Rating: 700-710 grams/liter.



00273

17

Can be applied with a brush or a roller.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
00273	1 Gallon	4 ea.	\$ 63.91

**CONTACT CEMENT****EVERSTRONG****EVERSTRONG CONTACT ADHESIVE ES10**

A high performance industrial strength contact adhesive formulated with extremely low VOCs to comply with CA and OTC state regulations. Water resistant and temp resistant to over 200° F, ES10 is designed for bonding a wide range of substrates to include decorative laminates and veneers, fiberglass, glass, fabrics and particle board. Flammable. Postformable.



ES10P-13C



ES10-05C



ES10-27

- High Temp resistance
- Pebble spray pattern
- Postformable
- Low VOCs: Rated < 80 g/L. No Haps.
- SCAQMD Rule 1168 & OTC Compliant
- LEED Compliant
- Everstrong Fast Tack Bond Performance



ES10-130

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
ES10P-13C	13 oz. Aerosol Spray, Clear	\$ 14.71
ES10-27C	27 lb Canister, Clear	491.51
ES10-27R	27 lb Canister, Red	468.10
ES10-05C	5 Gallon pails, Clear Bulk	408.04
ES10-05R	5 Gallon pails, Red Bulk	408.04
ES10-130C	130 lb Canister, Clear	2027.51
ES10-130R	130 lb Canister, Red	2027.51

**Tips for using Newstar Everstrong****1. Canister Version**

- Existing Hoses & Guns can be used.
- Hoses & Gun should be purged.
- A new tip needs to be added to existing spraygun, part no: TIP, in order to properly disperse product.
- Larger user should purchase an extra tip for backup.
- Product will spray in "pebble" pattern.

**2. Pail Version**

- We stock 5 gallon pails.
- You can brush, roll or spray. Spray with pressure pot or 55 gallon "pogo pump" cylinder.
- Spray Gun recommendations:  
The Binks # MACH1 gun is commonly used.  
Use a 94 or 86 Tip with a 1.4mm opening.
- Product will spray in "pebble" pattern.

**4. General Info**

- Canisters coverage: 80-90 sq ft per lb.  
8 lb = 640 - 720 sq ft  
27 lb = 2,160 - 2,430 sq ft
- 5 gallon pail coverage: 1250-1500 sq ft per 5 gallons approx.
- No gluebond reaches 100% for at least 24 hrs, but applied Everstrong products are ready to machine immediately.
- Easy clean-up with Acetone.
- Acetone does dry out bearings in flush trim router bits, paint thinner can also be used for clean up - easier on bearings.

**Storage for ES10, ES80, ES110, ES180:**

After use leave valve open, leave gun and hose connected to canister. Ensure that the adhesives and substrates are at 60° F or higher.

**Shelf Life for ES10, ES80, ES110, ES180:**

15 months. Not damaged by freezing but return to room temp before use.



**EVERSTRONG****CONTACT CEMENT****EVERSTRONG CONTACT ADHESIVE ES80**

ES80 is a high strength, high temperature, low odor contact adhesive with long open time. Provides strong permanent bonds for a wide variety of substrates to include decorative laminates and veneers, fiberglass, glass, fabrics, foam, cork and particle board. Low VOCs to comply with CA and OTC states regulations.

- Long Open Time
- Low Odor
- Low VOCs: Rated < 80 g/L. No Haps. No ODS.
- SCAQMD Rule 1168 & OTC Compliant
- LEED Compliant, CA Compliant
- Fast Tack Bond Performance
- High Temp resistance
- Web spray pattern
- Flammable DOT



ES80-27

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
ES80-05C	5 Gallon pails, Clear	\$ 390.35
ES80-05R	5 Gallon pails, Red	473.72
ES80-27C	27 lb Canister, Clear	544.94
ES80-27R	27 lb Canister, Red	506.36
ES80-140C	140 lb Canister, Clear	2687.05
ES80-140R	140 lb Canister, Red	2687.05

**SPRAY GUNS / TIPS**

Can be used with all stocking canisters.



<u>Code</u>	<u>Description</u>	<u>List/ea</u>
ES007	Spray Gun w/ 6501 Tip	\$ 437.38
TP6501	Brass Tip for Gun	34.10

**EVERSTRONG CONTACT ADHESIVE ES35 - NF**

EverStrong™ ES35 is a high performance versatile industrial strength contact adhesive that is rated NF/NF. Water resistant and temperature resistant to over 200°F, designed for bonding a wide range of substrates including decorative laminates and veneers and particle board.

Designed to be applied to both surfaces about to be joined. Spray an even coat of adhesive with at least 80% to 100% coverage of each surface. Allow to dry 3-5 minutes until tacky. Place the surfaces together and apply pressure evenly across the full bonding surface.

- Non-Flammable (Green Label)
- No ODS (Ozone depleting substances)
- High Temperature Resistance
- Fast Tack
- Water Resistant



<u>Code</u>	<u>Description</u>	<u>List/ea</u>
ES35-38R	38 lb Canister, Red	\$ 959.62



## Air-Assist Canister Adhesives....The Best of Both Worlds!

NewStar's unique hybrid Air Assist adhesive spray system combines the best of conventional spray and canister adhesive systems.

NewStar's proprietary formulations significantly reduce VOCs from propellants while increasing the payload of adhesives in every canister. Improved yields and improved emissions.



- Greater yields
- Full range of spray patterns
- Fast, easy, clean set up
- No messy pressure pot or cup
- Longer, uninterrupted adhesive supply
- No mixing, no stirring, no pumping, no clean up
- Lower VOCs
- Everstrong Fast tack bond performance
- High temperature resistance
- Low maintenance

### Installation:

- 1) Attach compressed air line to air inlet (5), initial air pressure set at ZERO.
- 2) Check and confirm that adhesive tank valve is fully closed.
- 3) Attach adhesive hose to canister.
- 4) Attach a hose adaptor fitting (1/4" male NPT/ 3/8" female NPT) to adhesive hose (adaptor fitting available at most hardware supply).
- 5) Attach adhesive hose to adhesive/fluid passage fitting on BINKS 2101 type spray gun.

### Spray Set Up:

- 1) Confirm air pressure adjustment is at ZERO pressure.
- 2) Open adhesive tank valve 1/2 turn such that adhesive stream is shallow arc from gun tip.
- 3) Slowly increase air pressure from 0 psi until desired spray pattern. Optimal spray air pressure is typically between 10 to 20 psi.

**CAUTION:** Higher air pressure will result in excess atomization and 'fogging' spray.


#### Recommended Spray Gun spec:

BINKS 2101-4308-2  
(or equal)

Air nozzle: 66SD-3

Fluid tip: 66SS (.070)

Needle: 565



#### CA Compliant Contact Adhesive

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
ES110-27C	27 lb Canister, Clear	\$ 468.58
ES110-130C	130 lb Canister, Clear	2238.98

#### CA Compliant W/ Extended Open Time

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
ES180-27C	27 lb Canister, Clear	\$ 725.00
ES180-140C	140 lb Canister, Clear	1877.88
ES180-140R	140 lb Canister, Red	1877.88



## EVERSTRONG AIR ASSIST

### EVERSTRONG ADHESIVE ES110 - AIR ASSIST

An industrial contact adhesive specifically designed for air assist spray application. Applied on both surfaces to be adhered, ES110 is a high strength, high temp (over 200° F) contact adhesive providing strong permanent bonds for a wide variety of substrates to include decorative laminates and veneers, fiberglass, glass, fabrics and particle board. Formulated with no VOCs to comply with CA and OTC states regulations. Flammable. Postformable.

- Specifically designed for Air Assist Spray
  - Uses most std. spray guns
  - Requires connection to clean, compressed air source
  - Pebble Spray Pattern
- No VOCs: Rated 0 g/L. No Haps.
- SCAQMD Rule 1168 & OTC Compliant
- LEED Compliant
- Postformable

ES110



Code	Description	List/ea
ES110-27C	27 lb Canister, Clear	\$ 468.58
ES110-130C	130 lb Canister, Clear	2238.98

### EVERSTRONG ADHESIVE ES180 - AIR ASSIST

Specifically designed for air assist spray application. Its excellent performance characteristics combined with its extended open time and CA compliance make it a truly superior adhesive. Applied on both surfaces to be adhered, ES180 is a high strength, high temp (over 200° F) contact adhesive providing strong permanent bonds for a wide variety of substrates to include decorative laminates and veneers, fiberglass, glass, fabrics and particle board. Formulated with extremely low VOCs to comply with CA and OTC states regulations. Flammable. Postformable.

- **Long Open Time, Extra Strength**
- Specifically designed for Air Assist Spray
  - Uses most std. spray guns
  - Requires connection to clean, compressed air source
  - Web or Pebble Spray (w/ typical adjustable gun)
- VOCs: <80 g/L, No ODS, No Haps.
- SCAQMD Rule 1168 & OTC Compliant
- LEED Compliant

ES180



Code	Description	List/ea
ES180-27C	27 lb Canister, Clear	\$ 725
ES180-140C	140 lb Canister, Clear	1877.88
ES180-140R	140 lb Canister, Red	1877.88

## ADHESIVE REMOVER

### EVERSTRONG CITRUS ADHESIVE REMOVER

EverStrong CC is a citrus-based adhesive cleaner designed to remove most adhesives from surfaces. Removes adhesives, oil, ink, decals, tar and similar residues. Flammable.



ES10-CC

- Environmentally Friendly
- No Chlorinated Solvents
- Flammable
- Biodegradable
- Citrus-based, Pleasant Odor
- No ODS (Ozone Depleting Substances)



ESCC-8C

Code	Description	List/ea
ES10-CC	14 oz. Aerosol can	\$ 15.21
ESCC-8C	8 lb. canister	190.10

### 3M™ ADHESIVE REMOVER

Low Voc



3M™ Industrial Cleaner and Adhesive Remover. Low VOC <20% is ideal for helping dissolve and remove dirt, grease, tar, and many non-curing type adhesives. Cleans without streaking and is excellent for surface preparation in adhesive applications. While these multipurpose cleaners are suitable for industrial use, they are also safe enough for everyday projects.

24 fl. oz. (Net Wt 18.7 oz.)

17

Code	Description	Ctn	List/ea
97974	Adhesive Remover, Low VOC	12 ea	\$ 51.30

## SPRAY ADHESIVES

### EVERSTRONG CONTACT ADHESIVE



#### ES10+ Spray Adhesive

A high performance industrial strength contact adhesive formulated with extremely low VOCs to comply with CA and OTC state regulations. Water resistant and temp resistant to over 200° F, ES10 is designed for bonding a wide range of substrates to include decorative laminates and veneers, fiberglass, glass, fabrics and particle board.

Longer open time, better spray pattern, CA VOC Compliant. Flammable. Postformable.

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
ES10P-13C	13 oz. Aerosol Spray, Clear	12 ea	\$ 14.71

### 3M™ SUPER 77CA MULTI-PURPOSE SPRAY



3M™ Super 77™ CA Multi-Purpose Spray Adhesive - Low VOC <25% is an extremely versatile, fast-drying adhesive that bonds a wide range of lightweight materials quickly, without soaking through. Its fast, aggressive tack makes it ideal for a wide variety of projects.

This adhesive is CARB\* and SCAQMD compliant, GREENGUARD® certified and helps contribute to LEED® credits. 24 fl. oz. (Net Wt 18 oz.)

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
77-CA	Spray Adhesive, Clear Low VOC, Carb Compl.	12 ea	\$ 33.30

### 3M™ HIGH STRENGTH SPRAY ADHESIVE



3M™ Hi-Strength 90 CA Spray Adhesive - Low VOC <25% is an extremely versatile, fast-drying spray adhesive that bonds strongly to a wide range of materials. Easy to dispense and offers a variable-width spray pattern, applying directly onto surfaces and materials where needed.

Has a very aggressive tack that combines a high initial grab with sufficient open time to position materials properly. CARB\* and SCAQMD compliant, GREENGUARD® certified, helps contribute to LEED® credits. 24 fl. oz. (Net Wt 19 oz.)

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
90-CA	Spray Adhesive, Clear Low VOC, Carb Compl.	12 ea	\$ 45.00

**HOT MELT****3M HOT MELT APPLICATOR TC/TC-Q GEN II**

From high volume to detail work, 3M Hot Melt Applicators ensure optimum performance through melt-on-demand or progressive feed technology to meet your production deadlines.



- Lightweight designs offer easy handling
- Uniquely designed for 3M Hot Melt adhesives sticks
- Balanced design for easy, controlled application
- Comfortable and ergonomic

Operating Temperature: 385 °F

Stick or Slug Diameter: 5/8"

Flow Rate: 3.5 lb/hr

Voltage Rating: 120V

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
TC-TCQ	Hot Melt Applicator	\$ 295

**3M JET MELT ADHESIVE**

Mini - 2" x 5/8"

3792-2



Quadrack - 8" x 5/8"

3747-8

3792-8

3747: General purpose including melamine, plastic and wood. Good thermal stability. Good heat resistance & flexibility.

3792: Clear, high-performance, general purpose adhesive with a long open time and good delivery rate. Excellent adhesion to most plastics, glass and wood. Good resistance to shock at both 0°F and ambient temp.

<u>Code</u>	<u>Description</u>	<u>Case</u>	<u>List/case</u>
3792-2	Mini, Clear	11 lbs.	\$ 347.13
3747-8	Quadrack, Tan	11 lbs.	465.14
3792-8	Quadrack, Clear	11 lbs.	364.13

**3M SCOTCH-WELD HOT MELT ADHESIVE**

Provides a tough, reliable bond for a wide variety of applications. Formulated to have moderate heat resistance, it offers you a bond that can withstand elevated temperatures without lifting or deformation, delivering long-term durability and exceptional performance.



<u>Code</u>	<u>Description</u>	<u>Box</u>	<u>List/bx</u>
3747PG	Hot Melt, 1" x 3"	22 lbs.	\$ 862.73

**FASTCAP SPEEDTAPE**  
Contact Cement on a Roll

1" - Great for edgebanding



2" - Great for face frames

SpeedTape is an ultra bond transfer adhesive. Apply to a substrate then peel off paper backing and stick on laminate or veneer. Excellent for refacing, locating moldings, eliminating nail holes, and cabinet scribe. Apply edging without the glue clean-up from sprayed or rolled glue. Rolls are 50'. Other sizes can be special ordered.

<u>Code</u>	<u>Size</u>	<u>List/rl</u>
ST-34	3/4" x 50'	\$ 13.27
ST-1	1" x 50'	17.58
ST-2	2" x 50'	35.16

**CAULK****DAP TUB & TILE CAULK****"Kwik Seal"**

Gives a watertight seal around tubs, showers, and sinks. Easy clean-up with damp cloth. Dries fast, stays flexible. Resets loose tile. Collapsible plastic tubes. 5.5 fl. oz. each.

<u>Code</u>	<u>Color</u>	<u>Ctn</u>	<u>List/ea</u>
18003	White	12	\$ 5.69
18013	Almond	12	5.69

**LOCTITE POLYSEAMSEAL**  
**ADHESIVE CAULK**

An all-purpose waterbase adhesive caulk for exterior or interior seams requiring a flexible seal. Water and mildew resistant. Bonds wood, brick, aluminum, painted surfaces, masonry, plastics metal, plaster, drywall & cement/concrete.

Cartridges: 10 fl. oz.

<u>Code</u>	<u>Color</u>	<u>Ctn</u>	<u>List/ea</u>
J20WH	White	12	\$ 10.64
J20TR	Translucent	12	17.18

**DAP SILICONE**

100% Silicone rubber protects and seals without crumbling, cracking or drying out. Waterproof and weatherproof.

10 fl. oz. cartridge. 12 ea/ctn.

<u>Code</u>	<u>Color</u>	<u>Ctn</u>	<u>List/ea</u>
08641	Clear	12	\$ 15.23

**ADHESIVE CAULK****PHENOSEAL ADHESIVE CAULK**

The Phenolic-Vinyl Caulking Adhesive. Rugged, permanently flexible, heat resistant, waterproof. Bonds wood, tile, metal, glass, fiberglass, stone - almost any material to any other material. Forms wood joints stronger than wood itself. Does not crystallize or crumble. Completely unaffected by exposure to sunlight, salt, water, gasoline, oil, mild acids, and alkalis. Waterbased and environmentally safe. 10 fl. oz. cartridges.



<u>Code</u>	<u>Color</u>	<u>Ctn</u>	<u>List/ea</u>
102B	Black	12	\$ 12.35
102MG	Metal Gray	12	8.07
102TR	Transparent	12	10.96
102WH	White	12	12.38

**DAP '33' WINDOW GLAZING**

A ready-to-use glazing compound ideal for face glazing wood or metal sash. Its knife grade consistency allows for smooth, easy applications. It adheres tightly to glass and sash and resists sagging, cracking, shrinking and chalking, forming an airtight and watertight seal. Interior/exterior use. Paintable. One Gallon size.



<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
12019	Gallon	2	\$ 61.38

**DAP SPACKLING COMPOUND**

A smooth, easy working white vinyl paste spackling compound. Patches plaster, dry wall and wood surfaces. Ready-mixed, takes paint almost immediately without priming. Meets Fed Spec. SS-P-00450A, Type II



<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
12130	8 oz.	12	\$ 6.15
12002	Quart	6	13.44

**BUILDING ADHESIVES****TITEBOND 100% SILICONE SEALANT**

A versatile 100% silicone formula. It offers excellent adhesion to many common construction materials, including vinyl, aluminum, glass and painted surfaces. Provides a strong, flexible seal that offers excellent water-resistance. Extrudes easily in lower temperatures and dries quickly. 10.1 fl. oz. cartridge.



<u>Code</u>	<u>Color</u>	<u>Ctn</u>	<u>List/ea</u>
2601	White	12	\$ 20.29
2611	Clear	12	16.85

**DAP '230' SEALANT LATEX CAULK**

The '230' latex sealant has the superior performance features of silicone. It withstands up to 50% total joint movement for weathertight protection. Paintable and cleans up with water. Permanent adhesion and lifetime flexibility. 50 year durability. 10.1 fl. oz. cartridge.



<u>Code</u>	<u>Color</u>	<u>Ctn</u>	<u>List/ea</u>
18300	White	12	\$ 9.58
18306	Almond	12	9.54
18412	Cedar Tan	12	8.48
18302	Brown	12	9.41
18303	Dk Bronze	12	7.36
18280	Black	12	9.58
18305	Clear	12	8.51

**DAP "ALEX PLUS"**

Acrylic Latex Caulk Plus Silicone

Acrylic latex caulk plus silicone is a professional quality, paintable, multi-purpose caulk for interior or exterior use. The silicone adds better adhesion and durable flexibility. Fast drying and cleans up with water. 25 year durability. 10.1 fl. oz. cartridge.



<u>Code</u>	<u>Color</u>	<u>Ctn</u>	<u>List/ea</u>
18101	White	12	\$ 6.04
18156	Clear	12	6.63

**LOCTITE HEAVY DUTY SUB-FLOOR & DECK ADHESIVE**

A powerful permanent bond for all heavy duty construction, interior or exterior, such as sub-flooring, exterior sheathing, siding, decks, metal and FRP panels. Virtually unaffected by weather extremes.

VOC compliant formula for California. Product meets stringent new California State CARB and Federal VOC Regulations.

White in Color.



<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
P125-V	10 oz.	12	\$ 5.69
P145-V	28 oz.	12	11.29

## BUILDING ADHESIVES

### LOCTITE PREMIUM CONSTRUCTION ADHESIVE

A one component, polyurethane based, moisture-curing adhesive. VOC compliant and contains no chlorinated solvents or water. Provides superior adhesion to most common construction materials: wood, treated wood, hardwood flooring, concrete, stone, marble, slate, masonry, brick, foam insulation of all sorts, carpets, metal, lead, cement-based products, ceramic, fiberglass, drywall and mirrors.



Can be used for interior or exterior projects and is three times as strong as conventional solvent based construction adhesives. Waterproof, paintable and cures even in cold temperatures. Ideal for sub floor installations. Open time: 30 minutes. Tan in color. Cartridge is 10 fl. oz.

<u>Feature</u>	<u>Benefits</u>
Low VOC content (45g/L).....	Meets stringent state & federal regulatory requirements
Waterproof.....	Great for interior or exterior applications
Meets & exceeds APA.....	Can be applied directly to dry, wet or frozen lumber
Low Odor.....	No strong solvent odor; great for interior use
Strong & versatile.....	Permanently bonds together almost any substrate
High Strength.....	Stronger than many substrates it joins together; up to 3 times the strength of conventional adhesives
Broad Service Temp.....	Suitable for use in hot and cold environments (0° F to 160° F)

<u>Code</u>	<u>Color</u>	<u>Ctn</u>	<u>List/ea</u>
PL-PREM	Tan	12	\$ 10.86

(Not recommended for plastic tub surrounds, water submersion, polystyrene, polyethylene or polypropylene. Some materials such as rubbers and plastics may have bonding difficulties and you should test before using.)

### LOCTITE POWER GRAB CONSTRUCTION ADHESIVE

High-quality, easy-to-use construction adhesive for bonding most common construction materials such as wood, plywood, MDF, tile, and more. Reduces need for bracing and nailing with quick initial tack; formula sets in 10 minutes and cures in 24 hours. Solvent free and VOC compliant.

**Strong & Versatile:** Works in all conditions and on most materials, including wet surfaces and can even bond two non-porous surfaces.



**Tough against Weather:** Strong adhesion with no shrinkage that's waterproof and resistant against extreme temperatures from 40°F to 104°F for interior and exterior projects.

**GREENGUARD certified** and meets subfloor rated spec ASTM D-3498 and APA AFG-01.

<u>Code</u>	<u>Color</u>	<u>Ctn</u>	<u>List/ea</u>
PG-9	White	12	\$ 15.94

### TITEBOND PRO HEAVY DUTY ADHESIVE

Construction Adhesive

Ideal for bonding most common materials including wood, metal, brick, marble, ceramic tile, concrete, drywall and wet, frozen and treated lumber. Meets today's most stringent State and Federal VOC regulatory requirements. Fills gaps between materials and reduces the amount of nailing.



• VOC Compliant	• Bonds heaviest materials
• Waterproof	• Extrudes 0° F - 100° F
• Superior strength	• Passes AFG-01, ASTM D3498
• Fast initial grab	

<u>Code</u>	<u>Size</u>	<u>Case</u>	<u>List/ea</u>
525-1	10 oz. tube	12 ea.	\$ 6.58



## BUILDING ADHESIVES

### QUICK CURE 5 ADHESIVE

Quick Cure-5 is the standard quick setting "five minute epoxy" system. Mix at 1:1 by volume ratio. Ideal for all small jobs requiring a strong bond and rapid cure. Highly water resistant, but not waterproof. Quick Cure is quite thick, but is easily measured by squeezing equal sized lumps from the convenient application bottles.



**Recommended uses:** Use Quick Cure for installing bungs, repairing missed staple holes prior to fiberglassing, "tack welding" wood, and for those other glue jobs which require a fast cure. Do not use below the water line.

<u>Code</u>	<u>Description</u>	<u>List/Kit</u>
1000K10	Quick Cure 8 oz.	\$ 37.35
1000K14	Quick Cure 1 pint	67.80
1000K16	Quick Cure 1 qt.	96.58

### T-88 STRUCTURAL EPOXY ADHESIVE

T-88 is a high-performance, non-brittle, two part epoxy adhesive designed to give superior results under adverse conditions. The adhesive may be used without modifications in normally fitted, and will cure in any thickness without shrinkage. T-88 is clear amber and becomes virtually invisible when varnished. Exhibits outstanding adhesion and permanence on a wide variety of materials.



**Recommended uses:** For well over 25 years T-88 has been the most widely used structural adhesive for marine and general woodworking use in the U.S. Mixed at 1:1 by volume ratio, T-88 will cure at temperatures as low as 35° F. When fully cured, it is unaffected by water, oil, kerosene, and many other chemicals. It will not stain wood and is immune to fungus and rot. T-88 is unique in that it may be applied to damp wood, provided it is worked well into the surface.

<u>Code</u>	<u>Description</u>	<u>List/Kit</u>
1100K14	T-88, 1 pint	\$ 55.96

## LUBRICANTS

### BOSTIK GLIDECOTE

Tool &amp; Surface Sealant

For saw tables, jointer tables, etc. Forms a transparent shield that dries in seconds. Dramatically reduces sliding friction and allows you to handle heavy sheets of wood easily.

Contains no silicones or petroleum oils, so it will not stain wood or affect wood-finishing. Also prevents rust and corrosion. Use with ventilation.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
278-3110	10.75 oz.	12	\$ 36.05



### BOSTIK BLADECOTE

Dry Lubricant

Aerosol lubricant spray to be used on blades, bits, and other cutting tools. Forms a thin, transparent, low friction coating that mechanically bonds to the coated surface. Ideal for wood-cutting tools.

Does not contain any silicones or petroleum oils so will not affect the wood finish. Prolongs tool life, allows finer cuts. Use on sawblades, router bits, shaper cutters, drill bits, planer blades, ball-bearings and moving mechanisms. Use with ventilation.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
278-1110	10.75 oz.	12	\$ 36.56



### 3M SILICONE LUBRICANT

Low VOC

Silicone based release agent for industrial lubrication applications. A green, environmentally sustainable product designed to improve the safety of your projects without sacrificing product performance. Fast drying to maintain productivity. Long lasting and non-staining to keep work surfaces clean. California compliant, 13.4 oz. aerosol cans.



<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
SL-CA	13.4 fl. oz.	12	\$ 31.27

### SLIPIT LUBRICANT

Slipit silicone-free, non-flammable and non-toxic lubricant acts as a sealant and lubricant for sliding surfaces and tools. Slipit is parafin and mineral oil based for user safety.



Does not affect finishing process. Reduces friction, wear and sticking. Extends the life of tools, blades and bits. Prevents rust and oxidation. Out-performs paste wax. Seals wood to prevent sticking, swelling and binding.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
12236	12 oz.	12	\$ 19.32

**MOHAWK****WOOD REPAIR****MOHAWK TOUCH-UP MARKER SET**

12 Marker Assortment

**M267-1208**  
Marker Assortment  
Contains 12 colors



The Pro-Mark™ II capillary marker features excellent flow, 1 inch or 20 feet. The colors are fade-resistant, resistant to color shift from topcoating and are bleed resistant. Lacquer based solvent formula.

The nib remains usable for the life of the marker. Marks equally well with the edge, the bottom or the tip. Good adhesion to most surfaces and resistance to polishes is built-in.

Sold as a full set of 12. Individuals available special order.

<u>Code</u>	<u>Description</u>	<u>List/st</u>
M267-1208	12 Marker Assortment	\$ 125.56

The M267-1208 contains one each of:

M267-0094	Warm Brown Walnut
M267-0207	Med. Walnut/Brown Pecan
M267-0224	Plum Black
M267-0227	Dark Red Mahogany
M267-0266	Newport-Ebonized Cherry
M267-0337	Golden Oak
M267-0355	Medium Oak
M267-0365	Warm Walnut
M267-0387	Mahogany
M267-0406	Salem Maple
M267-0477	Natural Maple
M267-1516	Pine

**MOHAWK TOUCH-UP MARKER SET**

36 Marker Assortment

**M267-3600**  
Marker Assortment  
Contains 36 colors



Sold as a full set of 36. Individuals available special order.

<u>Code</u>	<u>Description</u>	<u>List/st</u>
M267-3600	36 Marker Assortment	\$ 376.55

The M267-1208 contains one each of:

M267-0003	Natural Ash
M267-0004	Light Oak
M267-0207	Walnut/Pecan Med. Brown
M267-0209	Extra Dark Walnut
M267-0224	Plum Black
M267-0227	Dark Red Mahogany
M267-0246	Red Brown Mahogany
M267-0249	Perfect Brown
M267-0252	Walnut/Brown Oak Lt.
M267-0321	Lt. Natural Oak
M267-0355	Medium Oak
M267-0363	Dark Red Walnut
M267-0364	Heartwood Walnut
M267-0365	Warm Walnut
M267-0385	Deep Cordovan
M267-0387	Mahogany
M267-0388	Cherry/Fruitwood
M267-0406	Salem/Maple
M267-0408	Cherry
M267-0411	Nutmeg
M267-1478	Van Dyke Brown
M267-1516	Pine
M267-2052	Medium Dark Oak
M267-0063	Honey Maple
M267-0081	Natural Amber
M267-0094	Warm Brown Walnut
M267-0194	Antique Maple
M267-0208	Old World Walnut
M267-0266	Newport Ebonized Cherry
M267-0337	Golden Oak
M267-0381	Cherry/Walnut
M267-0418	Mocha Brown
M267-0474	Warm Oak
M267-0477	Natural Maple
M267-0479	Maple Glaze
M267-0484	Brown Paprika

**WOOD REPAIR****MOHAWK BRUSH TIP MARKER ASSORTMENT**

6 pack assortments

Mohawk Brush Tip Marker 6 Pack Assortments. Markers feature a micro brush-tip applicator to apply color exactly where it is needed without any messy powders, fluids or odors. Simple and easy to use, this wood graining marker applies color to imitate the natural grain appearance of wood surfaces after minor repairs. Low to no odor, easy to use.



- Use to add grain lines or alter color after application of putty sticks
- Add color to small sand thru areas on a face or edges of a wooden part
- Add or alter color in any small defect

**Marker Asst #1 Includes:**

2000 - Raw Umber  
2001 - Dark Cherry  
2002 - Perfect Brown  
2003 - Dark Perfect Brown  
2004 - Honey Spice  
2005 - Marker Black

**Marker Asst #2 Includes:**

2006 - Light Oak  
2007 - Van Dyke Brown  
2008 - Dk Brown Mahogany  
2009 - Burnt Umber  
2010 - Burnt Sienna  
2011 - Deep Brn Mahogany

**Marker Asst #3 Includes:**

2012 - Ash Tone  
2013 - Honey Maple Tone  
2014 - Wrm Brn Walnut Tone  
2015 - Golden Oak Tone  
2016 - Deep Cordovan  
2017 - Nat Light Oak Tone

**Marker Asst #4 Includes:**

2018 - Warm Oak Tone  
2019 - Maple Glaze Tone  
2020 - Med Dark Oak Tone  
2021 - Lt Golden Oak Tone  
2022 - Nutmeg Tone  
2023 - Antique Maple Tone

<u>Code</u>	<u>Description</u>	<u>List/pk</u>
M265-2201	Brush Tip Marker Asst #1	\$ 69.87
M265-2202	Brush Tip Marker Asst #2	69.87
M265-1203	Brush Tip Marker Asst #3	69.87
M265-1204	Brush Tip Marker Asst #4	69.87

**MOHAWK****MOHAWK BACKGROUND MARKER TOUCH UP**

12 Marker Assortment

Dispenses a thin, highly opaque, fast drying, low sheen film to replace background color over fills, glue lines, dark areas in raw wood, and other stains. Touch up on MDF, particle-board, and other very absorbent substrates, which go dark with other types of markers.

**M294-1210**

Marker Assortment

Contains 12 gray colors



<u>Code</u>	<u>Description</u>	<u>List/pk</u>
M294-1210	12 Marker Assortment	\$ 129.52

**MOHAWK ULTRA MARK MARKERS**

Touch-up furniture defects instantly! Contains light-fast pigments which seal, stain and finish. Ideal for edge and scratch recoloring. Use in conjunction with Mohawk Fil-Stik® Putty Sticks and E-Z Flow™ Burn-In Sticks. For further protection, can be sprayed over with Tone Finish Clears.

**M280-1210**

Gray Assortment



<u>Code</u>	<u>Description</u>	<u>List</u>
M280-1210	Ultra Mark Gray, 12 pc asst.	\$ 126.48 /pk
M280-0202	Single Marker, White S8	12.95 /ea

**MOHAWK****PUTTY STICKS****MOHAWK FIL-STIK™ PUTTY STICKS**

Semi-hard putty sticks used to fill in nicks and scratches or open corner joints. No heat or special tools required, simply rub in and wipe off. Can be top coat protected with Tone Finish® aerosols or other coatings.

**M230-2400**  
Marker Assortment  
Contains 24 colors



M230-2400 contains one of each:

0401	Almond	0411	Nutmeg
0224	Black	0333	Oak Heritage
0408	Cherry	2052	Oak Medium
9839	Rustic Cherry	0206	Walnut Light
0300	Fontana	0207	Walnut Med Brwn
L404	Fruitwood Light	0358	Walnut Dark
0115	Mahogany Deep	0209	Walnut Extr Drk
0218	Mahogany Lt Red	0202	White
9838	Mahogany Old World	1506	White Provincial
0237	Maple Med Rock	0331	Pickle Frost
0100	Natural	1516	Pine
0102	Natural Tone	0504	Pine Winter

<u>Code</u>	<u>Description</u>	<u>List/st</u>
M230-2400	24 Marker Assortment	\$ 116.40

**Individual Fil Stik Putty Stiks**

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
M230-0100	1 ea. Natural	\$ 5.06
M230-0202	1 ea. White	5.06
M230-0334	1 ea. Off-White	5.06
M231-8226	1 ea. Black	5.06
M231-8618	1 ea. White Arctic	5.06
M231-9033	1 ea. Newport Ebonized Cherry	5.06

**MOHAWK FIL-STIK™ PUTTY STICKS cont.**

**M230-1230**  
Light Gray  
Assortment



**M230-1240**  
Med/Dark Gray  
Assortment

**Light Gray Asst**

0104 Clay  
0029 Gray Maple  
0036 Repose Gray  
0047 Fashion Gray  
0055 Crystal Fog  
0110 Moonshine  
0113 Pebble Gray  
0114 Pebble Gray Glaze  
0122 Modern Gray  
0128 Platinum  
11858 Rag and Bone UC  
11860 Lunar Gray UC

**Med/Dk Gray Asst**

0005 Sharkfin  
0006 Silverado  
0017 Slate/Morel  
0033 Gray Wolf  
0035 Gun Metal Gray  
0057 Platinum Gray  
0066 Blue Ridge  
0103 Flagstone  
0027 Nebulous Gray  
0135 Dovetail  
11707 Storm Gray on Red Birch  
11708 Storm Gray on Alder

<u>Code</u>	<u>Description</u>	<u>List/st</u>
M230-1230	Light Gray 12 pc asst.	\$ 58.23
M230-1240	Med/Dk Gray 12 pc asst.	58.23

**WOOD REPAIR****MOHAWK EPOXY STICKS**

Mohawk's Wood Epoxy Putty Stick enables you to restore, rebuild and repair all kinds of wood and other hard surfaces.



- Easy to use
- Makes durable, permanent repairs
- 3-5 minute workable time
- Fast curing, hardens in less than 20 minutes
- No shrinkage - molds to any shape
- May be sanded, drilled, stained or painted
- Adheres well to wood, metal, glass and ceramic

Pack: 12 ea. 7" long, 7/8" dia, 2.7 oz. net wt.

<u>Code</u>	<u>Color</u>	<u>List/ea</u>
M743-1500	Beige	\$ 17.59
M743-1510	Pine	17.59
M743-1520	White	22.02
M743-1530	Oak/Light Walnut	22.02
M743-1540	Mahogany	22.02
M743-1550	Cherry	22.02
M743-1560	Walnut	22.02
M743-1570	Black	22.02
M743-1575	Natural Oak	22.02
M743-1580	Natural Maple	22.02
M743-1585	Natural Cherry	22.02
M743-1590	Raw Umber	22.02

**SOFT WAX FILLER SYSTEM**

FastCap



Fill the hole with wax



Remove excess wax



Buff with pad

Replacement/Refill items:



White  
Softwax  
Refill #01



Wax Wedge



Buffing Pad

Softwax, by Fastcap, is a great way to fill holes! These easy to use wax filler sticks make touch ups and repairs quick and simple. The hard shell case keeps your wax organized and clean. Kit includes 20 colors (blend colors to match just about anything), wax wedge and buffing pad. Refills are available in all colors.

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
WAXKIT.20S	Wax Filler Kit	\$ 55.05
WAX01S	White Softwax Refill	4.26
WAXBUFFPAD	Buffing Pad	2.38
WAXWEDGE	Wax Wedge	2.38

**WOOD FILLER****FAMOWOOD WOOD FILLER**

An all purpose wood filler. It is waterproof and non-shrinking. Dries quickly. Also for marine use. Sands easily to the desired finish. Takes spirit dye stains freely.

12 each/ctn.

<u>Color</u>	<u>6 oz./ \$ 5.50 ea.</u>	<u>23 oz./ \$ 11.81 ea</u>
Alder	32 ALD	8 ALD
Ash	32 ASH	8 ASH
Birch	32 BIR	8 BIR
Cedar	32 CEDAR	8 CEDAR
Fir/Pine	32 FIR	8 FIR
Mahogany	32 MAH	8 MAH
Maple	32 MAP	8 MAP
Natural/Tupelo/	32 NAT	8 NAT
White Pine		
Oak	32 OAK	8 OAK
Red Oak/Cherry	32 ROAK	8 ROAK
Walnut	32 WAL	8 WAL
White	32 WHI	8 WHI

**SOLVENT FREE FAMOWOOD**

Water-based Famowood. Performs like regular Famowood with exceptionally high solids content. Won't crack, shrink, or crumble.

You can paint or stain it - anything you would do to ordinary wood. Non-toxic and non-flammable. Cleans easily with water prior to drying. Approx 15 min. dry time. Contains wood flour.

24 oz. tubs. 12 each/ctn.



<u>Code</u>	<u>Wood</u>	<u>List/ea</u>
16BIR-SF	Birch	\$ 10.04
16GOAK-SF	Golden Oak	9.68
16MAP-SF	Maple/Fir	10.06
16NAT-SF	Natural	10.02
16OAK-SF	Oak	9.66
16ROAK-SF	Red Oak	9.64
16WAL-SF	Walnut	9.66
16WHI-SF	White	9.66
16MAH-SF	Dk Mahogany/Cherry	8.97
16PINE-SF	Pine	8.94

**MOHAWK WOOD FILLER**

A water-based premium grade, solvent free filler that sets firmly to all wood surfaces. Offers minimal shrinkage and will not crack or fall out. Accepts most stains, tints or finishes and all finishing operations; painting, staining, sanding, drilling, sawing and lacquers. Ideal for edge veneering and woodgrain filling.



Quick drying, easy clean-up. 16 oz. tubs.

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
M741-0025	Alder/Cherry, 16 oz.	\$ 14.02
M741-0035	Natural Maple, 16 oz.	14.02

**3M BONDO**

Lightweight polyester body filler cures tack-free in 15 to 20 minutes. The creamy texture spreads smoothly and is easy to sand. Vacuum processed to minimize pinholing. Comes with a tube of blue creme hardener.



<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List</u>
05800	Quart	6 ea	\$ 31.65
05801	Gallon	4	65.66
05766	Extra Creme Hardener	12	14.00

**WOOD REPAIR****MOHAWK****MOHAWK BLENDAL™ STICKS****M340-1200**12 stick assortment  
(0000-0011 colors)**M340-1202**12 stick assortment  
(0012-0025 colors)

Mohawk Blendal™ Sticks are used to add or alter color when repairing and touching up wood. Allows quick color replacement on raw or finished edges and flat surfaces. For one-step matching, blend the colors to accomplish a perfect match. Then, top coat with a clear aerosol.

To layer color, draw streaks of background, smear lightly & top coat. Repeat with a foreground color, then a grain color, sealing each with a clear top coat.

<u>Code</u>	<u>Contains</u>	<u>List/st</u>
M340-1200	M340-0000 to 0011	\$ 110.52
M340-1202	M340-0012 to 0025	110.52
M340-0011	White	10.28

M340-1200 contains one each of:

0000	Raw Sienna	0006	True Brown
0001	Ginger Brown	0007	Burnt Sienna
0002	Harvest Brown	0008	Mahogany
0003	Burnt Umber	0009	Cordovan
0004	Heritage Cherry	0010	Black
0005	Raw Umber	0011	White

M340-1202 contains one each of:

0012	Beige Tone	0020	Van Dyke Brown
0013	Rock Maple	0021	Honey Maple
0015	Wheat	0022	Lt Red Mahogany
0016	Cinnamon	0023	Natural Maple
0017	Cayenne	0024	Pale Gold
0019	Natural Oak	0025	Yellow

**MOHAWK PATCHAL™ PUTTY**

Patchal™ Putty is designed to be used on finished wood to fill nail holes, miter joints and cabinet seams. Great for picture frames, trim and molding.

- Fast and easy application
- Simple clean up
- Can be top coated within minutes
- Superior color selection matched to current industry trends
- Easy to open lid keeps putty fresh
- Color labels on the lids make it easy to find the right color

**Individual 4.4 oz. containers**

<u>Code</u>	<u>Color</u>	<u>List/ea</u>
M734-0001	Black	\$ 15.95
M734-0002	White	15.95
M734-0007	Cherry	15.95
M734-0013	Hickory	15.95
M734-0015	Extra Dark Walnut	15.95
M734-0017	Natural Oak	15.95
M734-0018	Natural Maple	15.95
M734-0020	Raw Sienna	15.95
M734-0022	Honey Spice	15.95
M734-0023	Natural Maple Laminate	15.95

**24 Pack Assortment**

M734-2400	Assorted Colors	\$ 538.42
-----------	-----------------	-----------

**Includes one each of the following:**

0001	Black	0013	Hickory
0002	White	0014	Mocha
0003	Beige Tone	0015	Extra Dark Walnut
0004	Light Red Mgny	0016	Van Dyke Brown
0005	Cordovan	0017	Natural Oak
0006	Wine	0018	Natural Maple
0007	Cherry	0019	Ginger
0008	Warm Cherry	0020	Raw Sienna
0009	Rock Maple	0021	Nutmeg
0010	Cinnamon	0022	Honey Spice
0011	Natural Cherry	0023	Nat Maple Lam.
0012	Burnt Sienna	0024	Fawn

**WOOD FILLER****TIMBERMATE WOOD FILLER**

Interior Waterbase Wood Putty

- Won't shrink, crack or fall out
- Takes every stain and coating
- Mixes with any oil or waterbase stain
- Freeze and thaw stable
- No waste - easily reconstituted when dry
- Saws, sands and drills when dry



8 oz. containers



4 lbs.

- Designed for interior use
- Seal with finish top coat(s) to cure surface and protect from water
- Putty is silica based. Colorants are light-stable, ferrous metal oxides
- \* Use plastic or stainless putty tools to prevent ferrous metallic tool stains.

Size	Ctn	List/ea
8 oz.	12 ea.	\$ 12.08
4 lbs.	1 ea.	28.27

<u>8 oz.</u>	<u>4 lbs.</u>	<u>Species</u>
AMB25	AMB2	Maple / Beech
BB25	BB2-TM	American Cherry
ABC25	-	Brazilian Cherry*
ARO25	ARO2	Red Oak*
AW25	AW2	Walnut
AWO25	AWO2	White Oak*
AAM25	-	Mahogany
ALD25	-	Alder
AE25	-	Rustic Ebony
ATB25	ATB2	Natural/Tint base
TAO25	-	Tasmanian Oak
AWH25	AWH2	White
AAC25	-	Teak / Heart Pine



85018

**MEAN STREAK FIL-STIK**

For Melamine

Waterproof Permanent Marking Fil-Stik. Fills and repairs melamine chip-outs, nail holes and nicks. Glides on, then dries and hardens within 5 minutes. Solves a lot of finish problems FAST!

Code	Description	Ctn	List/ea
85018	Wht Melamine Fil-Stik	12 ea.	\$ 10.42

**COLOR PUTTY**For Woodworking  
or Paneling**Easy to use!**

1 lb. Jars

3.68 oz.

1. Stain (if necessary). Do not use on bare wood.
2. Seal or varnish.
3. Fill nail holes and imperfections with matching Color Putty. You may intermix Color Putty for desired shade.
4. Apply one finish coat of seal or varnish (except epoxy).

Note: Try test sample of wood or paneling before using Color Putty. Not recommended for table tops or floors. Does not dry to sandable hardness.

Size	Ctn	List/ea
3.68 oz. Jars	6 ea.	\$ 5.09
1 lb. Jars	12 ea.	13.27

<u>3.68 oz.</u>	<u>1 lb.</u>	<u>Species</u>
CP100-368	CP100-1	White
CP106-368	CP106-1	Light Birch
CP108-368	-	Light Oak
CP110-368	-	Fruitwood
CP116-368	-	Butternut
CP118-368	CP118-1	Cherry
CP124-368	-	Redwood
CP126-368	CP126-1	Br. Mahogany
CP130-368	CP130-1	Dark Walnut
CP134-368	-	Ebony
CP136-368	-	Nutmeg
CP138-368	-	Pecan
CP140-368	-	Briarwood
CP144-368	-	Teakwood

**WOOD REPAIR SOLVENT**

Rejuvenate thickened putty which has lost its pliability due to solvent evaporation. A small amount of solvent is all that is needed to return the putty to its original viscosity. 16 oz. (pint) size.



Code	Description	List/ea
M740-2005	Wood Repair Solvent, One Pint size	\$ 23.85

**WOOD STAINS****MOHAWK**

1 Gallon



1 Quart

**MOHAWK ULTRA PENETRATING STAIN™**

A truly new dye type stain that offers superior transparent qualities found only in dye stains. Excellent lightfastness; fade and UV resistant on interior wood. Will not bleed into most solvent-borne top coat finishes.

May be brushed or sprayed directly on wood or mixed in lacquer for toning. May be used as base or for under wood tone wiping stain. Colors may be intermixed to create additional shades. Ultra Penetrating Stain™ offers the best combined characteristics of water, alcohol, or lacquer type dyes.

7 follows product code for Gallon sizes, 6 follows code for Quart sizes.  
120 VOC compliant. Greenguard.

M520-01A46  
Jet Black

<u>Quart</u>	<u>Gallon</u>	<u>Color</u>	<u>Quart</u>	<u>Gallon</u>	<u>Color</u>
M520-2036	M520-2037	Yellow	M520-2496	M520-2497	Perfect Brown
M520-2056	M520-2057	Mustard	M520-2736	-	Mod. Mahogany
M520-2066	M520-2067	Light Walnut	M520-3376	M520-3377	Golden Oak
M520-2076	M520-2077	Med. Brn. Walnut	M520-3866	M520-3867	Med. Mahogany
M520-2096	M520-2097	Extra Dark Walnut	M520-4086	M520-4087	Cherry
M520-2186	M520-2187	Lt. Rd. Mahogany	M520-4136	M520-4137	Green
M520-2246	M520-2247	Black	M520-4146	M520-4147	Blue
M520-2276	M520-2277	Dk. Rd. Mahogany	M520-4156	M520-4157	Lt. Golden Oak
M520-2296	M520-2297	Brown Mahogany	M520-4766	M520-4767	Burnt Sienna
M520-2346	M520-2347	Md. Dark Walnut	M520-4776	M520-4777	Raw Sienna
M520-2366	M520-2367	Brown Maple	M520-01436	M520-01437	Raw Umber
M520-2386	M520-2387	Orange	M520-02056	M520-02057	Med. Walnut
M520-2406	M520-2407	Colonial Maple	M520-14356	M520-14357	Burnt Umber
M520-2426	M520-2427	Red	M520-14786	M520-14787	Van Dyke Brown
M520-2456	M520-2457	Oxblood	M520-20466	M520-20467	Lemon Yellow
			M520-01A46	M520-01A47	Jet Black

**Ultra Penetrating Stain**

Quarts: 4 per carton  
Gallons: 2 pails per carton

List \$ 48.35 ea.  
107.67

M900-1002\* Stain Deck  
Wood Color Chips \$ 105.32



## MOHAWK

## WOOD STAIN

### SEAL & STAIN™ PRE-STAIN/CLEAR STAIN BASE

Use as a pre-stain treatment of wooden surfaces to reduce blotchy areas in soft woods before staining. Apply by spray, brush or rag liberally over entire surface and remove excess by wiping with a cloth. Allow to dry 15-30 minutes before applying any stain color. May also be added to any wiping stain to reduce color intensity.



<u>Code</u>	<u>Size</u>	<u>List/ea</u>
M545-0107	116 oz.	\$ 107.67

### PAINT STRAINERS

Strong, durable cone-shaped construction. 250/ pack.



Ideal for removing unwanted dust and other impurities from small quantities of paint. Made with synthetic mesh for more accurate pore sizes, better filtration of paint, and faster straining. Medium mesh strainers work on latex or oil based paints, and fine mesh strainers are especially suited for all lacquers and enamels.

<u>Code</u>	<u>Description</u>	<u>List/pack</u>
11105-250	Med. mesh paint strainer	\$ 80.00
11107-250	Fine mesh paint strainer	80.00

### STAINING PAD

Ideal for applying stain to any surface without drips or blemishes. Uniquely composed of two layers: the terry cloth cover is soft and absorbent, while the inner sponge soaks up excess liquid to prevent drips and running.



<u>Code</u>	<u>Description</u>	<u>List/ea</u>
10101B	Staining Pad	\$ 2.75

### FINISHER'S GLAZE™ GLAZING STAIN

A truly new glazing stain. Features a super concentrated colorant in a medium viscosity base. Unique combination of resins provide excellent adhesion between the sealer, glaze and topcoat. Colors can be intermixed to achieve a variety of new shades.



Quart size

Compatible for use with conventional and modern catalyzed finishes as well as conversion varnishes and urethanes. Size: 1 Quart.

<u>Code</u>	<u>Color</u>	<u>List/ea</u>
M504-2026	○ White	\$ 48.35
M504-2246	● Black	48.35
M504-2276	■ Dark Red Mahogany	48.35
M504-4766	■ Burnt Sienna	48.35
M504-4776	■ Raw Sienna	48.35
M504-01436	■ Raw Umber	48.35
M504-14356	■ Burnt Umber	48.35
M504-14786	■ Van Dyke Brown	48.35
M504-0006	○ Clear	48.35

### FINISHER'S GLAZE™ STAIN ASSORTMENT

- Raw Umber
- Burnt Umber
- Raw Sienna
- Burnt Sienna
- Van Dyke Brown
- White
- Black
- Clear



Glazing kit contains 8 jars (4 oz. each) of the most popular basic colors. Each of these shades can be mixed to help produce the desired color. Add richness and color depth to your final finish. Glazing has many different uses:

- Use to get a desired effect or to help produce a certain color
- Produces attractive alternatives to just plain stains and lacquers
- Use as a stain; wipe or brush over sealer

<u>Code</u>	<u>Description</u>	<u>List/asst</u>
M504-1200	Stain assortment	\$ 165.07

**STAINS & COLORANTS****MOHAWK****BASE CONCENTRATE PIGMENTED STAIN COLORANT**

A finely ground pigment in a high viscosity liquid form, free of fillers and extenders. Recommended for making Wiping Wood™ Stains, Heavy Body Glazing Stain, Shading Lacquer and Tinting Lacquers. This pigmented colorant will mix with lacquer thinner, lacquer, glaze, lacquer sealers and synthetic finishes. Not recommended for water reducible, shellac or alcohol based coatings. Size: One Quart.



Recommended Reducing Proportions:

- Wiping Stains - 20% Colorant and 80% Reducer S15
- Glazing Stains - 20% Colorant and 80% Clear Heavy Body Glaze
- Shading & Tinting Lacquers
  - Add 1 to 3 oz. color per gallon of lacquer

<u>Code</u>	<u>Color</u>	<u>List/ea</u>
M500-01436	Raw Umber	\$ 107.67
M500-14356	Burnt Umber	107.67
M500-14786	Van Dyke Brown	107.67
M500-2026	White	107.67
M500-2246	Black	107.67
M500-4776	Raw Sienna	107.67

**BLEACHTONE™ PICKLEFROST/WHITEWASH**

Bleachtone™ is a unique product that is used to create the popular pickle-frost look. Achieve a transparent layer of color on maple that does not block out the grain. White in color but can be tinted.



Can be sprayed directly onto the wood or added (no more than 40%) to E-Z Vinyl® Sealer for improved color control. Glaze can be applied over Bleachtone™ to create a variety of popular looks. Reducer is used to control intensity - use in limited amounts, 4 parts reducer to 1 part Bleachtone.

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
M550-2027	Bleachtone, 1 Gal.	\$ 107.67
M550-2227	Bleachtone Reducer	108.61

**M603 FINISH-UP™ POLYURETHANE**

Wipe-on, Low odor, Waterbase.



- On site finish repair
- Easy wipe on application
- Good flow characteristics
- Quick drying
- Good durability
- Moisture & alcohol resistant
- Water clear
- Low VOC
- Excellent adhesion
- Nonflammable

A user friendly wipe-on finish. Finish Up™ Polyurethane can be applied over repairs such as Burn-ins, Fil-Stik™ Putty Sticks, Blendal™ Powders and Touch Up Markers to seal in the repair, leaving a durable protective finish.

Can be applied over properly cleaned existing finishes to improve appearance and durability. Finish up™ Polyurethane adheres well to most types of lacquers, vinyl clads, high pressure laminates as well as many other substrates. Water based and has almost no odor.

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
M603-4206	Finish Up, Satin, 1 Quart	\$ 101.66

**M830 PLUSH™ FURNITURE CLEANER AND RESTORER**

Cleans and maintains the original sheen of a finish. Helps to prevent printing and dries completely free of oily residue. Recommended as a general prep cleaner and preservative for all finished surfaces. Does not contain silicones.

One Gallon size.



<u>Code</u>	<u>Description</u>	<u>List/ea</u>
M830-2007	Furniture Cleaner, 1 Gallon	\$ 63.83

**STAIN MARKER****MOHAWK BRUSHES**

Red Sable Art and Graining Brushes

Excellent touch up brush for spot touch up work and graining. Red sable bristles, tapered to a fine point.



<u>Code</u>	<u>Description</u>	<u>List/ea</u>
M901-1271	Graining brush, 127-1	\$ 10.72
M901-1272	Graining brush, 127-2	12.40
M901-1276	Graining brush, 127-6	26.82
M901-4910	Art brush, 149-1	12.40
M901-4970	Art brush, 149-7	22.29

**MOHAWK STIR STICKS**

12" &amp; 21" sizes



<u>Code</u>	<u>Description</u>	<u>List/ea</u>
Z115-4030	12" Stir Stick, PFS	\$ .10
Z115-4031	21" Stir Stick, PFS	.15

**3M TACK CLOTH**

3M™ Wood Refinishers Tack Cloth removes dust, dirt, lint and other particles that settle on wood surfaces. Use it to prepare surfaces before applying the first coat of stain, finish or sealer and again between coats to obtain a super smooth finish.


<u>Code</u>	<u>Description</u>	<u>List/ea</u>
10132NA	Tack Cloth, 17" x 36"	\$ 5.00

**PERFECT MATCH STAIN MARKER**


Use your own stain to achieve a perfect match! Touch up custom stained cabinetry, molding, floors or any stainable wood product.




Perfect Match Stain Marker is all you need for touch up. Just add your own water, oil or lacquer based stain and follow the instructions for a perfect match! Use to touch up scratches, nicks, nail holes and imperfections on your wood. Perfect for cabinet installers and finishers. Holds up to 7.5ml, 1/4 fl oz.




1) REMOVE cap and felt tip



2) Place end of marker in stain. Pull handle until fully extended to fill with stain.



3) UNSCREW handle in a counter-clockwise motion, discard handle, insert felt tip into opposite end.



4) SHAKE marker to agitate stain. Depress tip gently on to scrap of wood or paper until stain begins to flow.

<u>Code</u>	<u>Description</u>	<u>List/pack</u>
PMSM-01	Single Marker	\$ 10.00
PMSM-04	4-Pack Markers	30.02
PMSM-TIPS	5 pcs. replacement tips	3.49

**LACQUERS & SEALERS****MOHAWK WATERBORNE PRE-CATALYZED LACQUER**

A freeze-thaw stable formula that is water reducible, self cross-linking, low VOC technology that has excellent color retention and is suitable for cabinet, millwork, furniture and other high traffic interior wooden surfaces. It passes all KCMA performance standards and can be used as a self sealing system.



An environmentally friendly alternative to comparable solvent base products. May be applied over any Mohawk stain. Allow oil type stains to dry a minimum of 1 hour for improved adhesion. Solids: 35%.

- Water-clear product, will not change the color when applied over a color coat
- Improved flow and lay out on the surface due to having more open time
- Suitable for LEED® credits: EQ Credit 4.2 Low Emitting Materials - Paints & Coatings
- Contains no formaldehyde or isocyanate, low odor, water clean up

<u>Code</u>	<u>Finish</u>	<u>Size</u>	<u>List/ea</u>
M640-21207	Matte	1 Gallon	\$ 96.38

Sealer and other sheens available special order.

**BOX OF FINISHING RAGS**

Reclaimed clean, washed white T-shirt cotton knit. Low lint. Domestic.

S702-10: 10 lb. Box  
S702-50: 50 lb. Box

Sold in 10 and 50 lb. boxes. Rags range in size, most are approx. 12" x 24" to 21" x 24".

<u>Code</u>	<u>Description</u>	<u>List/bx</u>
S702-10	10 lb. box of reclaimed rags	\$ 49.95
S702-50	50 lb. box of reclaimed rags	215.00

**MOHAWK****E-Z VINYL SEALER**

A professional grade, high solids formula designed for high contact areas where durability, water resistance, and adhesion are critical. A key advantage is improved system flexibility.

When properly applied under Mohawk pre-catalyzed or post-catalyzed systems, E-Z Vinyl™ passes or exceeds KCMA testing. No Catalyst needed. Ready to spray (RTS) high solids-low viscosity formula. Enables users to achieve the best flow and build without reduction. Meets AWI TR-1 standards. 24% solids. 275 or 550 VOC Compliant.

<u>Code</u>	<u>VOCs</u>	<u>Size</u>	<u>List/ea</u>
M610-8008	550	5 Gallon	\$ 307.12
M610-8007	550	1 Gallon	72.75
M612-8008	275	5 Gallon	378.99

E-Z Vinyl Sealer Aerosol M102-8000 also available. See page 1732 for details.

**E-Z VINYL WHITE SEALER**

This high solids, ready to spray, white vinyl primer has excellent moisture resistant characteristics.

When topcoated with Mohawk's DuraCoat™ Pre-Catalyzed White or Ultra™ White Conversion Varnish, the system will pass KCMA testing. It's the perfect choice for priming cabinets, millwork and MDF. Exceptionally user friendly. Solids 41%. Meets AWI Code TR-1 standards. 275 or 550 VOC Compliant.

- Easy to use, builds and dries fast
- Exceptional hiding qualities
- Promotes adhesion with Pre-Catalyzed and Conversion Varnish Topcoats.

<u>Code</u>	<u>VOCs</u>	<u>Size</u>	<u>List/ea</u>
M610-1068	550	5 Gallon	\$ 413.08
M610-1067	550	1 Gallon	90.76
M612-1068	275	5 Gallon	425.39

**MOHAWK****LACQUER****PRE-CATALYZED CLEAR LACQUER**

The DuraCoat™ 550 VOC is pre-catalyzed, the 275 VOC is post-catalyzed (use with M612-3017 catalyst). A premium quality finish for furniture, cabinets and millwork.



25% solids, moisture resistance, good flexibility and mar resistance. Much more durable than regular nitrocellulose lacquers. When used over our vinyl or high solids pre-catalyzed sealers, DuraCoat produces an exceptional finish system for furniture and passes KCMA testing. Low VOC.

**550 VOC Pre-Cat**

<u>5 Gallon</u>	<u>Finish</u>	<u>Sheen</u>	<u>List/ea</u>
M610-24808	Gloss	80	\$ 335.00
M610-24608	Semi-Gloss	60	335.00
M610-24408	Satin	40	335.00
M610-24208	Matte	20	335.00
M610-24108	Dead Flat	10	335.00

1 Gallon

M610-24807	Gloss	80	75.42
M610-24607	Semi-Gloss	60	75.42
M610-24407	Satin	40	75.42
M610-24207	Matte	20	75.42
M610-24107	Dead Flat	10	75.00

**275 VOC Post-Cat** : Needs Catalyst M612-30175 Gallon

M612-34408	Satin	40	\$ 404.39
M612-34208	Matte	20	404.39
M612-34108	Dead Flat	10	404.39

1 Gallon

M612-34607	Semi-Gloss	60	86.03
M612-34407	Satin	40	86.03
M612-34207	Matte	20	86.03
M612-34107	Dead Flat	10	86.03

**LACQUER REDUCER 2255**

Formulated with only the highest quality solvents. The special blend helps prevent orange peel and helps provide good flowout.

Recommended for use with all Mohawk Nitrocellulose Lacquers.

<u>Code</u>	<u>Size</u>	<u>List/ea</u>
M650-0108	5 Gallon pails	\$ 293.92

**PRE-CATALYZED WHITE LACQUER**

For furniture, kitchen or bath cabinets, DuraCoat™ White topcoats offer high opacity and excellent coverage. When used over the E-Z Vinyl™ White Primer, the system passes KCMA tests. Solids 29%. Meets AWI TR-2 standards.



- No catalyst needed
- Durable
- Stir and spray
- Mar resistant
- Resists yellowing
- Fast dry

**550 VOC Pre-Cat**

<u>Code</u>	<u>Finish</u>	<u>Sheen</u>	<u>Size</u>	<u>List/ea</u>
M610-6408	White Satin	40	5 Gal.	\$ 413.08
M610-6407	White Satin	40	1 Gal.	90.76
M610-6208	White Matte	20	5 Gal.	413.08
M610-6207	White Matte	20	1 Gal.	90.76

**ULTRA WHITE CONVERSION VARNISH****Post Catalyzed**

Maximum protection against moisture, wear, and resistance to household chemicals. Contains UV inhibitor to resist yellowing.

Performs in high moisture areas such as kitchen cabinets and vanities. Ultra™ White Conversion Varnish topcoats exceed KCMA test when used over the Mohawk E-Z Vinyl™ White Primer. Must catalyze with M615-7017 Conversion Varnish Catalyst at a rate of 8 oz/gal. Meets AWI TR-4 standards. 69% solids.

- 69% solids, high build
- High opacity white
- Maximum durability
- Spray viscosity

**550 VOC Post-Cat**

<u>Code</u>	<u>Finish</u>	<u>Sheen</u>	<u>Size</u>	<u>List/ea</u>
M615-27807	Gloss	80	1 Gal.	\$ 176.19
M615-27607	Semi-Gloss	60	1 Gal.	176.19
M615-27408	White Satin	40	5 Gal.	781.73
M615-27407	White Satin	40	1 Gal.	176.19
M615-27208	White Matte	20	5 Gal.	781.73
M615-27207	White Matte	20	1 Gal.	176.19

**CONVERSION VARNISH****ULTRA CLEAR™ CONVERSION VARNISH**

Post Catalyzed / 275 or 550 VOC

Provides the ultimate high-end interior finish. Exceeds the KCMA Household Chemical Tests. This post-catalyzed water white conversion varnish, when used with conversion varnish sealer, creates a finish system of maximum durability, wear and moisture resistance.



A UV inhibitor is included. Can be sprayed with conventional, airless, HVLP and air-assist airless equipment. Use on kitchen and bath cabinets, laboratory, dormitory, office furniture and display fixtures. Low VOC. Before use, must be catalyzed at a rate of 8 oz. per gallon with M615-701. Ultra Clear™ Conversion Varnishes are high-solids low viscosity formulas that enables users to achieve the best flow and build without reduction. Meets AWI TR-4 standards.

- Ultra clear water white
- Ultra high solids / high build
- 40% sprayable solids
- Ultra durable / moisture resist.
- UV stable
- HAPS free
- 275 or 550 VOC compliant

**275 VOC Compliant**

Code	Finish	Sheen	List/ 5 Gal
M612-28408	Satin	40	\$ 574.11
M612-28208	Matte	20	574.11
M612-28108	Flat	10	574.11

**Sealers**

M612-8008	EZ Vinyl Sealer	-	\$ 378.99
M612-1068	EZ Vinyl White	-	425.39

**550 VOC Compliant**

5 Gallon	Finish	Sheen	List/ea
M615-29808	Gloss	80	\$ 523.03
M615-29608	Semi-Gloss	60	523.03
M615-29408	Satin	40	523.03
M615-29208	Matte	20	523.03
M615-29108	Flat	10	523.03

**1 Gallon**

M615-29807	Gloss	80	110.18
M615-29607	Semi-Gloss	60	110.18
M615-29407	Satin	40	110.18
M615-29207	Matte	20	110.18
M615-29107	Flat	10	110.18

**CONVERSION VARNISH CATALYST**

Use with Mohawk Conversion Varnish topcoats, sealers, and primers in order for them to dry and cure properly.



Use with M615-29XXX and M61527XXX Series.

Code	For VOC	Size	List/ea
M615-7014	550	8 oz.	\$ 20.07
M615-7017	550	1 Gallon	147.90

Use with M612-28XXX Series.

M612-7017	275	1 Gallon	195.00
-----------	-----	----------	--------

Use with M612-34XXX Series.

M612-3017	275	1 Gallon	280.00
-----------	-----	----------	--------



## MOHAWK

## SOLVENTS & RETARDERS

### CONVERSION VARNISH REDUCER / RETARDER

Specifically blended for Mohawk conversion topcoats and sealers. It can be used to reduce the viscosity, slow down the drying time or for clean up. Use only the Mohawk Conversion Varnish Reducer/ Retarder to insure compatibility and professional results with the Ultra Clear™ or VersaClad® Conversion Varnish topcoats and sealer.



**Warning:** This is not a VOC exempt solvent. If an exempt solvent is needed, use Acetone (M650-001) to reduce Mohawk's VOC compliant conversion varnish products at a rate of no more than 20%.

<u>Code</u>	<u>Size</u>	<u>List/ea</u>
M650-1057	1 Gallon	\$ 69.61

### NO BLUSH™ RETARDER

Prevents lacquer from turning white and prevents orange peel. Prevents lacquer from blushing or turning white (a cloudy effect) in humid or cold weather. Helps prevent orange peel caused by too rapid drying of the finish. Add 5% to 10% No-Blush to the lacquer thinner used to reduce lacquer. 1 Gallon size.



<u>Code</u>	<u>Size</u>	<u>List/ea</u>
M716-2407	1 Gallon	\$ 88.55

### FLATTING PASTE

Mohawk's Flatting Paste may be used to reduce the sheen of their nitrocellulose, pre-catalyzed or conversion varnish topcoats. See Mohawk Flatting Paste Product Data Sheet (PDS) for recommended additions to achieve specific sheens.



<u>Code</u>	<u>Size</u>	<u>List/ea</u>
M716-1706	1 Quart	\$ 63.63

### SUPER BLUSH RETARDER

Super Blush™ Retarder is a premium, very slow solvent for use where conditions of extreme high heat and humidity exist. This solvent used in small amounts will enhance the flow and leveling of all Mohawk nitrocellulose, pre-catalyzed lacquer and post-catalyzed lacquer coatings.



- Formulated for high heat and humid conditions
- Eliminate blushing
- Slowest retarding solvent available

<u>Code</u>	<u>Size</u>	<u>List/ea</u>
M716-3407	1 Gallon	\$ 88.55

### FLASH-OFF CONTROL SOLVENT

Used to improve the flow of lacquers and sealers without slowing the drying. Additions of one or two ounces per gallon of lacquer will eliminate overspray roughness in the finish and improve the overall smoothness. Not a blush retarder.



<u>Code</u>	<u>Size</u>	<u>List/ea</u>
M716-5007	1 Gallon	\$ 88.55

### RETARDER FOR LOW VOC COATINGS

Retarder for Low VOC Coatings is ideal for extending the flow out and open time of Low VOC, solvent based coatings and stains in high heat and humid environments. Retarder for Low VOC Coatings is a blend of VOC exempt solvents that will not affect the total VOC content of a product.



<u>Code</u>	<u>Size</u>	<u>List/ea</u>
M612-1047	1 Gallon	\$ 124.08

**SOLVENTS & REDUCERS****MOHAWK****ULTRA PENETRATING STAIN REDUCER**

Reducer for Ultra Penetrating Stain reduces the intensity of any color. Reducer can be mixed in any proportion with the colored stain.

120 VOC compliant.



<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
M520-00017	1 Gallon	2 ea.	\$ 67.82

**MOHAWK POUR-N-WIPE™ FINISH**

Polyurethane Finish

An alternative to brush or spray finish application. A versatile finish with applications in finishing, refinishing and restoration work. Imparts a satin sheen, protecting wood against alcohol and water staining and is very mar resistant.



- Wipes on as easily as furniture polish!
- Provides a tough, alcohol resistant polyurethane finish
- Apply with a cloth or by a 'squeegee' for large surfaces
- Pour-N-Wipe™ finish is self sealing.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
M603-3017	1 Gallon	2 ea.	\$ 145.60

**MOHAWK ACETONE**

Acetone is considered an exempt VOC. It is a strong, fast evaporating solvent used for thinning and cleaning lacquers and adhesives. Acetone is very flammable, and should be used only with adequate ventilation.



May be used as needed for reducing some stains and finishes and as a general cleaner. Acetone will not contribute any additional VOCs to products.

<u>Code</u>	<u>Size</u>	<u>List/ea</u>
M650-0018	5 Gallon	\$ 293.92
M650-0017	1 Gallon	67.82

**MOHAWK CLEAN-UP SOLVENT**

Reclaimed Acetone

Mohawk Clean-Up Solvent is reclaimed solvent that contains a high percentage of acetone. It is suitable for effectively cleaning spray guns, brushes and other finishing equipment.



Do not use Clean-Up Solvent to thin or reduce any Mohawk coating or stain. Due to the reclaimed nature of this product the solvent color and odor may vary slightly from batch to batch, which does not affect the product's performance.

<u>Code</u>	<u>Size</u>	<u>List/ea</u>
M650-9008	5 Gallon	\$ 156.18

**TWO-MINUTE TOUCH UP BRUSHING SOLVENT**

A brushing type clear liquid used with Blendal Powder Stains for spot brush touch-up and coloring edges. Stays wet on the brush, dries in minutes on the repaired surface. A must in every finisher's kit for use in areas where the "padding" method is not practical. Quart size.



<u>Code</u>	<u>Size</u>	<u>List/ea</u>
M441-0006	1 Quart	\$ 42.63

**HELLAC REDUCER**

Shellac Reducer is used to thin or reduce shellac based products, cleans glass and other non-lacquered surfaces. Shellac Reducer may also be used to clean fine bristle brushes after using with shellac based products. One Gallon size.



<u>Code</u>	<u>Size</u>	<u>List/ea</u>
M650-0057	1 Gallon	\$ 67.82

**MOHAWK****FINISH AEROSOLS****TONE FINISH CLEARS**

Clear Nitrocellulose based lacquers are recommended as topcoats for wood finishes. Provides excellent flow and protection on repairs.

Net Wt. 13 oz. Pack: 12 each.

<u>Code</u>	<u>Finish</u>	<u>List/ea</u>
M102-0422	Satin	\$ 14.93

**FINISHER'S CHOICE™ CLEARS**

A high solids aerosol lacquer that eliminates the need to mix bulk finishes for your small refinishing and restoration jobs. Net Wt. 13 oz. Pack: 12 each.

- Higher Solids
- Outstanding atomization
- Fast build
- Excellent blush resistance
- Superior flow out

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
M102-0543	Sanding Sealer	\$ 14.93

**TONE FINISH TONERS**

Finely ground, non-fading pigment for color repairs that last. Used throughout the industry for quick, efficient professional touch-up. Adapts to various methods for blending in spot repairs. Adjustment of sheen is achieved with a topcoat of clear lacquers available in gloss, satin, flat and dead flat.

Net Wt. 13 oz. Pack: 12 each.

<u>Code</u>	<u>Color</u>	<u>List/ea</u>
M101-0249	Perfect Brown	\$ 6.07
M115-1613	Newport - Ebonized Cherry	14.93

**MOHAWK AEROSOL LACQUERS****Pre-Catalyzed Clears**

Features excellent flowout for touch-up use. The dry film is very durable and adheres where other finishes will not. Has been tested and approved for in-factory touch-up on catalyzed finishes: passes KCMA standards. Net. Wt. 13 oz. Pack: 12 each.

- Excellent atomization and adhesion
- Very good clarity and durability

<u>Code</u>	<u>Finish</u>	<u>Sheen</u>	<u>List/ea</u>
M102-0410	Gloss	≥75	\$ 11.89
M102-0411	Flat	8-12	14.93
M102-0412	Satin	35-40	14.93
M102-0414	Dead Flat	3-5	14.93
M102-0415	Semi-Gloss	60-65	14.93
M102-0416	Matte	20-25	14.93

**E-Z VINYL SEALER AEROSOL**

The choice for spot repairs on kitchen cabinetry, furniture or millwork. Proven durability, moisture resistance and adhesion. E-Z Vinyl Sealer is a water clear, quick build sealer and is designed for use under mid to higher sheen finishes. Provides a flexible, moisture resistant surface when applied under all Mohawk aerosol clear topcoats. Net Wt. 13 oz. Pack: 12 each.

- 42-46 Sheen
- Compatible to use under any Mohawk aerosol topcoat
- Non-Stearated formulation

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
M102-8000	Aerosol Sealer	\$ 14.93

**SUPER BLUSH™ RETARDER**

Humidity or cold weather can cause a finish to turn white (blush). Super Blush™ Retarder is a highly effective blush remover aerosol designed for solving the most severe blushing problems. Net. Wt. 13 oz. Pack: 12 each.

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
M103-0476	Aerosol Retarder	\$ 14.93



**FINISH AEROSOLS****MOHAWK**COLORED LACQUER ENAMEL

Opaque finish for interior use only. Fast drying, lacquer based enamel. Superior hiding power for producing opaque finishes. Net Wt. 13 oz.



<u>Code</u>	<u>Description</u>	<u>List/ea</u>
M104-S202	White Satin Enamel Lacq	\$ 14.93
M104-F202	White Flat Enamel Lacq	14.93

**PRIMER SEALER**

White

Primer coat for use under colored lacquer enamels. Insures good adhesion for the final topcoat. Primer Sealer is fast drying and easy sanding, resulting in a smooth base. Has excellent color strength. Net Wt. 13 oz.



<u>Code</u>	<u>Description</u>	<u>List/ea</u>
M103-0447	Primer Sealer, White, 13 oz. Aerosol	\$ 14.93

**REPLACEMENT SPRAY HEADS**

Mohawk



Change spray heads on aerosols to customize the spray pattern, or to replace clogged heads.

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
M120-0210	Heavy Spray	\$ .82
M120-2030	Fan Spray	.82

WAX WASH™ REMOVER

Removes wax, oil and foreign materials from most surfaces in one application. The presence of these can retard drying or cause defects in finishing topcoats. Prior to applying a new finish or repair, clean surface with Wax Wash™ Remover. Ideal for furniture, appliances, woodwork and other surfaces. Net Wt. 12 oz.



<u>Code</u>	<u>Description</u>	<u>List/ea</u>
M107-0190	Wax-Wash remover, 12 oz. aerosol	\$ 24.72

OZ® CREAM POLISH

- Antistatic agent for less dusting
- Ultraviolet light absorber to protect the color of the wood
- Lemon scent for a fresh, clean fragrance
- Extended evaporation rate meaning larger pieces can be polished with greater ease
- Lower VOC



The "all-in-one" furniture cream polish in an aerosol! Cleans - polishes - protects. Use on any smooth finish surface such as furniture, tile, marble, cabinets, fixtures, chrome, etc. Non-abrasive, greaseless and quick drying. Net Wt. 13 oz.

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
M107-0860	OZ® cream polish, 13 oz. aerosol	\$ 21.28



## Chemcraft Pre-Catalyzed Products

### LACQUER

Pre-Catalyzed finishes are simple yet versatile. Self-seal, or use with a Chemcraft sealer. Spray straight out of the pail, or add a catalyst for even more resistance. Recommended for office and household furniture, kitchen cabinets, as well as many other interior wood applications.



#### OPTICLEAR LIGHT 550 CLEAR TOPCOAT

A one-component high solids, cross-linking coating with very good moisture, household wear, chemical and mar resistance. Dries quickly and sands easily. Can be catalyzed to further enhance durability. Ready to spray.

Meets: KCMA Standards

Recommended AWI Pre-Cat Lacquer

Weight solids: 24%  
Shelf Life: 6 months

Mixing Ratio: 100 parts 431-85XX to 1 part 873-1205 (when catalyzed)

Coverage: 250 sq. ft/gal at 1 mil dry. Varies depending on method of application or coating thickness.

#### 550 VOC Pre-Cat

5 Gallon	Finish	Sheen	List/ea
431-8510-5	Matte	10	\$ 429.94
431-8520-5	Low Gloss	20	432.63
431-8540-5	Satin	40	431.80
431-8560-5	Semi Gloss	60	431.80
431-8590-5	High Gloss	90	431.89

#### 1 Gallon

431-8520-1	Low Gloss	20	\$ 166.82
431-8540-1	Satin	40	166.82

#### OPTISEAL 550 CLEAR SEALER

A one-component high solids, cross-linking easy sanding sealer. Provides excellent sealing properties and very rapid dry. May be catalyzed to further enhance its durability.

Recommended AWI Pre-Cat Lacquer

Weight solids: 24%  
Shelf Life: 6 months

Mixing Ratio: 100 parts 431-1961 to 1 part 873-1205 catalyst

Coverage: 250 sq. ft/gal at 1 mil dry. Varies depending on method of application or coating thickness.

#### 550 VOC Pre-Cat

Code	Description	Size	List/ea
431-1961-1	Pre-cat sealer	1 Gal	\$ 166.82
431-1961-5	Pre-cat sealer	5 Gal	399.62



## Pre-Catalyzed products continued

**OPTIPRIME 275 WHITE PRIMER**

A one-component, high solids coating used as a primer for pre-catalyzed or catalyzed systems. Has high build and filling properties, good hiding characteristics and sands to a smooth finish.



Weight solids: 39%  
Shelf Life: 3 months

Mixing Ratio: 100 parts 545-5900 to 1 part 873-1900 catalyst

**275 VOC Pre-Cat**

<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
545-5900-1	Pre-cat primer	1 Gal	\$ 165.97
545-5900-5	Pre-cat primer	5 Gal	583.95

**OPTISEAL 275 CLEAR SEALER**

A one-component high solids pre-catalyzed sealer that provides excellent sealing properties and very rapid dry. Labor saving through the elimination of a coating step or two is generally realized due to the high solids in the product. Meets KCMA standards.



Weight solids: 27%  
Shelf Life: 3 months

Mixing Ratio: 100 parts 546-5900, 1 part 873-1205 catalyst

Coverage: 332 sq. ft/gal at 1 mil dry. Varies depending on method of application or coating thickness.

**275 VOC Pre-Cat**

<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
546-8900-5	Pre-cat sealer	5 Gal	\$ 397.85

**Chemcraft Vinyl Products****CHEMVINYL 275 CLEAR SEALER**

A single component vinyl modified nitrocellulose sealer that provides excellent sealing properties and very rapid dry. Developed to improve adhesion and moisture resistance. An easy sanding sealer that shows improved adhesion with various stain systems.



All nitrocellulose lacquers will yellow over time. This could become an issue if this product is used over white surfaces. This yellowing generally adds a warm patina when applied over most other colors and stains.

**Recommended AWI - Nitrocellulose Lacquer System**

Weight solids: 23%  
Shelf Life: 12 months

Coverage: 262 sq. ft/gal at 1 mil dry. Varies depending on method of application or coating thickness.

Reducer: 800-5500

Retarder: 800-5915

**275 VOC Pre-Cat**

<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
546-8900-1	Clear sealer	1 Gal	\$ 166.66
546-8900-5	Clear sealer	5 Gal	405.97



Pre-Catalyzed products continued

**LACQUER****VARICURE 275 CLEAR TOP COAT**

A one-component high solids, cross-linking pre-catalyzed top coat. Fast building, demonstrates very good moisture, household wear, chemical, solvent and mar resistance. Very fast hardness development resulting in early print resistance and packaging. Dries quickly and sands easily.



Ready to spray. Varicure 275 can be used as a self-seal or over Variseal 275 (431-1701).

Meets KCMA Standards  
Recommended AWI T.R.2.

Weight solids: 23%  
Shelf Life: 6 months

Mixing Ratio: 99 parts 431-17XX, 1 part  
873-1900 catalyst

Coverage: 372 sq. ft/gal at 1 mil dry. Varies  
depending on method of application or  
coating thickness.

**275 VOC Pre-Cat**

5 Gallon	Finish	Sheen	List/ea
431-1710-5	Matte	10	\$ 486.16
431-1720-5	Low Gloss	20	486.16
431-1740-5	Satin	40	485.98
431-1760-5	Semi Gloss	60	485.98
431-1790-5	High Gloss	90	485.98

**1 Gallon**

431-1720-1	Low Gloss	20	165.86
431-1740-1	Satin	40	166.68

**VARISEAL 275 CLEAR SEALER**

A one-component, cross-linking pre-catalyzed sealer designed to be used with the Varicure 275 system. It dries fast and sands easily to provide a smooth finish. Ready to spray.

Meets KCMA Standards  
Recommended AWI T.R.2.



Weight solids: 19.9%  
Shelf Life: 6 months

Mixing Ratio: 99 parts 431-1701, 1 part  
873-1900 catalyst

Coverage: 227 sq. ft/gal at 1 mil dry. Varies  
depending on method of application or  
coating thickness.

**275 VOC Pre-Cat**

Code	Description	Size	List/ea
431-1701-1	Pre-cat sealer	1 Gal	\$ 166.82
431-1701-5	Pre-cat sealer	5 Gal	479.68

**VERSAPRIME 275 WHITE PRIMER**

A one-component, high solids, pre-catalyzed pigmented lacquer used as a primer. Provides chemical resistance along with adhesion over all wood species. The coating is supplied at a ready to spray viscosity.

Weight solids: 43.8%  
Shelf Life: 3 months  
Mixing Ratio: 100 parts 545-5120 to 1.75 parts  
873-1900 (as a post-cat)

Coverage: 445 sq. ft/gal at 1 mil dry and at 100%  
transfer efficiency.

**275 VOC Pre-Cat**

Code	Description	Size	List/ea
545-5120-5	Pre-cat primer	5 Gal	\$ 643.32





Pre-Catalyzed products continued

**VARISET 275 PIGMENTED TOP COAT**

A one-component, pigmented pre-catalyzed coating with very good moisture, household wear, chemical and mar resistance. Dries quickly and sands easily. May be catalyzed to further enhance its durability.



Meets: KCMA Standards  
Recommended AWI Pre-Cat Opaque

Weight solids: 36%  
Shelf Life: 6 months

Mixing Ratio: 100 parts 131-17XX to 1 part 873-1900 catalyst

Reducer: 803-1325 or 803-1349

Retarder: 800-5815

**275 VOC Pre-Cat Neutral**

<u>5 Gallon</u>	<u>Finish</u>	<u>Sheen</u>	<u>List/ea</u>
131-1720-5	Low Gloss	20	\$ 570.82
131-1740-5	Satin	40	567.91
<u>1 Gallon</u>			
131-1720-1	Low Gloss	20	159.60
131-1740-1	Satin	40	159.60

**OPTISET 550 WHITE PIGMENTED TOP COAT**

A one-component, pigmented pre-catalyzed coating with good resistance properties. Meets the German "E-1" classification for the emission of formaldehyde as tested by an accredited laboratory using North American test methods.



Fast building, demonstrates very good moisture, household wear, chemical and mar resistance. The coating has light stable properties due to the type of resin used. May be catalyzed to further enhance its durability. Optiset 550 has very low odor during the curing process while maintaining its rapid dry and cure properties.

Meets: KCMA Standards  
Recommended AWI O.P.2.

Weight solids: 49%  
Shelf Life: 6 months

Mixing Ratio: 100 parts 131-82XX, 1 part 873-1205 catalyst

Coverage: 575 sq. ft/gal at 1 mil dry. Varies depending on method of application or coating thickness.

Reducer: 803-1325 or 800-5500

Retarder: 800-5328

**550 VOC Pre-Cat**

<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
131-8240-1	White, Satin Sheen	1 Gal	\$ 135.95
131-8240-5	White, Satin Sheen	5 Gal	455.51

**Chemcraft Post-Catalyzed Products****CONVERSION VARNISH**

For lasting performance that's also user-friendly. Perfect for furniture, cabinetry or any wood surface that needs to weather a household storm of cleansers and chemicals. Recommended for office and household furniture, kitchen cabinets, as well as many other high performance interior wood applications.

**COVAR 275 CONVERSION VARNISH CLEAR TOPCOAT**

A two-component coating that is a fast drying, good building product that shows excellent resistance to chemicals and physical wear. Has excellent leveling and a smooth, even appearance, even on open-grain woods. Sands easily and can be used as a self seal finish. Ready to spray. Very low HAPs and very low VOC.

Meets KCMA Standards, AWI 8th Ed.

Weight solids: 33%  
Shelf Life: 6 months

Mixing Ratio: 100 parts 421-71XX, 3.5 parts 873-1205 catalyst

Coverage: 472 sq. ft/gal at 1 mil dry. Varies depending on method of application or coating thickness.

Reducer: 803-1325 or 803-1349

Retarder: 800-5328

**275 VOC Post-Cat**

<u>5 Gallon</u>	<u>Finish</u>	<u>Sheen</u>	<u>List/ea</u>
421-7110-5	Matte	10	\$ 550.97
421-7120-5	Low Gloss	20	550.97
421-7140-5	Satin	40	573.17
<u>1 Gallon</u>			
421-7120-1	Low Gloss	20	166.00
421-7140-1	Satin	40	166.40

**COVAR 275 WHITE CONVERSION VARNISH TOP COAT**

A two-component coating that is a fast drying, good building product that shows excellent resistance to chemicals and physical wear. Has excellent leveling and a smooth, even appearance, even on open-grain woods. Sands easily and can be used as a self seal finish.

Ready to spray. Very low HAPs and very low VOC. Designed for use as a final coat on all types of solid wood and veneer meant for interior use.

Meets KCMA Standards, AWI 8th Ed.

Weight solids: 46%  
Shelf Life: 6 months

Mixing Ratio: 100 parts 117-71XX, 3.5 parts 873-1205 catalyst

Coverage: 548 sq. ft/gal at 1 mil dry. Varies depending on method of application or coating thickness.

**275 VOC Pre-Cat**

<u>5 Gallon</u>	<u>Finish</u>	<u>Sheen</u>	<u>List/ea</u>
117-7110-5	Matte	10	\$ 646.00
117-7120-5	Low Gloss	20	645.76
117-7140-5	Satin	40	645.54
<u>1 Gallon</u>			
117-7110-1	Matte	10	166.82
117-7120-1	Low Gloss	20	165.98
117-7140-1	Satin	40	166.79



Post-Catalyzed products continued

**PLASTICOLOR WHITE TOP COAT**

**Plasticolor 275** white is a two-component, high solids topcoat. Gives a smooth, tough and hardwearing surface resistance influence from alcohol, water, etc. Very good light stability based on the type of resin used.



Meets ANSI/KCMA A161.1. Recommended AWI 8th Ed.

**Plasticolor 550** White is an acid curing, light stable, high solids, fast drying coating with good building properties. Gives a smooth, knock-proof and hardwearing surface resisting influence from alcohol, water, etc.

Meets ANSI/KCMA A161.1. Recommended AWI O.P.4.

Weight solids: 275: 54% 550: 65%

Shelf Life: 12 months

Pot Life: 8 hours

Mixing Ratio: 275: 100 part 117-19XX, 5 part 873-1900  
550: 100 part 117-10XX, 10 part 873-0870

Coverage: 275: N/A  
550: 866 sq. ft/gal at 1 mil dry. Varies depending on method of application or coating thickness.

**275 VOC Post-Cat**

<u>5 Gallon</u>	<u>Finish</u>	<u>Sheen</u>	<u>List/ea</u>
117-1920-5	Low Gloss	20	\$ 736.60

<u>1 Gallon</u>			
117-1920-1	Low Gloss	20	162.56

Reducer: 800-5500-5

Retarder: 800-5328

**550 VOC Post-Cat**

<u>5 Gallon</u>	<u>Finish</u>	<u>Sheen</u>	<u>List/ea</u>
117-1020-5	Low Gloss	20	\$ 663.70
117-1035-5	Satin	35	663.63
117-1050-5	Semi Gloss	50	664.30

<u>1 Gallon</u>			
-----------------	--	--	--

117-1020-1	Low Gloss	20	166.55
117-1035-1	Satin	35	166.82

Reducer: 803-1325, Retarder: 800-5328

**PLASTIPRIMER HARDWOOD WHITE PRIMER**

A fast drying, two part acid curing primer for interior use that gives a smooth, dense finish suitable for top-coating to produce very high quality pieces. Provides an excellent base and is extremely easy to sand. Designed for hardwoods. With excellent filling abilities due to high solids.



Weight solids: 60%

Shelf Life: 12 months

Pot Life: 12 hours

Mixing Ratio: 10 parts 522-1420, 1 part 873-0870 catalyst

Coverage: 684 sq. ft/gal at 1 mil dry. Varies depending on method of application or coating thickness.

Reducer: 803-1325

Retarder: 800-5328

**550 VOC Post-Cat**

<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
522-1420-5	White primer	5 Gal	\$ 618.82
522-1420-1	White primer	1 Gal	166.82



## Post-Catalyzed products continued

**E-VAR CLEAR TOPCOAT**

A two-component coating that is a fast drying, good building product that shows excellent resistance to chemicals and physical wear. Has excellent leveling and a smooth, even appearance, even on open-grain woods. Sands easily and can be used as a self seal finish. Ready to spray.



Meets ANSI/KCMA A161.1. Recommended AWI 8th Ed.

Weight solids:	275: 41% 550: 48%
Shelf Life:	12 months
Pot Life:	8 hours
Mixing Ratio:	100 parts 421-8XXX, 3 parts 873-1205 catalyst
Coverage:	576 sq. ft/gal at 1 mil dry. Varies depending on method of application or coating thickness.

**275 VOC Post-Cat**

<u>5 Gallon</u>	<u>Finish</u>	<u>Sheen</u>	<u>List/ea</u>
421-8410-5	Matte	10	\$ 564.00
421-8420-5	Low Gloss	20	564.00
421-8440-5	Satin	40	563.94
421-8460-5	Semi Gloss	60	532.02

1 Gallon

421-8420-1	Low Gloss	20	166.03
421-8440-1	Satin	40	166.82
421-8460-1	Semi Gloss	60	165.42
421-8490-1	High Gloss	90	150.90

Reducer: 803-1325, Retarder: 800-5328

**550 VOC Post-Cat**

<u>5 Gallon</u>	<u>Finish</u>	<u>Sheen</u>	<u>List/ea</u>
421-8220-5	Low Gloss	20	\$ 474.10
421-8240-5	Satin	40	472.30
421-8260-5	Semi Gloss	60	473.88

1 Gallon

421-8220-1	Low Gloss	20	165.57
421-8240-1	Satin	40	135.95

Reducer: N/A, Retarder: 800-5328

**COLORANTS for COATINGS**

These colorants are designed for use in high-performance, solvent-borne industrial coatings and stains. Widely compatible and available in a broad spectrum of colors.

**One Gallon Size**

<u>Code</u>	<u>Color</u>	<u>List/ea</u>
827-1224-1	Titanium White	\$ 290.03

**One Quart Size**

827-1224-D.25QL	Titanium White	\$ 85.53
827-1226-D.25QL	Red Oxide Y/S	89.96
827-1232-D.25QL	Burnt Umber	68.65
827-1233-D.25QL	Yellow Iron Oxide	62.66
827-1236-D.25QL	Lamp Black	52.62
827-1237-D.25QL	Quinacridone Red	194.11
827-1239-D.25QL	Quinacridone Violet	187.94
827-1246-D.25QL	Phthalo Green B/S	113.70
827-1247-D.25QL	Phthalo Blue I/S	114.85
827-1248-D.25QL	Med. Yellow	124.71
827-1249-D.25QL	Red	242.64
827-1337-D.25QL	Organic Yellow G/S	184.00
827-1442-D.25QL	Lead Free Orange	131.51

**REDUCER**

**803-1360** Reducer is formulated with a special blend of solvents to enhance the performance of our acid curing Reactive Amino Coatings (RAC). It is recommended that this product be used in hot climates.



Designed as a reducer blend for acid catalyzed coatings. It is also effective in nitrocellulose coatings.

<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
803-1360-1	Reducer	1 Gal	\$ 64.83



## Chemcraft Waterborne Products

Chemcraft goes green without sacrificing top performance by taking the best attributes of existing products and adapting them into waterborne systems. From fast-drying primers to chemically resistant clear topcoats.

### AQUALUX UNICLEAR WATERBORNE CLEAR TC

An extremely durable acrylic with superior mar resistance. A water white resin system with excellent chemical resistance that offers hardness, clarity, soft feel and excellent surface slip.

Designed for interior furniture, fittings, kitchen cabinet and other wood applications.



Meets KCMA Standards. Rec. AWI Water Acrylic 8th Ed.

Weight solids: 30 +/-1%

Shelf Life: 6 months

<u>5 Gallon</u>	<u>Finish</u>	<u>Sheen</u>	<u>List/ea</u>
423-4610-5	Matte	10	\$ 544.48
423-4620-5	Low Gloss	20	544.49
423-4635-5	Satin	35	544.48
423-4650-5	Semi-Gloss	50	544.49

<u>1 Gallon</u>	<u>Finish</u>	<u>Sheen</u>	<u>List/ea</u>
423-4620-1	Low Gloss	20	166.00
423-4635-1	Satin	35	166.05

### AQUASET WATERBORNE WHITE TOP COAT

A very durable white topcoat, formulated with a self-cross-linking polymer for maximum chemical resistance. Aquaset will give a smooth and hardwearing surface, resisting influence from alcohol, water, etc. Non-yellowing and has very good light stability based on the type of resin used.

<u>5 Gallon</u>	<u>Finish</u>	<u>Sheen</u>	<u>List/ea</u>
423-2720-5	Low Gloss	20	\$ 725.93
423-2735-5	Satin	35	723.30

<u>1 Gallon</u>	<u>Finish</u>	<u>Sheen</u>	<u>List/ea</u>
423-2720-1	Low Gloss	20	166.58
423-2735-1	Satin	35	166.82

### AQUAPRIME PRIMERS



#### **550-1600 Aquaprime Waterborne White Primer**

Ready to use. Provides very good hiding when used as a primer only on hardwoods and MDF. Offers excellent filling due to its high solids content. Easy to sand, and may be topcoated with any Chemcraft topcoats. Formulated especially for windows, door frames, joinery pieces and cabinets.

Weight solids: 66%  
Shelf Life: 6 months

<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
550-1600-1	WB White primer	1 Gal	\$ 161.81
550-1600-5	WB White primer	5 Gal	487.10

#### **550-1602 Aquaprime II Waterborne Neutral Primer**

Ready to use primer. Same qualities as above, when tinted.

Weight solids: 64%  
Shelf Life: 6 months

<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
550-1602-1	WB primer	1 Gal	\$ 167.58
550-1602-5	WB primer	5 Gal	406.12

#### **550-1611 Waterborne White Stainblock Primer - Acrylic Resin**

Weight solids: 65%  
Shelf Life: 6 months

<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
550-1611-5	WB White Stainblock primer	5 Gal	\$ 522.28

**STAIN / STAIN BASE****PROMATCH C-MIX 275 WIPING STAIN**

An all purpose wipe stain for furniture, millwork and cabinets. Offers a simple, low VOC one step stain color with good clarity and ease of workability. May be clear coated with any of the solvent based Chemlack 275, Opticlear 275 or Plastofix Light 275 products as well as their sealers.

Acid stable - will not change color when an acid cured Chemcraft product is used to seal and topcoat them.



<u>Code</u>	<u>Color</u>	<u>Size</u>	<u>List/ea</u>
825-3901-1	Natural	1 Gal	\$ 165.52
825-3901-5	Natural	5 Gal	420.95

**PROMATCH C-MIX 240 STAIN BASE**

An all purpose wipe stain base for furniture and cabinets formulated to low levels of VOC for application in regulated areas. Hand or spray application. Offers a simple, one step stain color base, good clarity and grain fill with ease of workability.



<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
825-9300-1	Clear stain base	1 Gal	\$ 166.82
825-9300-5	Clear stain base	5 Gal	639.91

**LOW VOC SPRAY STAIN BASE**

A spray stain base that offers a simple, low VOC one step color with good clarity. Can be tinted, as well as using permatone dyes or concentrated liquid dyes for the development of rich and deep colors.



<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
890-6720-5	Spray stain base	5 Gal	\$ 339.10

**PROMATCH AQUA WATERBORNE SPRAY STAIN BASE**

A clear stain base that can be tinted to any color using 896, 888, 877 colorants, and Promatch Aqua dye.



<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
824-2912-1	WB Clear stain base	1 Gal	\$ 166.82
824-2912-5	WB Clear stain base	5 Gal	520.62

**PROMATCH DYE CONCENTRATES**

Can be used to tint various stains or stain bases as well as a first coat on wood to give bright, clear transparent effects. Consists of dyes dissolved in acetone for zero VOC and compliant applications. For interior applications. 1 Gallon pails.



<u>Code</u>	<u>Color</u>	<u>List/ea</u>
890-8239-1	Black	\$ 166.82
890-8240-1	Warm Brown	166.82
890-8242-1	Red	166.82
890-8243-1	Yellow	166.82

**CATALYST / SOLVENT****CATALYSTS**

**873-1205** is a catalyst for acid catalyzed lacquers.



<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
873-1205-1	Catalyst	1 Gal	\$ 136.12

**873-0870** is designed as a fast catalyst for Reactive Amino Coatings (RAC).

<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
873-0870-1	Catalyst	1 Gal	\$ 105.85
873-0870-5	Catalyst	5 Gal	506.06

**873-1900** is designed as a catalyst for Reactive Amino Coatings (RAC) using the 275 VOC chemistry

<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
873-1900-1	Catalyst	1 Gal	\$ 89.79

**RETARDER**

**800-5742** Butyl Cellosolve is a glycol ether with a very slow evaporation rate. Use as a retarder solvent for nitrocellulose containing coatings when severe blushing due to extreme humidity is experienced. Significantly slows drying time, so it is recommended to start with an addition of 1% and not exceed 3%.

<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
800-5742-1	Retarder	1 Gal	\$ 66.39

**FLATTENING PASTE**

A powder dispersion used for gloss adjustment.

<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
870-1432-1	Flattening Paste	1 Gal	\$ 167.30

**ACETONE**

**800-5500** is a Ketone solvent with very fast evaporation. Very effective to reduce viscosity of nitrocellulose based lacquers. Also used for cleaning of equipment.



<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
800-5500-5	Acetone	5 Gal	\$ 257.75

**MAK SOLVENT**

MAK (Methyl n-Amyl Ketone) has a high solvent activity, slow evaporation rate, low density, low surface tension, and high boiling point. These properties make MAK a very good solvent for cellulosic lacquers, acrylic lacquers, and high-solids coatings.



<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
800-5531-1	MAK solvent	1 Gal	\$ 167.53
800-5531-5	MAK solvent	5 Gal	414.33

**SOLVENT GLAZE**

<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
825-4011-5	Solvent glaze	5 Gal	\$ 519.83

**LOW VOC GLAZE BASE**

<u>Code</u>	<u>Description</u>	<u>Size</u>	<u>List/ea</u>
825-5300-1	Glaze base	1 Gal	\$ 166.82

**THINNERS / CLEANERS****PREMIUM LACQUER THINNER**

5 Gallons

Thinner, Med Dry CA  
Compliant. 5 Gals.



<u>Code</u>	<u>Size</u>	<u>List/ea</u>
THINNER-5	5 Gals	\$ 199.00

**MINERAL SPIRITS**

1 Gallon

Mineral spirits is a clean, clear product that's used for thinning oil-based paint. It can also be used for thinning or cleaning stains and varnishes, as well as for cleaning up oil stains or spills.



<u>Code</u>	<u>Size</u>	<u>List/ea</u>
MS-1	1 Gal	\$ 33.00

**NAPHTHA**

1 Gallon

Good for cleaning oily and waxy surfaces, including crayon marks. Naphtha is a stronger solvent than mineral spirits but not so strong that it damages any finish other than wax as long as you don't soak the surface. Evaporates quickly.



<u>Code</u>	<u>Size</u>	<u>List/ea</u>
NAPTHA-1	1 Gal	\$ 35.00

**ACETONE**

5 Gallons

5 Gallon Acetone. Clear, colorless volatile liquid. 99.5% pure. Highly flammable. California compliant.



<u>Code</u>	<u>Size</u>	<u>List/ea</u>
ACETONE-5	5 Gals	\$ 199.00

## 3M SANDPAPER


### HOW TO ORDER 3M COATED ABRASIVES:

Precut abrasive sheets are stocked in standard 9" x 11" sheets with the weight of the paper backing specified as either "A" light, "C" medium, or "D" heavy. Coatings are "open" for resistance to dust build-up. Order By Sleeve!



### 3M PRODUCTION PAPER SHEETS

For wood and metal sanding. Stands up to heavy sanding heat and pressure. Open-coated with tough, hard aluminum oxide mineral. Tan in Color.



The following are all **Open Coat**.

<u>Code</u>	<u>Sheet Size</u>	<u>Grit &amp; Weight</u>	<u>Sheets/ Sleeve</u>	<u>List/ Sleeve</u>
911-60DP	9" x 11"	60D	50	\$ 85.81
911-80DP	"	80D	50	68.58
911-100CP	"	100C	100	133.74
911-120CP	"	120C	100	133.74
911-150CP	"	150C	100	133.74
911-180AP	"	180A	100	92.00

### 3M GARNET PAPER SHEETS

Sands wood to a smooth finish with light pressure. Sharp natural garnet "crushes down," exposing fresh sharp grit during use. Orange in color.



The following are all **Open Coat**.

<u>Code</u>	<u>Sheet Size</u>	<u>Grit &amp; Weight</u>	<u>Sheets/ Sleeve</u>	<u>List/ Sleeve</u>
911-50DG	9" x 11"	50D	50	\$ 110.91
911-60DG	"	60D	50	90.00
911-80DG	"	80D	50	77.00
911-120CG	"	120C	100	151.00
911-180AG	"	180A	100	95.00
911-220AG	"	220A	100	99.48

### 3M "WET-OR-DRY TRI-M-ITE" PAPER SHEETS

Coated with silicon carbide mineral. Ideal for obtaining a satin smooth finish on lacquer, varnish enamel, and synthetic coating. For use on wood, metal, plastic, fiberglass and for auto refinishing. Black in Color.



The following are all **Closed Coat**.

<u>Code</u>	<u>Sheet Size</u>	<u>Grit &amp; Weight</u>	<u>Sheets/ Sleeve</u>	<u>List/ Sleeve</u>
911-220AW	9" x 11"	220A	50	\$ 105.00
911-320AW	"	320A	50	105.00
911-400AW	"	400A	50	105.00
911-600AW	"	600A	50	105.00

**3M****SANDPAPER****"TRI-M-ITE FRE-CUT" PAPER SHEETS**

A stearated open coat paper for sanding of knotty pine, mahogany, fibre glass, or any surface where filling or loading is a problem. Silicon carbide grit. Light gray in color.



Order Per Sleeve!

<u>Code</u>	<u>Sheet Size</u>	<u>Grit/ Wt.</u>	<u>Sheets/ Sleeve</u>	<u>List/ Sleeve</u>
911-80AF	9" x 11"	80A	50	\$ 116.00
911-100AF	"	100A	100	158.00
911-100CF	"	100C	100	180.00
911-120CF	"	120C	100	180.00
911-150AF	9" x 11"	150A	100	158.64
911-150CF	"	150C	100	180.00
911-180AF	"	180A	100	158.00
911-220AF	"	220A	100	158.00
911-280AF	9" x 11"	280A	100	158.00
911-320AF	"	320A	100	158.00

**3M PAPER SHEETS 405U**

- Fast cutting silicon carbide delivers exceptional finishes
- Load-resistant coating and open coat construction minimize loading for better finish and longer abrasive life
- Silicon carbide is ideal for general purpose sanding on wood, metal, plastic, dry wall, fiberglass, glass and ceramic
- Light A-weight paper backing has excellent conformability

<u>Code</u>	<u>Sheet Size</u>	<u>Grit/ Wt.</u>	<u>Sheets/ Sleeve</u>	<u>List/ Sleeve</u>
9X11-150AF	9" x 11"	150A	100	\$ 149.00
9X11-180AF	"	180A	100	149.00
9X11-220AF	"	220A	100	149.00
9X11-280AF	"	280A	100	149.00
9X11-320AF	"	320A	100	149.00
9X11-400AF	"	400A	100	149.00

**3M PRODUCTION FRE-CUT GOLD RN PAPER SHEETS**

For final hand or machine sanding of most materials including wood, metal, sealer/primer, plastics, and fibre glass. Open Coat, Aluminum Oxide on sturdy A wt. paper.



<u>Code</u>	<u>Sheet Size</u>	<u>Grit/ Wt.</u>	<u>Sheets/ Sleeve</u>	<u>List/ Sleeve</u>
911-80ARN	9" x 11"	80A	50	\$ 100.13
911-100ARN	"	100A	50	88.60
911-120ARN	"	120A	50	88.60
911-150ARN	"	150A	50	88.60
911-180ARN	"	180A	50	88.60
911-220ARN	"	220A	50	88.60
911-320ARN	"	320A	50	88.60

**NORTON 9 x 11 SHEETS**

Series A275  
No-Fil Magnum "Champagne"  
Size: 9" x 11"  
and 4-1/2" x 11"



Fast cutting premium white Aluminum Oxide grit on a tear-resistant paper back. Stearated. Open coat. Heavy duty yet flexible. B weight sheets.

<u>Code</u>	<u>Sheets/Slv</u>	<u>List/slv</u>
N911-80B	50 ea.	\$ 84.08
N911-100B	100	158.73
N911-120B	100	158.73
N911-150B	100	158.73
N911-180B	100	158.73
N911-220B	100	158.73
N911-280B	100	158.73
N911-320B	100	158.73
N911-400B	100	158.73
N911-600B	100	158.73

## SANDING BELTS

### 3M RESIN BOND BELTS

Closed Coat.  
Sold in Full Cartons.



Extra long life sanding belts, with resin bonding for resistance to frictional heat. For use on any material, including metal. Dark Brown color.

<u>Code</u>	<u>Size</u>	<u>Grit</u>	<u>Ctn</u>	<u>List/ea</u>
21480-80	2-1/4" x 80"	80X	10	\$ 14.95

### GRAPHITE COATED CANVAS

Graphite has long proven the most effective dry lubricant available for use in back of sanding belts to reduce heat and friction, increase speed and provide longer abrasive belt wear. Recommended by most belt-sander manufacturers.



Available in 12' lengths only.

<u>Code</u>	<u>Width x Length</u>	<u>List/ea</u>
GC4-1	4" x 12'	\$ 39.22
GC6-1	6" x 12'	52.07
GC8-1	8" x 12'	73.83

### JISCO MADE-TO-ORDER BELTS

Special Order



Aluminum oxide, zirconia or silicon carbide, paper or cloth, regular or anti-static abrasive belts. From 1/4" to 52" wide in any length. Made to order with a lead time of around 2 days.

### NORTON PORTABLE

#### SANDING BELTS

##### Open Coat

Norton Alum Oxide Cloth Belts. Strong "plyweld" butt joint runs smoothly in either direction.



Long lasting. X-wt. cotton backing. Made in U.S.A. Open Coat. 10 each per box. Sold in full boxes.

<u>Code</u>	<u>Size</u>	<u>Grit</u>	<u>List/ea</u>
N321-60	3" x 21"	60X	\$ 5.00
N321-80	3" x 21"	80X	4.65
N321-100	3" x 21"	100X	5.34
N321-120	3" x 21"	120X	5.92
N324-40	3" x 24"	40X	\$ 4.87
N324-50	3" x 24"	50X	5.43
N324-60	3" x 24"	60X	5.43
N324-80	3" x 24"	80X	5.23
N324-100	3" x 24"	100X	4.87
N324-120	3" x 24"	120X	4.87
N424-40	4" x 24"	40X	\$ 6.98
N424-50	4" x 24"	50X	6.98
N424-60	4" x 24"	60X	7.37
N424-80	4" x 24"	80X	7.24
N424-100	4" x 24"	100X	7.36
N424-120	4" x 24"	120X	7.36

### NORTON SANDING BELTS

#### Blue Belts



The premier edge-sanding belt for long life, rapid stock removal, and resistance to loading. Self-sharpening Zirconia Alumina abrasive is open-coated and resin-bonded on special Y-weight cloth backing for consistent finishes. Plyweld butt joint runs in either direction. Singleflex. Blue in color.

5 each per carton.

<u>Code</u>	<u>Size</u>	<u>Grit</u>	<u>List/ea</u>
N4132-80	4" x 132"	80	\$ 28.25
N6X89-80	6" x 89"	80	72.80

**SANDING BELTS****VSM SANDING BELTS**

Heavyweight

Anti-Static



Aluminum Oxide Cloth Vitex Belts. Combination Closed/Open Coat to resist loading. Excellent for hardwood, plywood and particle board. Anti-Static Heavyweight Polyester Cloth is washable. Non-shrink and non-stretch. Grits 60-150 are black in color. Grits 40-50 are brown in color. Full Cartons only.

10 each per carton.

<u>Code</u>	<u>Size</u>	<u>Grit</u>	<u>List/ea</u>
V321-150	3" x 21"	150X	\$ 4.16
V321-120	" "	120X	4.16
V321-100	" "	100X	4.16
V321-80	" "	80X	4.46
V321-60	" "	60X	5.11
V321-50	" "	50X	5.95
V321-40	" "	40X	6.48
V324-150	3" x 24"	150X	\$ 5.33
V324-120	" "	120X	5.33
V324-100	" "	100X	5.33
V324-80	" "	80X	5.29
V324-60	" "	60X	6.55
V324-40	" "	40X	7.12
V424-150	4" x 24"	150X	\$ 7.30
V424-120	" "	120X	7.30
V424-100	" "	100X	7.30
V424-80	" "	80X	7.53
V424-60	" "	60X	7.67
V424-50	" "	50X	9.76
V424-40	" "	40X	10.04
V4132-120	4" x 132"	120X	\$ 30.28
V4132-100	" "	100X	30.28
V4132-80	" "	80X	31.78
V4132-60	" "	60X	32.42

**WIDE SANDING BELTS****3M 340D CLOTH WIDE BELTS**

- Premium alum oxide on a durable X-weight cotton cloth backing
- Open Coat grain for good cut on woods, with less loading
- Resin bond takes high heat & pressure for long life
- Washable backing for repeat use on high load woods



Pack: 60, 80 Grit - 3/box

100, 120, 150, 180, 220 Grit - 5/box

<u>Code</u>	<u>Size</u>	<u>60</u>	<u>80</u>	<u>100,120</u>	<u>150,180</u>	<u>220</u>
3760-	37" x 60"	\$ 110	\$ 111	\$ 122	122	
3775-	37" x 75"	-	151	159	-	
4360-	43" x 60"	-	-	160	-	
4375-	43" x 75"	163	168	160	160	
5275-	52" x 75"	-	210	195	-	

**VSM WIDE BELTS**

Made in Germany



- Polyester cloth back is washable, non-shrink and non-stretch.
- Butt joint is reversible
- Open coated aluminum oxide
- Anti-static for dust control, spark control and longer belt life.

2 each per carton.

<u>Code</u>	<u>Size</u>	<u>Grit</u>	<u>List/ea</u>
V3760-80	37" x 60"	80X	\$ 166
V3760-100	" "	100X	144
V3760-120	" "	120X	144
V3760-150	" "	150X	144
V3775-60	37" x 75"	60X	\$ 187
V3775-80	" "	80X	176
V3775-100	" "	100X	165

**SURFPREP WIDE BELTS****WIDE BELTS, ALUMINUM OXIDE CLOTH**

Surfprep - Special Order Only

- Unique Antistatic treatment
- Less heat, Less loading
- Semi-open coat
- 65% poly & 35% cotton blend
- Butt joint
- Level joint, no skipping
- Made in California



Cloth back belt with precision grain height and orientation in an open coat for a consistent finish. Ultra sharp grains require lower cutting force for less heat and compression. Tightest tolerance tape joint in the industry, and unique anti-static treatment.

<u>Belt Size</u>	<u>Grit</u>
37" x 60"	60
37" x 60"	80
37" x 60"	100-220
37" x 75"	60
37" x 75"	80
37" x 75"	100-220
43" x 75"	60
43" x 75"	80
43" x 75"	100-220
52" x 75"	60
52" x 75"	80
52" x 75"	100-220
52" x 103"	60
52" x 103"	80
52" x 103"	100-220

**CALL FOR  
QUOTE**

**WIDE BELTS, ALUMINUM OXIDE, PAPERBACK**

Surfprep

- Unique Antistatic Treatment
- Less Heat, Less Loading
- Open Coat
- Paperback
- Superior Lap Joint
- Level joint, no bump
- Made in the USA



Paper back belt with precision grain height and orientation in an open coat for a consistent finish. Ultra sharp grains require lower cutting force for less heat and compression. Tightest tolerance tape joint in the industry, and unique anti-static treatment.

5 belts per carton.

<u>Code</u>	<u>Size</u>	<u>Grit</u>	<u>List/ea</u>
SP54103-80PA	54" x 103"	80PA	\$ 145.00
SP54103-100PA	" "	100PA	119.82
SP54103-120PA	" "	120PA	119.83
SP54103-150PA	" "	150PA	119.83
SP54103-180PA	" "	180PA	119.85
SP52103-80-PAOL	52" x 103"	80PA	\$ 126.98
SP52103-120-PAOL	" "	120PA	118.80
SP52103-150-PAOL	" "	150PA	118.80
SP52103-180-PAOL	" "	180PA	118.80

**WIDE BELTS, SILICONE CARBIDE, PAPERBACK**

Surfprep



<u>Code</u>	<u>Size</u>	<u>Grit</u>	<u>List/ea</u>
SP54103-220PS	54" x 103"	220	\$ 127.92
SP52103-180-PSCL	52" x 103"	180	120.77
SP52103-220-PSCL	" "	220	120.77



**ABRASIVE ROLLS****RESIN BOND ROLLS**

Aluminum oxide material provides maximum cutting efficiency on most oscillating & block sanding operations. Resin bond construction assures mineral retention under extreme sanding pressure.

**3M STIKIT ABRASIVE ROLLS**

Self-Stick : PSA

For Finishing Sanders - A-wt.  
Light Gray in Color.



10 rolls per carton.

<u>Code</u>	<u>Size</u>	<u>Grit</u>	<u>List/rl</u>
41210-80AST	4-1/2" x 10 yds	80A	\$ 53.87
41210-100AST	" "	100A	53.84
41210-120AST	" "	120A	53.84
41210-150AST	" "	150A	53.84
41210-180AST	" "	180A	53.84
41210-220AST	" "	220A	53.84
41210-320AST	" "	320A	53.84

**VSM SANDING ROLLS**

Aluminum Oxide paper "Vitex."  
Open coat. Anti-static E-weight  
paper backing. Red in Color.



6 rolls per carton.

<u>Code</u>	<u>Size</u>	<u>Grit</u>	<u>List/rl</u>
V41250-80	4-1/2" x 50 yds	80XE	\$ 197.95
V41250-100	" "	100XE	180.00
V41250-120	" "	120XE	180.00
V41250-150	" "	150XE	180.00

**3M STIKIT TRI-M-ITE****REFILL ROLLS**

Self-Stick : PSA

Light Gray in Color



<u>Code</u>	<u>Size</u>	<u>Grit</u>	<u>List/rl</u>
31445-80AST	3.25" x 55"	80A	\$ 8.51
31455-100AST	3.25" x 55"	100A	10.84
31470-120AST	3.25" x 70"	120A	8.81
31480-150AST	3.25" x 80"	150A	8.81
31485-180AST	3.25" x 85"	180A	8.81
31495-220AST	3.25" x 95"	220A	8.81

**3M STIKIT SANDING BLOCKS**

With Built-in Dispenser



Stickit sanding blocks fit the hand. Dispenses fresh abrasives easily. Unique design allows access to both curved areas and square edges.

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
45204-3M	Stickit Sand Block, 3-1/4" wide	\$ 43.18

**ABRASIVE PSA DISCS****MIRKA SANDING DISCS**

PSA (Stick On), No Holes



Mirka "Bull Dog Gold" Finishing Discs offer a sharp, durable aluminum oxide abrasive grain. Its high-strength resin holds the grain in place for a longer-lasting disc, while the C-wt. backing is 50% stronger than A-wt. Gold in Color. No Holes. 100 discs per box. Sold in full boxes only.

**5" Dia.** Pack: 100 discs/bx List/ per box

<u>Code</u>	<u>80</u>	<u>100,120,150,180, 220, 320</u>
23-388-	\$ 69.54	\$ 56.21

**6" Dia.** Pack: 100 discs/bx List/ per box

<u>Code</u>	<u>80</u>	<u>100,120,150,180, 220</u>
23-379-	\$ 93.68	\$ 88.00

**MIRKA GOLD STICK-ON DISCS  
FOR VACUUM SYSTEMS**

PSA (Stick On) discs for vacuum systems. Gold in Color.



80 = D-wt.

100-220 = C-wt. 100 discs per box. Full boxes only.

**5" Dia, 5-hole Vacuum** List/ per box

<u>Code</u>	<u>80</u>	<u>100,120,150,180, 220</u>
23-321-	\$ 69.25	\$ 56.42

**MIRKA 400 SERIES  
5" PSA DISCS**

5" PSA Discs. Gold in Color  
No holes, Plain White Box.



These Mirka supplied 5" C Wt. Aluminum Oxide discs have an aggressive cut rate. The heavy C Wt. Paper allows strong pressure especially at the edge of the disc. Lightly stearated. No Holes. P-Graded grit. Gold in Color. Excellent value. Made in Finland.

**5" Dia.** Pack: 100 discs/bx

List/ per box

<u>Code</u>	<u>80</u>	<u>180, 220</u>
5-420-	\$ 36.49	\$ 35.25

**NORTON PSA DISCS**

Series A275 No-fil Magnum. "Champagne" discs feature premium "White" Aluminum Oxide grit. Open Coat on flexible, tough B-weight paper, tear resistant for long life. No Holes.



**5" Dia.** Pack: 100 discs/roll

List/ per roll

<u>Code</u>	<u>80</u>	<u>100,120,150,180, 220, 320</u>
N5-XXXB	\$ 101.90	\$ 90.61

e.g. N5-100B

**6" Dia.** Pack: 100 discs/roll

List/ per roll

<u>Code</u>	<u>80</u>	<u>100,120,150,180, 220, 320</u>
N6-XXXB	\$ 125.11	\$ 119.41

e.g. N6-100B

**3M ABRASIVE PSA DISCS****3M HIGH PERFORMANCE CLOTH STIKIT DISC**

900DZ (Purple) 5" discs. No Holes.

Self-Stick : PSA

- Ceramic mineral, J-wt. cloth, open coat
- Premium, durable, long lasting Cubitron™ abrasive grain, flagship of the Stikit line
- Flexible, tear resistant cloth
- 3M Xodust products reduce static
- Individual discs with liner
- 5", No holes



<u>Code</u>	<u>Description</u>	<u>Discs/bx</u>	<u>List/bx</u>
5-100J	100 grit, " "	50 ea.	\$ 118.00
5-120J	120 grit, " "	50	118.00
5-150J	150 grit, " "	50	118.53
5-180J	180 grit, " "	50	118.53

**3M STIKIT DISC ROLLS**

Self-Stick : PSA

426U, No Holes

Silicone Carbide. No Hole, A-wt. paper for general purpose sanding of wood, glass, and fiber-glass. Treated for minimum loading. Light Gray in Color.



<u>Code</u>	<u>Dia.</u>	<u>Grit</u>	<u>Discs/Roll</u>	<u>List/rl</u>
5-80AST	5"	80A	125	\$ 92.61
5-100AST	5"	100A	125	98.28
5-120AST	5"	120A	125	98.28
5-150AST	5"	150A	175	121.24
5-180AST	5"	180A	175	121.24
5-220AST	5"	220A	175	121.24
5-320AST	5"	320A	175	121.24

**3M STIKIT GOLD FILM DISC ROLLS**

5" discs. No Holes. Film Back.

Self-Stick : PSA

An aluminum oxide Stikit gold disc roll constructed on a film backing. Features an anti-loading stearate coating. P graded. Open Coat. No holes. Works well with most wood species. The flexible film backing provides a consistent finish with greater tear-resistance than a comparable paper product.



Discs/Roll: 125, Rolls/Ctn: 4

<u>Code</u>	<u>Diameter</u>	<u>Grit</u>	<u>List/rl</u>
5-100ASTGF	5"	100A	\$ 148.33
5-120ASTGF	5"	120A	148.33
5-150ASTGF	5"	150A	148.33
5-180ASTGF	5"	180A	148.33
5-220ASTGF	5"	220A	148.33

**3M STIKIT GOLD DISC ROLLS**

Self-Stick : PSA

216U, No Holes

For final hand or machine sanding of most materials including wood, metal, sealer, primer, plastics, and fiber-glass. No holes. Gold Color.



<u>Code</u>	<u>Dia</u>	<u>Grit</u>	<u>Disc/rl</u>	<u>Rls/Ctn</u>	<u>List/rl</u>
5-80ASTG	5"	80A	125	10	\$ 123.14
5-120ASTG	5"	120A	125	10	120.51
5-150ASTG	5"	150A	175	6	168.00


**ABRASIVE DISCS****FILM DISCS: VELCRO & PSA**  
No-Hole 5" & 6"**PSA** 5" No-hole Film Abrasive Disc**VELCRO** No-hole Film Abrasive Disc

These no-hole discs have a strong and even film backing that allows for an even surface finish and longer life. Excellent for corner and edge sanding; more durable than paper discs, will not tear easily. Green in color. Available in PSA and Velcro.

**Technical Specifications**

Grain: Premium Aluminum Oxide  
Backing: Polyester Film

Coating: Open Coat

**PSA 5" No Hole, Film Discs**

Pack: 100 discs per box. List/ per box

<u>Code</u>	<u>80</u>	<u>100,120,150,180, 220, 320</u>
5FD-XXX	\$ 60.84	\$ 57.37

**Velcro 5" No Hole, Film Discs**

Pack: 50 discs per box. List/ per box

<u>Code</u>	<u>80</u>	<u>100,120,150,180, 220, 320</u>
5FD-XXX-V	\$ 48.60	\$ 43.26

e.g. 5FD-100-V

**Velcro 6" No Hole, Film Discs**

Pack: 50 discs per box. List/ per box

<u>Code</u>	<u>80</u>	<u>100,120,150,180, 220, 320</u>
6FD-XXX-V	\$ 58.30	\$ 57.30

e.g. 6FD-100-V

**HERMES VC152 5" PSA DISCS**  
Peel and Stick

- 5" discs with peel-off back liner
- B/C Weight paper back
- Aluminum Oxide with anti-loading
- Pastel Tan color
- Made in USA



80 Grit: 50 discs/bx.

120-220 Grit: 100 discs/bx.

List/ per box

<u>Code</u>	<u>80</u>	<u>120,150, 180, 220</u>
VC152V-XXX	\$ 29.65	54.25

**SIA 9-Hole HOOK & LOOP DISCS**

For Festool Sanders



- 5" or 6" 9-hole discs
- Aluminum oxide grit
- B-weight paper, Light Blue color
- Very high stock removal w/ good finish
- Ideal for manual use thanks to high flexibility
- Ideal for sanding large areas
- Can be used for a universal range of applications and materials

Pack: 100 discs per box.

<u>Code</u>	<u>Size</u>	<u>Grit</u>	<u>List/bx</u>
3547.7578.100	5"	100	\$ 94.42
3547.7578.120	5"	120	94.28
3547.7578.150	5"	150	94.42
3547.7578.180	5"	180	94.42
3547.7578.220	5"	220	95.92

<u>Code</u>	<u>Size</u>	<u>Grit</u>	<u>List/bx</u>
3365.8780.80	6"	80	\$ 132.00
3365.8780.100	6"	100	129.17
3365.8780.120	6"	120	129.17
3365.8780.150	6"	150	129.17
3365.8780.180	6"	180	129.17
3365.8780.220	6"	220	129.17

**HOOK & LOOP****NORTON A275 5" HOOK & LOOP**

5" 5-hole with hook & loop "Champagne" discs feature premium "White" Aluminum Oxide grit. Open coat on flexible, tough B-weight paper, tear resistant for long life. 5-holes. 100 discs per box.



List/ per box

Code	80	<u>100,120,150,180, 220, 320</u>
N5-XXX-5H	\$ 142.00	\$ 132.71

**NORTON 5" HOOK & LOOP DISCS**

With Hook & Loop Backing.  
A275 No-Fil Magnum "Champagne". Open Coat, B-wt paper. Premium "White" Aluminum Oxide grit.  
No Holes. 100 discs per box.



List/ per box

Code	80	<u>100,120,150,180, 220, 320</u>
N5-XXX-NH	\$ 137.00	\$ 135.17

**ABRASIVE DISCS****HERMES VC151 - LONG LIFE 5" DISCS**  
Hook & Loop

Available "No Hole" and "8 hole".

Hermes VC 151 Longlife VEL C Weight velour backed discs are designed for both metal and woodworking applications. This highly flexible tear resistant disc is used for intermediate and finish sanding on soft or hard woods, automotive primer, aluminum panels, parts and composite plastic and fiberglass mouldings. A stearate coating reduces premature loading and clogging. Sold per box.

- 5" Velour backed discs - C weight
- Resistance to loading and clogging
- Tough aluminum oxide grain assures long life and high stock removal rates
- Improved surface quality
- Conformability to contoured as well as flat surfaces
- Lasts longer and runs cooler due to open coat and velour backing.



60, 80 Grit: 50 discs/bx.  
120-320 Grit: 100 discs/bx.

**VC151V8H Hook & Loop, 8 Hole**List/ per box

Code	60	80	<u>100,120,150,180, 220, 320</u>
VC151V8H-XXX	31.12	27.12	\$ 53.00

**VC151V Hook & Loop, No Holes**List/ per box

Code	80	<u>100,120,150,180, 220, 320</u>
VC151V-XXX	\$ 28.00	\$ 54.25

**ABRASIVE DISCS****SURFPREP ABRASIVES**

Consistent finish, premium grit &amp; long lasting

**5" Film Discs, Hook & Loop**

Aluminum Oxide Film backed abrasive discs are used for leveling & finish sanding. Provides consistent finish, faster cut, tear resistant edges, and overall longer life. Sacrificial stearate allows for minimal loading.




Pack: 100 discs/box

List/ per box

Code 120 150, 180, 220, 320  
SP5HLFXXX \$ 76.00 \$ 72.42

**5" PaperBack Discs, Hook & Loop**

5" Paper Backed, Aluminum Oxide discs. Fiber reinforced back for better edge-wear. Premium grit in an open coat for wood. Uniform scratch for even staining, less blotching.



Pack: 100 discs/box

**Hook & Loop** D wt: 80-150, C wt: 180-320 List/ per box

Code 80 100, 120, 150, 180, 220, 320  
SP5HLLPBXXX \$ 45.13 \$ 42.39

**PSA** D wt: 80-150, C wt: 180-320

Code 80 100, 120, 150, 180, 220, 320  
SP5PSALPBXXX \$ 45.00 \$ 42.39

**5" Film Discs, PSA**

Aluminum Oxide Film backed abrasives are used for leveling & finish sanding. Provides consistent finish, faster cut, tear resistant edges, and overall longer life. Sacrificial stearate allows for minimal loading. PSA.



Pack: 100 discs/box

List/ per box

Code 80, 100, 120 150, 180, 220, 320  
SP5PSAFXXX \$ 72.14 \$ 64.89

**High Performance Foam Abrasives, Hook & Loop**

Red Aluminum Oxide Foam Hook & Loop Pads for even cutting and flat sanding. A must use inside drawer boxes where manual hand sanding is a challenge or where discs sanders do not allow for full coverage into a corner. Can be used to sand detailed white wood beading on moldings. This pad will not load or pill.

**3" x 4" Foam Pads**

Sold per each, 25/ea per box.

Code	Grit	Holes	Thickness	List/ea
SPRF5R080	M+	No Hole	5mm thin	\$ 1.89
SPRF5R100	F	No Hole	5mm thin	1.89
SPRF5R150	VF	No Hole	5mm thin	1.89
SPRF5R180	SF	No Hole	5mm thin	1.89
SPRF5R220	SF+	No Hole	5mm thin	1.89
SPRF10R060	M	No Hole	10mm firm	\$ 2.25
SPRF10R100	F	No Hole	10mm firm	2.25
SPRF10R150	VF	No Hole	10mm firm	2.25
SPRF10R100.4	F	4 Hole	10mm firm	2.25
SPRFHR100	F	No Hole	1/2" squishy	\$ 1.75
SPRFHR150	VF	No Hole	1/2" squishy	1.75
SPRFHR180	SF	No Hole	1/2" squishy	1.75
SPRFHR220	SF+	No Hole	1/2" squishy	1.75

**3" x 7" Foam Pads**

5mm pads: 25/ea per box.



1/2" pads: 10/ea per box.

Code	Grit	Holes	Thickness	List/ea
SPRF75R100	F	No Hole	5mm thin	\$ 3.91
SPRF75R150	VF	No Hole	5mm thin	3.91
SPRF7HR060	M	No Hole	1/2" squishy	3.91
SPRF7HR150	VF	No Hole	1/2" squishy	3.91
SPRF7HR220	SF+	No Hole	1/2" squishy	3.91

Description	Grit	Finish/Scratch
M	Medium	120 - 150
M+	Medium +	150 - 180
F	Fine	220 - 240
VF	Very Fine	280 - 380
SF	Super Fine	450 - 600
SF+	Super Fine +	600 - 700

**ABRASIVE DISCS****SURFPREP, Hook & Loop Cont.****5", 5-Hole Foam Discs**

Sold per each, 25/ea per box.



<u>Code</u>	<u>Grit</u>	<u>Holes</u>	<u>Thickness</u>	<u>List/ea</u>
SPDF55R150.5	VF	5 Hole	5mm thin	\$ 4.13

**5", 8-Hole Red Aluminum Oxide Paperback**

50/ea per box, Sold per box.

**Hook & Loop Cwt**

<u>Code</u>	<u>100,120,150,180,220</u>	<u>List/ per box</u>
SP5RHLXXX.8		\$ 35

**SURFPREP FILM SHEETS**

Hook &amp; Loop, Film backed.



100 sheets/box, sold per box.

<u>Code</u>	<u>Size</u>	<u>Grit</u>	<u>Holes</u>	<u>List/bx</u>
SP3X4HLF320	3" x 4"	320	No hole	\$ 69.30
SP3X7HLF180	3" x 7"	180	No hole	96.00

**3M MICROFINISHING DISCS**

Micron Stikit Discs

Film Back



3M™ Imperial Microfinishing Film is fast-cutting and provides a precise, consistent finish. Strong polyester film is coated with premium, micron-graded mineral. Particles are electrostatically oriented for greater cutting efficiency, and resin-bonded for durability. Aluminum oxide. Adhesive backed. Widely used on solid surface products such as Corian™.

Pack: 25 discs per pack. Sold in full packs.

<u>Code</u>	<u>Diameter</u>	<u>Microns</u>	<u>List/bg</u>
5-100MIC	5"	100	\$ 61.42
5-60MIC	5"	25	61.34
5-30MIC	5"	25	61.34

**MIRKA 5" PSA CLOTH DISCS**

The Mirka Hiolit discs are for sanding operations requiring both flexibility and the tear resistance of cloth.



Offers fast cut and long life where paper discs tend to tear. For use on metals, wood and most unfinished surfaces. Stands up to hard maple! Aluminum Oxide, cloth back/resin bond. Maroon in Color. 5" Discs. Full boxes only.

Pack: 50 discs/box

<u>Code</u>	<u>60</u>	<u>80</u>	<u>120</u>
5B-332-XXX	\$ 46.08	\$ 58.00	\$ 48.07

**MIRKA ABRALON 6" HOOK & LOOP DISCS**

For Solid Surface



- Combines the benefits of abrasive cloth and non-woven products
- Foam center gives even pressure on contoured surfaces, corners and sharp edges



Fabric Face

Foam center,  
Hook & Loop  
Backing

Constructed with a fabric face, foam center and a hook & loop backing. Abrasive grains are bonded evenly to the fabric face. Openings in the fabric allow water, solvent and air to flow freely around the abrasive. Works especially well when sanding contoured surfaces, corners and sharp edges. Open-cell design holds large amounts of water or solvent for lubrication and cooling. Foam center also provides for even surface pressure that helps eliminate "finger marks" when hand sanding. No holes.

Pack: 20 discs per box. Sold per box.

<u>Code</u>	<u>Diameter</u>	<u>Grit</u>	<u>List/bx</u>
8A-241-180	6"	180	\$ 155.53
8A-241-360	6"	360	155.53
8A-241-500	6"	500	155.53
8A-241-1000	6"	1000	155.53
8A-241-2000	6"	2000	155.53
8A-241-3000	6"	3000	155.53
8A-241-4000	6"	4000	155.53

**SANDING DISCS**

**MIRKA AUTONET** - Mesh Hook & Loop Sanding Discs  
(For solid surface and wood)



Autonet has a heavy mesh backing for high durability and better edge-wear. The coating of grain gives an aggressive rate of cut and the thicker loop backing diameter gives a better connection to the backup pad. Aluminum oxide grain with a polyamide mesh backing. For use with all vacuum and non-vacuum hook & loop disc pads.

**5" Dia.** Pack: 50 discs/box      [List/ per box](#)

<u>Code</u>	<u>80</u>	<u>120, 150, 180, 240, 320</u>
AN-5-XXX	\$ 58.94	\$ 48.14

**6" Dia.** Pack: 50 discs/box      [List/ per box](#)

<u>Code</u>	<u>80</u>	<u>120, 150, 180, 240, 320</u>
AN-6-XXX	\$ 68.00	\$ 58.75

**SUNMIGHT SOFT FLEX ROLLS**

- Stocking 180, 220, 280, 320 and 400 Grits
- Designed for hand sanding applications
- Made with premium aluminum oxide grain, high quality latex paper, and strong phenol resin
- Flexible sponge backing
- Perforated to allow easy pad dispensing from box



<u>Code</u>	<u>Description</u>	<u>List/bx</u>
32110	4-1/2" W x 27 Yards / 180 Grit	\$ 105.86
32111	4-1/2" W x 27 Yards / 220 Grit	105.86
32113	4-1/2" W x 27 Yards / 280 Grit	105.86
32114	4-1/2" W x 27 Yards / 320 Grit	105.86
32116	4-1/2" W x 27 Yards / 400 Grit	105.86

**SANDING ACCESSORIES****SURFPREP SANDING PAD**

2-sided, Aluminum Oxide



150 grit. Size: 4-3/4" x 3-3/4" x 1/2".

2-sided soft hand pads. Eco-friendly brown A/O (Aluminum Oxide) soft hand pad features an innovative adhesive that allows it to stay sharper and last longer than any other pad in the market. Resists loading and outperforms any 'traditional' hand pads.

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
P150AO	2-sided sanding pad	250 ea.	\$ 1.82

**SANDING BLOCK**

Aluminum Oxide abrasive coated over firm foam core. Fits easily into the palm of your hand.



Size: 2-3/4" x 3-3/4" x 1"

<u>Code</u>	<u>Grit</u>	<u>Ctn</u>	<u>List/ea</u>
BG150	150	250 ea.	\$ 2.25
BG180	180	250	2.25
BG220	220	250	2.25

**NORTON SANDING SPONGE**


Norton high density sanding sponges can be used wet or dry. Only 3/16" thick for accurate and comfortable contour sanding. Coated on one side with a tough abrasive. Lasts 3x longer than sandpaper. Use for light material removal on wood, metal and other materials. Size: 4-1/2" x 5-1/2" x 3/16". Brown in color.



<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
02255	Sanding sponge 220 x Fine	100	\$ 3.65
02256	Sanding sponge 150 x Fine	100	3.74

**SANDING ACCESSORIES****MIRKA SANDING SPONGE**

Professional Grade

Rinse  
and Reuse!

Sanding sponge is made of Resin Bond cloth coated with a tough abrasive and laminated to a flexible 3/8" thick sponge. It can be used for all types of sanding jobs, (metal or wood surfaces), with maximum handling comfort from the three sponge sides. Works efficiently on contoured, flat, and hard-to-reach surfaces. Reusable - simply rinse clean and squeeze.

<u>Code</u>	<u>Description</u>	<u>Pack</u>	<u>List/pk</u>
1350-220	4" x 5" x 1/2", 220 grit	10 ea.	\$ 24.70

**3M SANDING SPONGE**

3-3/4" x 2-5/8" x 1" thick. Can be used on all types of sanding jobs. Reusable - simply rinse clean and squeeze. Abrasive material covers 4 sides of each sponge. Use wet or dry on wood, metal, and many other surfaces.



<u>Code</u>	<u>Description</u>	<u>List/ea</u>
908-3PK	3 Pack sponges, Fine on 2 sides, Medium on 2 sides	\$ 11.00
CP-001	Fine on all 4 sides, 150 grit	4.12

**3M SANDING SPONGE**

Bulk sanding sponge, 3-3/4" Length, 4-3/4" Width, 1/2" Thickness, Medium and fine grits available.



<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
51065	Sanding sponge, Med grit	250	\$ 2.05
51066	Sanding sponge, Fine grit	250	2.83

**3M "SCOTCH BRITE"  
ABRASIVE HAND PADS**

Use like Steel-Wool

6" x 9"  
Pads

7447: Maroon, medium. For general purpose finishing of wood and cleaning of machinery. Approximately equal to #1 steel wool.

7448: Light gray, fine. For wood deburring and light finishing. Approximately equal to #00 steel wool.

<u>Code</u>	<u>Grade</u>	<u>Color</u>	<u>Ctn</u>	<u>List/pad</u>
7447	Medium	Maroon	60	\$ 3.09
7448	Fine	Lt. Gray	60	2.74

**3M STIKIT DISC HAND PADS**

Stickit Disc Hand Pads are made of neoprene rubber with a nylon face and an elastic band on back. For going into tight corners and curves with ease.

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
45189	5" x 1/4" Pad	20 ea.	\$ 19.14

## BACKING PADS

### 3M BACKUP PADS

Stickit vinyl disc face provides good disc adhesion and easy disc removal. Tough plastic hub and a comfortable foam body. No holes.



Use for paint repair, sanding between coats, sanding primer, white wood, and sealer sanding.

Hookit Low Profile Back-up Pad. Low profile soft density yellow pad provides flexibility to reduce loading. Tapered edge is ideal for finishing on flat or contoured surfaces. 5 holes.



<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
05575	5" Stickit Disc Pad, No holes	10 ea.	\$ 38.52
05855	5" Hook & Loop Pad, 5-hole	10	50.66



Low Profile 6" Disc Pad. Precise multi-hole pattern provides superior dust extraction to prevent loading, increase productivity, and provide a cleaner work environment. Provides easy disc changes and optimizes disc life. 6", 52-hole, Hook & Loop.

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
20356	6" Hookit Disc Pad	10 ea.	\$ 69.00

**17**  
**PORTER CABLE  
BACKING PADS**



<u>Code</u>	<u>Description</u>	<u>List/ea</u>
13900	5" PSA, for 332PC	\$ 31.31
13901	5" PSA, 5-hole, for 334PC	37.18
13904	5" Hook & Loop, 5-hole	38.27

### SURFPREP BACKUP PADS

Consistent finish, durable & long lasting

Hook & Loop Backup Pads are made with smaller 'hooks' which are excellent for the 'quick release' of SurfPrep Foam abrasives. PSA are meant to be used with 'Pressure Sensitive Adhesive' (sticky) backed abrasives for flat sanding. Available for 3" x 4", 3" x 7", and 5" Sanders.


<u>Code</u>	<u>Description</u>	<u>List/ea</u>
SPBP5HL	Backup Pad, 5", Hook & Loop, No hole	\$ 35.44
SPBP5	Backup Pad, 5", PSA, No hole	33.75

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
SPBP3X4	Backup Pad, 3" x 4", Hook & Loop, No hole	\$ 31.50
SPBP3X7	Backup Pad, 3" x 7", Hook & Loop, No hole	42.00

### MIRKA ABRANET VACUUM BACKUP PADS

#### **Backup Pad**

Hook faced for use with Mirka Abranet® Abrasive Discs  
5/16" x 24 Thread Size



<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List</u>
916GV	6" Backup Pad	10 ea.	\$ 73.74 /ea
915GV28	5" Backup Pad	10	69.00
9955	5" Pad Saver	1	33.99 /bg
9956	6" Pad Saver	1	45.19

**TAPE****DISC BACKING PADS**

Velcro or PSA, 5" or 6", with or without holes. Back-up pads are top quality molded polymer.

Mirka  
6-hole, VelcroMirka  
No hole, VelcroDynabrade  
No hole, PSA

Code	Description	List/ea
M105	5" PSA, No Hole	\$ 45.17
56106	5" PSA, No Hole (Dynabrade)	36.40
M106	6" PSA, No Hole	40.23
M105V	5" PSA, 5 Hole	47.40
M106V	6" PSA, 6 Hole	36.09
M105GG	5" Velcro, No Hole	47.76
M105GV	5" Velcro, 5 Hole	47.61
M106GV	6" Velcro, 6 Hole	61.81

**See Festool Backing Pads pg 2061**

**BELT/DISC CLEANERS**

Sanding Belt and Disc Cleaner. Most belts and discs are discarded because they are clogged, not worn out. When held firmly (and carefully) against a running belt or disc, this rubberized substance removes the gummy clogging and restores the cutting ability. Abrasive life is extended many times, and downtime to change belt or disc is also reduced. Not to be used on wide belts or conveyor-type sanders. 2" x 2" x 8".

Code	Size	Ctn	List/ea
BC-228	2" x 2" x 8"	6	\$ 23.10

**SPEEDTAPE From Fastcap**

Contact Cement on a Roll



1" - Great for edgebanding



2" - Great for face frames

An ultra bond transfer adhesive. Apply to a substrate then peel off paper backing and stick on laminate or veneer. Excellent for refacing, locating moldings, eliminating nail holes, and cabinet scribe. Apply edging without the glue clean-up from sprayed or rolled glue. Rolls are 50'. Other sizes can be special ordered.

Code	Size	List/rl
ST-34	3/4" x 50'	\$ 13.27
ST-1	1" x 50'	17.58
ST-2	2" x 50'	35.16

**DOUBLE-SIDED ADHESIVE TAPE**


Strong Temporary Bonds! Holds without clamps for quick jigs, router work and setting drawer fronts.

This strong paper tape is coated on both sides with an aggressive rubber-based adhesive. Makes instant, strong temporary bonds to a variety of surfaces. Convenient for hanging drawer fronts! Moisture-resistant and protected by a treated paper liner. Solves many odd clamping problems on the spot.

Code	Size	Ctn	List/rl
591	1" W x 36 yards	36 rolls	\$ 21.45

**CLAMP TAPE**

Heavy brown paper tape. Useful for light clamping, as well as boxing and packaging.



Clamps edge moldings &amp; irregular assemblies

Code	Size	Ctn	List/rl
534-34	3/4"	48	\$ 5.63
534-1	1"	36	8.80
534-112	1-1/2"	24	13.12
534-2	2"	24	18.90

## ADHESIVE TAPES

### PG5 MASKING TAPE

A smooth crepe, premium painters' tape. PG5 offers an excellent balance of quick stick, holding properties and adhesive transfer resistance. Provides for easy application and clean, crisp paint lines. Allows excellent cornering and clean removal. Will support masking paper aprons at 160° F for 30 minutes. Not recommended for outdoor exposure.



Tensile strength rating: 25 lbs/in. of width. Thickness is 6.3 mils. Temperature resistant operating range of 50° F to 200° F. Adhesion to steel is 33 oz/in. of width. Bulk 60 yds/roll. Tan in color.

Government Specification Conformance  
C.I.D. A-A-883B Type 1. Made in USA.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/rl</u>
PG5-34	3/4"	48	\$ 7.29
PG5-1	1"	36	9.40
PG5-112	1-1/2"	24	17.07
PG5-2	2"	24	18.34

### 3M 2050 PAINTERS MASKING TAPE



The 2050 is a tan masking tape with a medium-high level of adhesion designed to release cleanly and easily from previously painted surfaces. Ideal for windows, doors, wall trim, cabinets, carpet and vinyl flooring. Conforms well to most surfaces, and produces good paint lines. Clean removal up to 3 days. (Not for automotive.) 60 yard rolls. Tan in color.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/rl</u>
2050-34	3/4"	48	\$ 4.23
2050-1	1"	36	5.19
2050-112	1-1/2"	24	7.84
2050-2	2"	24	10.38

### 3M 2060 LACQUER GREEN MASKING TAPE

For Hard-to-Stick Surfaces



Designed for use with, or on, lacquer coatings. Does not lift, curl, or transfer adhesive with most lacquers. This tape can also be used on rough, uneven or hard to stick to surfaces. Conforms well to most surfaces, which produces an excellent paint line. Premium grade. High adhesion. 60 yds/roll.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/rl</u>
2060-34	3/4"	48	\$ 4.87
2060-1	1"	36	7.16
2060-112	1-1/2"	24	10.21
2060-2	2"	24	14.13

Can Be Removed  
Cleanly and Easily!

### 3M 2090 MULTI-SURFACE BLUE MASKING TAPE



Adhesive that allows the tape to be applied for up to seven days, then removed cleanly and easily from almost any type of surface. Even after prolonged exposure to sunlight, the 2090 tape can still be removed with virtually no adhesive transfer - even on glass. Use whenever there is concern about adhesive transfer or paint bleed-through. 60 yds/roll.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/rl</u>
2090-34	3/4"	48	\$ 5.96
2090-1	1"	36	9.22
2090-112	1-1/2"	24	11.99
2090-2	2"	24	16.02

### HAND MASKER

QM5000



Works with an array of masking papers, films, and tapes to fit any job's needs. The masker attaches tape to the edges of either film or paper, allowing a painter to easily mask off large areas.



<u>Code</u>	<u>Description</u>	<u>List/ea</u>
QM5000	Hand Masker	\$ 66.57
QM1012	12" Repl. Blade	25.00

**MASKING****TAPE****3M YELLOW TAPE** 60 Yard Rolls

- Solvent-free adhesive formula removes cleanly in one piece with no residue
- Withstands surface temperatures up to 225°F/107°C for 30 minutes
- Resists paint bleed-through to help create good paint lines
- Sticks with confidence on rubber moldings, plastic, glass, wood, concrete, metal and painted surfaces
- Smooth crepe paper is yellow in color and improves visibility and accuracy during paint masking
- Remains in place around corners, over contours and irregular surfaces



Tensile Strength: 22 lbs./in. width  
 Total Thickness: 6.3 mils (0.160mm)  
 Adhesion to Steel: 30 oz./in. width

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/rl</u>
301-34	3/4"	48	\$ 6.61
301-1	1"	36	9.79
301-1.5	1-1/2"	24	14.72
301-2.0	2"	24	19.83

**MASKING PAPER**

12" x 180' Rolls

Great for masking off windows and door trim to prep for painting. Brown General Purpose Masking Paper is ideal for water based materials such as latex, plaster, drywall texture, etc. Ideal for residential and lighter applications, brown masking paper protects from paint overspray and splatters.

Green Premium Masking Paper is great for most water and oil based materials including lacquers and acrylics. This green masking paper protects from overspray and can be used for heavier applications.

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/rl</u>
12912	Brown (general purpose) Masking Paper	12	\$ 7.50
12212	Green (premium) Masking Paper	12	7.50

**CLEAR PACKING TAPE**

2" x 110 yard rolls

<u>Code</u>	<u>Ctn</u>	<u>List/roll</u>
Q21108	36	\$ 4.72

**DUCT TAPE**

Gray Cloth duct tape

2" x 60 yds, 24 rolls/ctn.

<u>Code</u>	<u>List/roll</u>
CD200-2	\$ 13.82

**FILAMENT TAPE**

Bulk 60 yard rolls. Industrial grade fiberglass reinforced filament tape. 180 lbs. tensile strength in 3/4" size. Transparent back. Meets Federal Spec. PPP-T-97D Type 11.




<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/rl</u>
RG15-12	1/2"	72	\$ 6.79
RG15-34	3/4"	48	10.33
RG15-1	1"	36	14.19

**3M RESILIENT TREAD**

3M™ Safety Walk™ Rolls and Strips are ideal for helping prevent slips and falls. Resilient Non-Slip Surfacing material is pressure sensitive and applies like tape. Resilient and durable, adheres to any dry, smooth surface. Color fast, completely washable. Can be painted.



<u>Code</u>	<u>Description</u>	<u>List/rl</u>
7737	2" x 60', Black	\$ 95.20
7740	2" x 60', Gray	83.21

**SHRINK WRAP****SHRINK WRAP FILM TAPE**

Film tape is ideal for securing merchandise on a pallet, for transportation, or storage purposes. No residue. Secures and protects. Each full case includes one dispenser handle.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/rl</u>
Q3120	3" W x 700' L	18	\$ 10.19
Q380	3" W x 1000' L	18	11.37
HF1781800-00	18" W x 1500' L	4	46.10

**SHRINK WRAP  
DISPENSER**

For 3" Wide Shrink Wrap.

<u>Code</u>	<u>List/ea</u>
Q3HDL	\$ 7.68

**SHRINK WRAP FILM TAPE**

With Cardboard Handle

Now includes heavy duty built-in cardboard handle on each roll.

Pack: 18 rolls/carton



<u>Code</u>	<u>Size</u>	<u>Gauge</u>	<u>List/Roll</u>
Q3120D	3" W x 700' L	120	\$ 10.91
Q380D	3" W x 1000' L	80	10.04

**3M SAFETY GLASSES**

Anti-Scratch, Anti-Fog



- Economy-rated glasses are stylish and comfortable
- Wraparound design
- Integrated side-shields provide extra protection
- Contoured temples fit comfortably and snugly
- Polycarbonate lenses absorb 99.9% UVA and UVB

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
11818	Contoured Frame, Anti-Scratch, Anti-Fog Lens	\$ 6.43

**FASTCAP SAFETY GLASSES**

These quality safety glasses have a durable shatter-proof wraparound lens, reinforced temples and a comfortable rubber nose and bridge piece.

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
SG-P510	Wraparound, Clear Lenses	\$ 12.17

**FASTCAP SAFETY READING GLASSES** - 3 Diopters

- Comfortable, shatterproof, scratch resistant, wrap-around
- Anti-fog & anti-static coated lenses
- 35% lighter than standard glasses
- UV protection, ANSI / OSHA approved

<u>Code</u>	<u>Magnification</u>	<u>List/ea</u>
SG-AF-MAG1.5	1.5 Diopter (least)	\$ 12.30
SG-AF-MAG2.0	2.0 Diopter (medium)	12.29
SG-AF-MAG2.5	2.5 Diopter (most)	12.29

**BLACK NECK BAND** "Chums"

Soft, adjustable neck band to keep your glasses close by and ready to use. Black in color.



<u>Code</u>	<u>List/ea</u>
CHUMS-BLK	\$ 5.23

**EAR PROTECTION****MOLDEX PURA-FIT  
DISPOSABLE EARPLUGS**

6800



Pura-fit disposable earplugs are tapered so they are easier to insert in any size ear canal. Special foam formulated for softness and comfort. Outer surface is smooth; does not irritate worker's ears. Green in color. \*NRR: 31. 200 pairs per box. Full boxes only.

<u>Code</u>	<u>Bx</u>	<u>List/bx</u>
6800	200 pr	\$ 86.82

**MOLDEX SPARK PLUG  
DISPOSABLE EARPLUGS**

Extra-soft, extra light foam seals ear canal without pressure. Tapered for a snug fit. \*NRR: 33. "Spark Plugs" are in bright neon colors. 200 pairs per box. Full boxes only.

<u>Code</u>	<u>Bx</u>	<u>List/bx</u>
6604	200 pr	\$ 73.44

**3M DISPOSABLE EARPLUGS**

1100-3M



Disposable earplugs are tapered so they are easier to insert in any size ear canal. The special foam is formulated for softness and comfort and the outer surface is smooth, so it does not irritate ears. These earplugs have shown a high rating under the new standard. \*NRR: 29. 200 pairs per box. Full boxes only.

<u>Code</u>	<u>Bx</u>	<u>List/bx</u>
1100-3M	200 pr	\$ 44.45

**3M BANDED HEARING PROTECTOR**

Lightweight and convenient, the 3M Banded Style Hearing Protector is comfortable for extended wear and helps reduce exposure to hazardous noise. Low profile; popular for use with a hard hat and additional safety gear.



The soft, flexible foam conforms to your ear canal, providing a personalized fit that helps protect your ears from potentially damaging sound.

- Pivots with the wearer to help provide consistent protection
- Attached band rests around your neck when not in use
- Ear tips are easily removable and replaceable
- Lightweight alternative to earmuffs
- Highly visible color for easy location on a busy jobsite
- Noise Reduction Rating (NRR) of 28 dB\*
- Helps protect against harmful noises that are at 85 dB and above



Replacement Tips are designed for use with the 3M Banded Hearing Protector #90537. 2 Pair per pack.

<u>Code</u>	<u>Description</u>	<u>List</u>
90537	Banded Hearing Protector	\$ 10.94 /ea
90538	Replacement Tips, 2 pr.	7.39 /pk

**3M EARMUFFS**

3M™ Peltor™ Optime™ 105 over-the-head earmuffs feature double-shell technology to provide effective hearing protection.



- Noise Reduction Rating (NRR) of 30 dB\*, highest available in over-the-head style earmuffs
- For noise exposures up to 105dBA
- Durable stainless steel headband resists bending and warping

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
H10A	Ear Muffs	\$ 63.25

## FILTER MASKS

### MOLDEX DUST RESPIRATOR

2200

Smooth rubber straps don't irritate neck or hair. Molded nose bridge maintains seal without a metal band that can work open. Naturally contours to face. Longer lasting.

NIOSH/MSHA approved.

Protects against dust &amp; mists.

20 Masks/Box  
Full Boxes only!

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
2200	Disposable Particulate Respirator	20 ea.	\$ 3.36

### MOLDEX DUST RESPIRATOR

2300 - With Exhale Valve



Exhale valve lets worker breathe out easily without hot air build-up. Smooth rubber straps don't irritate neck or hair. Molded nose bridge maintains seal without band that can work open. Naturally contours to face. Longer-lasting NIOSH/MSHA approved. Protects against dust & mists.

10 Masks/Box. Full Boxes only!

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
2300MO	Disposable Particulate Respirator w/ exhale valve	10 ea.	\$ 5.35

### MOLDEX DISPOSABLE/REUSABLE RESPIRATOR

For Paint Spray or Pesticides



Comes fully assembled. Includes cartridges, prefilters, and retainers.

Easy snap-off disposable cartridges make replacement fast and economical. A low maintenance reusable mask that is affordably disposable.

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List</u>
M8112	Respirator	1 ea.	\$ 72.10
8010-	Replacement Pre-filters 10 pcs/bg, Full bags only	10 bgs.	91.10
8100	Replacement cartridges	30 pr.	30.17

### 3M FILTER MASK

8210



NIOSH/MSHA approved. Dependable protection against dusts and mists with a PEL (permissible exposure level) not less than .05 mg/m<sup>3</sup>. Completely disposable, lightweight, and comfortable. Weighs only 1/4 oz. Soft self-supporting filter cup contours to facial features. Low profile for clear vision. Easy breathing and communication at normal tones.

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
8210	Dust Respirator	20 ea.	\$ 2.05

### 3M PARTICULATE MASK

8511



- NIOSH Approved: N95
- 3M "Cool Flow" valve
- Lightweight construction
- Stapled straps
- M-noseclip

The 3M 8511 mask is NIOSH approved: N95. At least 95% filtration efficiency against solid and liquid aerosols which do not contain oil.

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
8511	Particulate Respirator	10 ea.	\$ 3.88

### 3M PARTICULATE MASK

8200-3M



- N95 NIOSH Approved
- Dual Strap design for more secure fit
- Patented Filter Media with easy air flow.
- 3M recommended for light-duty applications.

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
8200-3M	Particulate Mask	20 ea.	\$ 1.05



## 3M RESPIRATORS

### **3M HALF FACEPIECE RESPIRATORS**

6000 Series, Reusable

- Use with 3M bayonet style cartridges and filters
- Reusable
- Available in 3 sizes to fit most faces



<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
6100	Small	24	\$ 22.23
6200	Medium	24	26.33
6300	Large	24	28.69

### **3M HALF FACEPIECE RESPIRATORS**

7500 Series, Reusable

- Advanced silicone material provides a softer feel on the face
- Unique adjustment design helps reduce tension and pressure points on the face for unsurpassed comfort
- Adjusts easily so user has the option to wear the respirator in either traditional or drop-down mode
- Valve design helps make breathing easier
- Helps reduce heat and moisture buildup for cool, dry comfort
- Use with 3M bayonet style cartridges and filters



<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/ea</u>
7502	Medium	10	\$ 65.97
7503	Large	10	72.57

### **3M RETAINER** - 571

Used to hold 3M Particulate Filters 5N11 and 5P71/07194 (AAD) in place on top of 3M Respirators 5000 Series and 3M Cartridge 6000 Series.



<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
571	Retainer for Mask	20 ea.	\$ 4.51

## 3M CARTRIDGES

### **3M ORGANIC VAPOR CARTRIDGE** - 6001

NIOSH approved against over 80 organic vapors such as acetone, benzene, and carbon tetrachloride. Use with 3M Facepieces 6000 Series and 7000 Series with bayonet style cartridge holders. 2 ea per bag.



<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/bg</u>
6001	Replacement Cartridge	30 bgs	\$ 26.06

### **3M ORGANIC VAPOR CARTRIDGE** - 6005

NIOSH approved against formaldehyde and over 80 organic vapors such as acetone, benzene and carbon tetrachloride. Use with 3M Facepieces 6000 Series and 7000 Series with bayonet style cartridge holders. 2 ea per bag.



<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/bg</u>
6005	Replacement Cartridge	30 bgs	\$ 32.59

### **3M PARTICULATE FILTER** - 5P71



NIOSH approved for environments containing certain oil and non-oil based particles. Tested against particles approximately 0.3 micron in size.

Suggested uses: spray painting, lacquering, pesticide spraying. Use with 3M Respirators 5000 Series or 3M Cartridges 6000 Series, and 3M Filter Retainer 571.

<u>Code</u>	<u>Description</u>	<u>Bx</u>	<u>List/bx</u>
5P71	Pre-Filter 07194	10 ea.	\$ 40.32



## FILTER MASKS

### RZ™ M2 FILTER MASKS


RZ™ M2 Filter Masks are lightweight with a full mesh main body, for improved airflow and breathability.

Available in 3 different sizes plus different filter replacement packs (next column). Please make sure your filter replacements match the size of your mask! To get the right size mask for your face: Measure from the bridge of your nose to just below your chin.

**Med:** 3.5" - 4"

**Large:** 4" - 4.5"

**Xtra Large:** 4.5" and up



- Mesh Construction, Lightweight & Breathable
- 99.9% Effective - traps particulates down to .1 microns
- Replaceable Filters
- Dual one-way discharge valves - Reduce condensation
- Adjustable Velcro Strap - Universal fit
- 360 Degree seal - Prevents leakage
- Versatile - Durable - Washable

**Includes:**

- (1) RZ Mask
- (2) F1 RZ Filters
- (1) Storage bag

<b>Black</b>	<u>Size</u>	<u>List/ea</u>
M2-BL-M	Medium	\$ 61.58
M2-BL-L	Large	61.58
M2-BL-XL	Xtra Large	61.58

<b>Titanium</b>	<u>Size</u>	<u>List/ea</u>
M2-TI-M	Medium	\$ 61.58
M2-TI-L	Large	61.58
M2-TI-XL	Xtra Large	61.58

### RZ™ FILTER REPLACEMENT PACKS

3 Filters per Pack. Available in Medium, Large, and Extra Large to match your mask.



**F1** standard filter has two filter layers, the outer particulate filter and the internal active carbon element - effective towards fumes and odors.



**F2** High-Flo Filter has 40% better 'breathability' than the standard F1 filter. It has two layers of particulate filters. The F2 is for screening particulates, not fumes.



**F3** is the premium filter. It has the improved breathability of the High-Flo along with the active carbon filter. It is designed to filter particulates AND fumes.

<u>Code</u>	<u>Size</u>	<u>List/pk</u>
F1-	(M) Med, (L) Lg, or (XL) Xtra Lg	\$ 8.95
F2-	(M) Med, (L) Lg, or (XL) Xtra Lg	16.26
F3-	(M) Med, (L) Lg, or (XL) Xtra Lg	16.32

### 3M RESPIRATOR CLEANING WIPES



The 3M™ Respirator Cleaning Wipes clean and refresh elastomeric facepiece respirators, eliminating dirt and perspiration. Each disposable towelette is sealed in its own protective wrapper for maximum freshness and moistness. The towelettes easily clean away lint and light dirt and contain no alcohol or harsh chemicals. 100 per box.

- 8" x 10" (when unfolded) towelettes are individually packaged and sealed to ensure uncompromised sanitary quality
- Disposable, one-time-use for convenience
- Will not damage the facepiece materials
- Towelettes contain no alcohol or harsh chemical

<u>Code</u>	<u>Description</u>	<u>List/bx</u>
07065	Respirator Cleaning Wipes, 8" x 10", 100 per box	\$ 104.40

**SHOP TOOLS****BOX OF FINISHING RAGS**

Reclaimed clean, washed white T-shirt cotton knit. Low lint. Domestic.

S702-10: 10 lb. Box  
S702-50: 50 lb. Box

Sold in 10 and 50 lb. boxes. Rags range in size, most are approx. 12" x 24" to 21" x 24".

<u>Code</u>	<u>Description</u>	<u>List/bx</u>
S702-10	10 lb. box of reclaimed rags	\$ 49.95
S702-50	50 lb. box of reclaimed rags	215.00

**BENCH BRUSH**

2618

This top quality duster brush has a 100% black horsehair fill. The beavertail-style lightweight hard wood block is 14". Bristle length is 8" and has a 2-1/2" trim depth.

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List</u>
2618	Bench Duster Brush	12	\$ 21.96

**SHOE HANDLE WIRE BRUSHES**

#300



#301B

Brass Wire Brush for furniture finishing.

<u>Code</u>	<u>Rows</u>	<u>Trim</u>	<u>L x W</u>	<u>Ctn</u>	<u>List/ea</u>
300	4 x 16	1-3/16"	11" x 1"	12	\$ 4.48
301B	3 x 7	1/2"	7-1/2" x 1/2"	36	1.64

**PACKING/MOVING SUPPLIES****FURNITURE PADS**

New Haven



Added protection for your cabinets during shipping! Blankets are offered in Standard Duty, Heavy Duty and Premium. All blankets 72" x 80".

**200-7280 Standard Duty Blanket**

Made from heavy, non-woven synthetic material, strengthened by zig-zag quilting, double stitched binding and square corners for firmness and neatness. Blue in color.

**CS-7280 Heavy Duty Blanket**

For strong and long-lasting professional protection. Made from high-thread count woven, strong polyester and 1" zig-zag lock-stitched quilting. Double stitched binding on all 4 sides and secured with square corners. 38 oz. batting. Two-tone Dark Blue/Light Blue.

**55-7280 Premium Professional Blanket**

Designed for the professional mover. Perfect for wrapping and moving high-end, valuable furnishings. Made with densely woven poly-cotton with a very high thread count. 1" zig-zag lock-stitched quilting, 38 oz. batting, double stitched binding on all 4 sides and secured with square corners. Two-tone Dark Blue/Light Blue.

<u>Code</u>	<u>Description</u>	<u>Fil</u>	<u>List/ea</u>
200-7280	Standard Duty	3.5 lbs.	\$ 15.83
CS-7280	Heavy Duty	7 lbs.	33.52
55-7280	Premium	7 lbs.	58.95

**WEBBING ROLLS**

New Haven



Super strong 1" tubular webbing has many moving and storage uses. Helps protect load! Will outlast ordinary rope and costs less. 150' in length.

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/rl</u>
543-1	Nylon Webbing	1 roll	\$ 37.07

## GLOVES

### CLOTH GLOVES

These cloth gloves are made of a comfortable cotton polyester blend. Dotted with rubber on both sides. Natural color. Reversible.

12 pr per carton. Full Cartons only.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/pr</u>
3855S-P	Small	12 pr.	\$ 2.50
SKPVCDD-L	Large	12	2.64



### NON-SLIP WORK GLOVES

Blue textured latex coated palm and finger tips provide a secure non-slip grip. Great for material handling, shipping/delivery and general purpose.



Cotton/polyester blend fabric breathes while absorbing perspiration. Seamless knit construction allows great dexterity. Continuous knit wrist.

Material: 10 gauge, 40% polyester/cotton shell.  
60% Latex (Rubber) coating.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/pr</u>
3893-M	Medium Non-Slip gloves	12 pr.	\$ 3.34
3893-L	Large Non-Slip gloves	12	3.35

### MEDIUM DUTY GLOVES

Orange Latex Rubber



Comfortable rubber latex gloves with 13" cuff, pebble palm for safe grip. Resists paint & varnish remover, thinners, turpentine, mineral spirits, stains, shellacs, varnish & polyurethane.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/pr</u>
2208-LG	Large Orange Latex gloves	12 pr.	\$ 6.76

### FASTCAP "SKINS" GLOVES



Fastcap Skin Gloves are the ultimate glove/hand relationship. Made of durable textured Nitrile rubber, these lightweight, seamless gloves have exceptional grip and are excellent for puncture and abrasion resistance.

Will work on most touchscreens. May not be as responsive with a screen protector. Cut, snag, and abrasion resistant. Machine washable and dries quickly. Great for light construction, glass handling and automotive repair.



Order size based on color-coded cuff:

● Blue	= Small
● Yellow	= Medium
● Green	= Large
● Red	= Xtra Large
● Orange	= XX Large (special order)



Extreme dexterity and durability



Works with touchscreen devices!

Sold Full Pack Only, 12 pairs per pack.

<u>Code</u>	<u>Description</u>	<u>List/pk</u>
SKINS-12PK-SM	Skins, Small (Blue cuff)	\$ 91.98
SKINS-12PK-MED	Skins, Medium (Yellow cuff)	91.96
SKINS-12PK-LG	Skins, Large (Green cuff)	91.98
SKINS-12PK-XL	Skins, Xtra Large (Red cuff)	91.98

**GLOVES****NITRILE EXAMINATION GLOVES**

100% soft Nitrile. Broad range of chemical resistance. Strong puncture resistance. Lightly textured surface for wet or dry grip. Low-modulus design lets the glove conform gently to hand for wearing comfort. (4 to 6mm thickness). Blue in color. Medical grade.



Packed: 100 gloves per box.  
Sold in full boxes.



<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/Box</u>
3116	Small	10 boxes	\$ 36.76
3117	Medium	10	36.67
3118	Large	10	36.40
3119	X-large	10	36.55

**NITRILE 7-MIL ORANGE GLOVES**

Powder-Free, Latex-Free Nitrile 7-mil Industrial grade gloves. High visibility orange in color, puncture-resistant and chemical-resistant. Orange in color with Tetra Grip. 50 gloves/ box.



<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/Box</u>
20424	Large	10 boxes	\$ 40.00
20425	X-large	10	40.00

**DISPOSABLE GLOVES**

Latex powder-free industrial grade gloves. White in color. 100 ea/box. Sold in full boxes only.



<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/Box</u>
10152	Small	10 boxes	\$ 26.79
10153	Medium	10	23.65
5818	Large	10	25.23

**VINYL STAINING GLOVES**

Powder-free vinyl gloves resist most household chemicals. Excellent for painting, refinishing and general cleaning purposes. Unhanded. Soft vinyl comfort. No odor, white in color. Quality Std. ASTM D5250-92 medical grade. 100 ea/box. Sold in full boxes only.

<u>Code</u>	<u>Size</u>	<u>Ctn</u>	<u>List/Box</u>
3018	Large	10 boxes	\$ 18.35
3019	X-large	10	18.35

**3M PROTECTIVE COVERALLS**

A highly versatile protective coverall, which is mostly made from a unique microporous PE laminate, designed to be softer and drape better over the body. It is designed to offer a good barrier to particles and limited liquid splash but it also features a breathable SMMMS back panel.

One coverall per bag.  
Stocking Large and Extra Large sizes.

<u>Code</u>	<u>Description</u>	<u>List/bg</u>
4540-L	Coverall with Hood, Large	\$ 18.87
4540-XL	Coverall with Hood, X-Large	18.50

## PAINTING TOOLS

### **3M PAINT PREPARATION SYSTEM (PPS)**

Adapters, Cups and Liners

#### **Spray Gun Adapter**

Allows for spraying in any direction.  
Maintains a consistent spray pattern

Code	Description	List/ea
16046	Type 15	\$ 31.74
16054	Type 18	71.46

#### **Paint Cups and Collars**

- Hard cups to support liners
- Contents can be mixed and/or shaken in cup
- Clear cup allows for amount remaining to always be visible



Code	Description	Box	List/bx
16115	Mini Cup, 6 oz (170 ml)	2 cups & 2 collars	\$ 60.00
16001	Standard Cup, 22 oz (650 ml)	2 cups & 2 collars	74.64
16023	Large Cup, 28 oz (850 ml)	1 cup & 1 collar	73.30

#### **Disposable Liner and Lid**



- Eliminates use of solvent for cleaning, in turn eliminates disposal of hazardous waste.
- 200 micron filter built into every lid which eliminates the need for strainers or filters
- Filter can be easily removed if spraying contact cements.

Code	Description	Box	List/bx
16114	Mini Liner/Lid, 6 oz (170 ml)	50 lids, 50 liners & 20 sealing plugs	\$ 218.15
16000	Standard Liner/Lid, 22 oz (650 ml)	50 lids, 50 liners & 20 sealing plugs	270.26
16024	Large Liner/Lid, 28 oz (850 ml)	25 lids, 25 liners & 10 sealing plugs	172.84

Sold in Full Boxes Only

### **3M ACCUSPRAY ONE SPRAY GUN KIT**

An all-in-one solution for mixing/measuring, filtering and spraying of primer, sealer, base and clear coat. Spray Gun features a lightweight, composite spray gun body that is molded in one piece, eliminating the complexity, wear and cleaning of small parts and pieces.



Uses a series of replaceable, transparent atomizing heads which can be reused 5-10 times and then simply removed and replaced.

Code	Description	List/kt
16580	Accuspray Spray Gun Kit	\$ 460.00
16609	2.0mm atomizing head (red)	44.00
16611	1.8mm atomizing head (clear)	45.76

#### **PAINT STRAINERS**

Strong, durable cone-shaped construction.  
250/ pack.



Ideal for removing unwanted dust and other impurities from small quantities of paint. Made with synthetic mesh for more accurate pore sizes, better filtration of paint, and faster straining. Medium mesh strainers work on latex or oil based paints, and fine mesh strainers are especially suited for all lacquers and enamels.

Code	Description	List/pack
11105-250	Med. mesh paint strainer	\$ 80.00
11107-250	Fine mesh paint strainer	80.00

#### **STAINING PAD**

Ideal for applying stain to any surface without drips or blemishes. Uniquely composed of two layers: the terry cloth cover is soft and absorbent, while the inner sponge soaks up excess liquid to prevent drips and running.



Code	Description	List/ea
10101B	Staining Pad	\$ 2.75

**PAINTING TOOLS****DISPOSABLE PAINT BRUSHES**

These economy paint brushes have white Chinese bristles and a quality plain wood handle. Use to apply glue, varnish, or paint. So inexpensive you can simple throw brush away when done using. No need to waste valuable shop time cleaning brushes!



<u>Code</u>	<u>Width</u>	<u>Bristle Length</u>	<u>Ctn</u>	<u>List/ea</u>
1500-1	1"	1-1/2"	36	\$ .97
1500-112	1-1/2"	1-1/2"	36	1.20
1500-2	2"	1-1/2"	24	1.43
1500-212	2-1/2"	1-5/8"	12	1.66
1500-3	3"	1-5/8"	12	3.03
1500-4	4"	2"	12	4.97

**DISPOSABLE FOAM BRUSHES**

Foam brushes have wooden handles. Paint flows on without brush marks. Use with oil base, enamel, latex and acrylic paints and varnish. Not recommended for shellac or lacquer. Disposable, for one-time use only.



<u>Code</u>	<u>Brush Width</u>	<u>Ctn</u>	<u>List/ea</u>
8500-1	1"	50 ea	\$ .79
8500-2	2"	50	1.23
8500-3	3"	40	1.52
8500-4	4"	30	1.90

**ACID & GLUE BRUSH**

With a Tin Handle


6 ea/bag



<u>Code</u>	<u>Bristle Width</u>	<u>Bristle Length</u>	<u>Ctn</u>	<u>List/bg</u>
9002	1/2"	13/16"	36 bgs	\$ 2.70

**ROLLER FRAME**

Heavy-duty 9" roller frame. 5-wire cage style, 5/16" diameter rod, plastic threaded grip with metal ferrule.



<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
RF209-9	Roller Frame	12 ea	\$ 5.99

**ROLLER COVER**

9" phenolic core roller, for use with glue, rubber cement, etc. Nap Length: 1/8".

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
RC118	Roller Cover	12 ea	\$ 5.64

**TRIM ROLLER**

3" Throw-a-way economy roller with non-removable cover. Wire handle.



<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
RT315	Trim Roller	12 ea	\$ 3.71