





TOUCH LATCHES

MAGNETIC TOUCH LATCH

Individually polybagged with wood strike and screws.
Overall dimensions: 1-5/8" x 1-1/8".

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/bag</u>
50703-WH	White Plastic	20 bgs.	\$1.60
50703-BL	Black Plastic	20	1.83

DOUBLE MAGNETIC TOUCH LATCH

Individually polybagged with wood strike and screws.
Overall dimensions: 2-1/4" x 1-7/8".

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/bag</u>
50723-WH	White Plastic	20 bgs.	\$ 3.06
50723-BL	Black Plastic	20	4.12

TOUCH LATCH STRIKE
for Glass Doors

TOUCH LATCHES

TOUCH LATCH

Sugatsune

MC37
Safe Push Latch

2-1/4" Length x
1-9/16" Width



MC37WH MC37BR MC37BL

Push to latch/unlatch. The MC37 offers a distinct safety advantage over other magnetic latches because it cannot be pulled open. Floating strike allows for easy alignment. For overlay door, allow 3mm (1/8") gap between door and cabinet frame for push space.

Strong retaining force: 17.6 lbs. Screws included.

Code	Description	Ctn	List/ea
MC37WH	Touch Latch, White	30 ea.	\$ 7.68
MC37BL	Touch Latch, Black	30	7.68
MC37BR	Touch Latch, Brown	30	7.68

TOUCH LATCH

Sugatsune


Push to latch/unlatch. Floating strike allows for easy alignment. For overlay door, allow 3mm (1/8") gap between door and cabinet frame for push space. Retaining force: 6.6 lbs. Black in color.



Code	Description	Ctn	List/ea
MC-28-BLK	Touch Latch, Black	50 ea.	\$ 6.47

MINI TOUCH LATCH

Epcos




Steel and plastic case. Plastic strike. Polybagged with strike and screws.


Code	Finish	Ctn	List/ea
505-BP	Brass/Brown	10	\$ 5.22
505-NP	Nickel/White	10	5.64

SALICE PUSH SYSTEM - Hands Free Opening

See page 745 for more details



Hinge springs opens 34° when door is pushed in.




Mechanical

DP29SNBR
Beige Surface
Push CatchDP29SN3R
Black Surface
Push CatchDP29SNB
Beige Recessed
Push CatchDP29SN3
Black Recessed
Push Catch

DP4SNB - Beige
DP4SN3 - Black
Release Device &
Retaining Catch

Magnetic

DPMSNB
Release DeviceDP28SN9
Mag plate w/ nail

DP39XXG Adjustable Magnetic Strike Plate

Inserts into door. Increases holding power and is ideal for larger, heavier doors. Features depth adjustment which enables precise alignment between the door and the magnet and can compensate for the possible bowing of the door.

Code	Description	List
DP29SNBR	Beige Surface Push Catch	\$ 1.25/ea
DP29SN3R	Black Surface Push Catch	1.22
DP29SNB	Beige Recessed Push Catch	.64
DP29SN3	Black Recessed Push Catch	.55
DP4SNB	Beige Push Release Device	7.48
DP4SN3	Black Push Release Device	7.88
DP39XXG	Adjustable Mag strike plate	8.99
DPMSNB	Magnetic Release Device	10.49
DP28SN9	Mag plate w/ nail for DPMSNB	15.43/C



PUSH LATCHES

SUGATSUNE

PUSH-TO-OPEN DOOR LATCH - 11 lb Push


Inspire • Invent



Durable magnetic metal touch latch with strong push force for full size doors eliminates the need for handles. Create hidden doors in closets, pantries and other spaces.

Magnetic force: 6.6 lbs.
Push force: 11 lbs.

- For use on large doors due to its strong push force
- Magnet part has an allowance of 1.5° on each side to catch the strike plate correctly, helping the magnet to adjust even if there is a slight misalignment
- Screws for the mounting plate are designed to be hidden from view




No.	Part Name	Material	Finish/Colour
①	Body	Zinc Alloy (ZDC)	Enamel Finish
②	Mounting Plate		
③	Latch	Polymide (PA)	-
④	Magnet	Ferrite	
⑤	Strike Plate	Stainless Steel	Barrel Polished

Code	Description	List/ea
ML-ZN80BL	Push-To-Open Mag Latch, Black	\$ 53.58
ML-ZN80WT	Push-To-Open Mag Latch, White	53.58

TITUS PUSH LATCH SET

With Linear Plate



Titus Push Latch Set with Linear Plate. For effortless opening of doors and drawers without handles. Allows for maximum efficiency and flexibility. Designed to be used with standard hinges and drawers: the gap between the drawer and the cabinet side = min. 12mm.

Adjustment button ensures reliable door and drawer opening and closing as well as consistent performance in case of inaccurate drilling. Easy mounting using standard drilling pattern. 'Safety click' feature enables easy detachment of the mechanism from the mounting plate.

- Min Gap: 2mm
- Push out extension: 43mm (1.69")
- Depth adj: +4.5mm/-1mm
- Overall length (unextended): 3-1/16"
- Thickness w/ Plate: 11.2mm (allow 1/2" gap)

Code	Description	List/ea
915K2	Push Latch Set w/ Linear Plate	\$ 8.40

TOUCH LATCHES**INVISIBLE LATCH**

Ives CL12



Ideal for installations where no visible latch is desired. Can be installed at the top, bottom, or side of the door. Can be mortised into the stop or surface mounted to the stop. Recommended for use on larger panels or regular size doors. Latch by a slight push. A harder push releases the door. Allow 5/32" push distance to operate.

Brass and plastic construction.

Meets ANSI/BHMA A156.9, B03272.

Body: 2-1/4" Tall x 1-1/4" Wide x 7/16" Thick

Strike: 1-3/4" Tall x 3/4" Wide


<u>Code</u>	<u>Finish</u>	<u>List/ea</u>
CL12-26D	Dull Chrome	\$ 56.83

AUXILIARY PUSHER
for CL12 Latch

- Aids in the operation of the CL12 where hinges or surrounding conditions prevent smooth operation of doors
- Provides 1-1/16" throw
- Nylon pusher
- Brass construction
- Applies 10 lbs. to open the door

Body Dimensions:
2-15/16" Long x 1-11/16" Wide x 5/8" Deep

<u>Code</u>	<u>Finish</u>	<u>List/ea</u>
CL14-26D	Dull Chrome	\$ 40.16

BAINBRIDGE "TOUCH" DRAWER OPENER

Press Drawer forward 1/8" and Drawer Opens!

Eliminates need for knobs and pulls. Not recommended for self-opening drawers. Can be mounted *through* or *on* back of drawer.

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
1021	Touch Drawer Opener	25 ea.	\$ 10.24

REV-A-LOCK
CABINET LOCK

Rev-A-Shelf

Magnetic
Lock

The lock is installed internally, leaving the outside design of the cabinet unmarred. A magnetic "key" placed on the outside of the cabinet door releases the lock. Excellent for childproofing a house. Keys and lock are packaged separately.

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
RL-201	Lock w/strike plate	\$ 10.40
RL-202	Magnetic "key"	13.99



LATCHES

DELTANA CABINET LOCKS


Solid Brass

Small Lock:

1-1/8" x 1-13/16"



CL1532

Code

CL1532U10B

Finish

Oil R. Bronze

List/ea

\$ 23.80

CL1532U15

Sat. Nickel

26.65

Other finishes can be special ordered.

SECRET GATE LATCHES

Designed to restrict entry into fenced off areas in banks, stores, or public buildings. (Handle does not operate a latch.)

KNAPE & VOGT

Cast Aluminum. 3 per box.

**989AL**

Alum. Finish

\$ 35.83

PARKER

Solid Cast Brass. 1 per box.

**551PC**

Chrome Plate

\$ 29.18

MAGNETIC CATCHES

AMEROCK MAGNETIC CATCH

For Inset Doors and other applications.
Packed with three strikes.




BP9765

Case Size: 1-15/16" L x 3/4" W x
11/16" H


Holding Strength: 10 lbs.

Three Strikes Included:Flat Strike
For 3/8" Inset Door

Inset Strike



Inset Strike made for inset doors that use the Amerock full inset hinge. When doors and frames are the same thickness, alignment is automatic.



Use flat strike for 3/8" Inset Doors. Will work with all 3/8" door applications.

Polybag contains: 1 ea. magnetic catch, 3 ea. strikes (one of each shown above) and screws.

<u>Code</u>	<u>Color</u>	<u>Ctn</u>	<u>List/ea</u>
BP9765-3PT	Tan	25 ea.	\$ 4.89
BP9765-3W	White	25	6.55

MAGNETIC CATCHES**AMEROCK MAGNETIC CATCHES**

BP9753



Pull force: 10 lbs.
 Magnetic Housing: Alum w/
 Wood Grain Finish
 9/16" H x 1-1/8" D x 1-15/16" L
 Strike Plate: Zinc
 25 each/box.

BP9753-AW List \$ 3.43 ea.

6

Pull force: 11 lbs.
 Magnetic Housing: Aluminum
 5/8" H x 1" D x 2" L
 Strike Plate: Steel
 3/4" H x 1-1/8" L
 25 each/box, packed w/screws



BP9783-AL List \$ 4.84 ea.



BP3473

Pull force: 10 lbs.
 Magnetic Housing: Tan
 1/2" H x 1-1/8" D x 2" L
 Strike Plate: Zinc
 3/4" H x 1-1/8" L
 25 each/box.

BP3473-PT List \$ 1.82 ea.



Pull force: 19 lbs.
 Magnetic Housing: Alum w/
 Wood Grain Finish
 13/16" H x 1-1/16" D x 2-1/32" L
 Strike Plate: Zinc
 25 each/box.

BP9798-AW List \$ 7.97 ea.

Amerock No. A/C, Sugatsune No. B/C

SUGATSUNE MAGNETIC CATCHES

Sealed Magnetic Catch.
 Hermetically sealed, ideal
 for high corrosion resistance.
 Magnetic force: 6.6 lbs.
 Available in white or black.



MC-JM50BL

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
MC-JM50WT	Sealed Magnetic Catch, White	\$ 10.62
MC-JM50BL	Sealed Magnetic Catch, Black	10.62

Stainless Steel optional counterplate
 for MC-JM magnetic catches. Ideal
 for applications where rust is an issue.



<u>Code</u>	<u>Description</u>	<u>List/ea</u>
MC-JM49	Stainless Steel counterplate	\$ 1.52

Ultra Thin Magnetic Catch.


Design ideal for tight spaces.
 Counterplate included.
 Magnetic force: 5.9 lbs.




<u>Code</u>	<u>Description</u>	<u>List/ea</u>
MC-YN001P	Thin Magnetic Catch	\$ 7.18

Ultra Thin & Strong Magnetic Catch.


Designed with extra strong
 magnetic force. Counterplate
 and fasteners not included.
 Magnetic force: 8.8 lbs.



<u>Code</u>	<u>Description</u>	<u>List/ea</u>
MC-159	Strong Magnetic Catch	\$ 4.65
MC-159-PLATE	Strike Plate	.71

**MAGNETIC CATCHES****WHITE MAGNETIC CATCH**

50631



Pull force: 9 lbs. Magnetic Housing: White. Strike Plate: Steel chromated. Polybagged with screws, 100 bags per carton.

<u>Code</u>	<u>Color</u>	<u>List/bag</u>
50631-WH	White	\$ 2.23

DOUBLE MAGNETIC CATCH

50620

2-7/8" L x 3/4" W. Pull force: 9 lbs. Magnetic Housing: Plastic White or Brown. Strike Plate: Steel chromated. Polybagged with screws, 25 bags per carton.

<u>Code</u>	<u>Color</u>	<u>List/bag</u>
50620-WH	White	\$ 2.60
50620-BR	Brown	2.88

IVES HEAVY DUTY MAGNETIC CATCH

Heavy duty 30 lb. pull. Furnished with one large strike and two small strikes.

Natural Aluminum Finish. 15 per pack.


SP326A92 List \$ 11.43 ea.

SP326
30 lb.**EPCO MAGNETIC CATCHES**

Round Magnetic Catch for cabinet doors. Pull force: 4 lbs. Fits into 5/8" bore. Floating permanent strike. 10/ box.



600EP




<u>Code</u>	<u>Color</u>	<u>List/ea</u>
600EP	Aluminum	\$ 3.20

Magnetic Catch for cabinet doors. Pull force: 6.5 lbs. Aluminum case with lifetime magnet is self-aligning to strike plate. Standard duty. 10/ box.



591EP



<u>Code</u>	<u>Color</u>	<u>List/ea</u>
591EP	Aluminum	\$ 3.01

Heavy Duty Magnetic Catch for larger doors. Pull force: 13 lbs. Aluminum case with lifetime magnet is self-aligning to strike plate. Packed with strikes & screws.



<u>Code</u>	<u>Color</u>	<u>Pack</u>	<u>Ctn</u>	<u>List/ea</u>
592EP	Alum	Polybag	10	\$ 4.43
592-WS	Alum	Bulk	250*	3.51

*Full Ctns only

MAGNETIC CATCHES

IVES MAGNETIC CATCH

Aluminum case, double pole. Self-aligning magnet insures maximum pull. 50 per pack.

Case Size: 2-1/16" x 1-1/8" x 5/8".



SP325A92
6 lbs.

6

Code SP325A92 Finish Aluminum List/ea \$ 2.85

BELWITH MAGNETIC CATCHES

1-5/8" x 3/4".
Stat. Bronze.
25 each box.

P659STB
4.4 lb.



P659STB List \$ 3.63 ea.

1-3/4" W x 1/2" H
x 5/8" D
Brown plastic case.
25 each box.

P109-2C
4 lb.



P109-2C List \$ 4.78 ea.

2-1/4" W x 13/16" H
x 1" D
Stat. Bronze flanges.
Brown plastic case.
25 each box.

P651STB
6 lb.



P651STB List \$ 7.09 ea.

PRECISION PLS 24 PRO

Concealed Magnetic Catch

PLS Magnetic Pro is a Heavy Duty Concealed Magnetic Catch suitable for full size doors (e.g. wardrobe/cupboard, double internal doors).

Available in Black and Silver finishes.



Self Adhesive Cover Plate

Powerful Magnet

Adjustment
Packers

Stainless Steel
Housing Cup



Top of door example (shown adjusted to maximum strength setting)



Single door example

- Can be used anywhere a roller/ball catch, etc. would normally be fitted
- As magnets don't touch (after installation), the catch will never wear out, and can be painted over
- No latch noise when opening and shutting door
- Completely concealed when door closed, no unsightly protruding strike plate lip
- Can be used to keep problem doors shut (e.g. with weak door closers, electric strikes, weak roller mortise locks, double sliding doors)

Code	Description	List/ea
PLS24PRO	Heavy Duty Magnetic Catch, Silver finish	\$ 23.24
PLS24PRO-BLK	Heavy Duty Magnetic Catch, Black finish	27.74

**CATCHES****AMEROCK CATCHES**

Roller Catch.
2" L x 1-3/4" W x 7/8" proj.
25 each per box.

Code BP9745-2G Finish Zinc List/ea \$ 6.70



BP9745

Double Roller Catch.
1" L x .69" W.
25 each per box.

Code BP3474-14 Finish Bright Nickel List/ea \$ 1.63



BP3474

Flexi-Grip Catch.
1.25" L x .375" W.
25 each per box.

Code BP3471-2G Finish Zinc List/ea \$ 1.82



BP3471

Double Roller Catch.
Chrome finish.
25 each per box.

1-5/16" L x 1-1/8" W x 1/2" proj.
Code 143-2G List/ea \$ 1.67



143-2G

AMEROCK CATCHES cont.

Roller Catch. 1-3/4" L x 1-1/4" W x 3/8" H. Includes two strikes. 25 ea. per box.

Code BP9823-2G Finish Zinc List/ea \$ 4.30



BP9823

BELWITH CATCHES

Double Roller Catch.
1-3/8" H x 1". Cadmium.
25 ea./box.

P107-2C List \$ 1.64 /ea.



P107-2C

Double Roller Catch.
1-3/8" x 1". Stat. Bronze.
25 ea./box.

P657STB List \$ 3.62 /ea.



P657STB

Double Roller Catch.
1-5/8" H x 1-3/16". Cadmium.
25 ea./box.

P108-2C List \$ 1.79 /ea.



P108-2C

LATCHES


DOUBLE DOOR LATCH

Eliminate the
Elbow Catch



Eliminates the need for an elbow catch or other devices, and allows hardware to be installed out of the way at the top or bottom of door. Easy to install and use. Each Kit includes one each: Latch, Activator, Catch and Instructions.

- Doors can be closed in any order
- Low profile latch mechanism reduces product footprint inside cabinet
- Requires use of a single lock (sold separately)
- Allows two or three point locking for standard or wardrobe style double door cabinets when used with a lock
- Exceeds pull force above 150 lbs.
- Choose Black or White finish




6

How To Order

1. Determine location of the lock: Right or Left-Hand door
2. Decide where latch is needed: Top or Bottom-Mount
3. Choose your finish: Black or White

Lock Placement	Code	
	Top Mount	Bottom Mount
Right Door	200DL	300DL
Left Door	300DL	200DL


Specifications



Note: For cabinets taller than 48" it is recommended to use both top and bottom mount latches



See Video at:
macpac1.com/videos.html#compx



Install Example: DL200 with lock (sold separately) installed on right-hand door, top mount

The lock is mounted on the right hand door. Inside the right hand door, install the activator; on the non-locking door, install the catch.

Install latch inside the top of cabinet. The activator pushes the bolt on the latch to the other side to engage the catch. The bolt on the catch side is spring-loaded, allowing the doors to be closed in any order.

Turn the key to lock the other door; both doors are now secure. The locking door must be opened first to disengage the bolt in the latch – the bolt will slide back, allowing the non-locking door (with the catch) to open.

Double Door Latch - 25 Kits/ Ctn.

Code	Finish	List/Kit
200DL-BL	Black	\$ 8.29
200DL-WH	White	8.29
300DL-BL	Black	6.86
300DL-WH	White	7.68

**BULLET CATCHES****KV BULLET CATCHES**

901

Bullet catch. Varnish proof. Steel w/ brass barrel and spring. Barrel: 3/8" dia, 1/2" long. Strike: 5/8" dia. Dipped Brass. 100/box. 10 pcs. per bag.

Must order in increments of 10.

901 List \$ 2.23 /ea.




902

Bullet catch. Steel w/ brass barrel and spring. Barrel: 21/64" dia, 3/8" long. Strike: 5/8" dia. Dipped Brass. 100/box. 10 pcs. per bag.

Must order in increments of 10.

902 List \$ 2.31 /ea.



903

Adjustable bullet catch. Adjusts with any pointed object. Barrel: 3/8" dia, 5/8" long. Strike: 9/16" x 1-1/16". Dipped Brass. 100/box. 10 pcs. per bag.

Must order in increments of 10.

903 List \$ 7.00 /ea.



905

Adjustable barrel. Barrel: 1/2" dia, 1-1/32" long. Strike: 5/8" x 1-1/4". Dipped Brass. 50/box. 10 pcs. per bag.

Must order in increments of 10.


905 List \$ 8.19 /ea.

ELBOW CATCHES**EPCO HEAVY DUTY ELBOW CATCH**

1018



HEIGHT = 29mm



Solid brass, heavy-duty elbow catch is WIC listed. Catch has elongated holes providing for adjustment. Strike has one elongated hole and one round hole. The elongated hole provides adjustment on the strike and then a screw in the round hole anchors the strike so it will not spin. Can be mounted to a laminated surface. Polybagged with screws.

Overall Base Dimensions: 5/8" x 1-1/16"

Overall Catch Height: 1-1/16"

Strike Plate: 7/8" x 11/16" x 1/4"

<u>Code</u>	<u>Finish</u>	<u>Ctn</u>	<u>List/ea</u>
1018B	Bright Brass	10 ea.	\$ 6.53
1018N	Bright Nickel	10	6.52

AMEROCK ELBOW CATCH

1-15/16" L x 1" W x 1/2" H. Steel. Bright Zinc Finish. 2 each per pack.

<u>Code</u>	<u>Ctn</u>	<u>List/pk</u>
BP3675-2G	25 pks.	\$ 6.65

IVES ELBOW CATCH

Ideal for use on the inactive leaf of a pair of cabinet doors. Surface applied, making installation simple. Cast aluminum.

Plate: 1-3/8" high x 5/8" wide
Strike: 13/16" high x 5/8" wide

<u>Code</u>	<u>Finish</u>	<u>Ctn</u>	<u>List/ea</u>
SP2A92	Aluminum	25 ea.	\$ 6.13

CATCHES**SELF-ALIGNING CABINET CATCH**

"Bulldog"




6
Acts as a coupling between door and cabinet frame. Relieves strain on doors - door weight is no longer all on hinge screws. Smooth, quiet operation. Adjustable slotted steel bracket acts as a self-locating template. Pre-assembled screw-on strike is an automatic self-marker to the door. 5-1/2 lb. pull resistance.

<u>Code</u>	<u>Finish</u>	<u>Ctn</u>	<u>List/ea</u>
65S-BR	Brown	200 ea.	\$ 1.53

KNUCKLE CATCH - Sugatsune

K-CATCH-WHT-T




Grabs and holds doors tightly. White finish.
Push/Pull force: 12.5 lbs/15.6 lbs.

<u>Code</u>	<u>Description</u>	<u>Ctn</u>	<u>List/ea</u>
K-CATCH-WH-T	White Knuckle Catch	100	\$ 1.21

DOOR STOPS**INSET DOOR STOP**

Tenn-Tex



Door stop for cabinet inset doors. Clear in color. Uses #5 or #6 flathead screws (sold separately).

<u>Code</u>	<u>Ctn</u>	<u>List/C</u>
T230	1000 ea.	\$ 19.49

INSET EURO DOOR STOP Fastcap

"Cam" adjustable inset stop



Easy to Adjust
Screw to desired depth

For use with inset cabinets. Simply screw inside cabinet and rotate to adjust where you want the cabinet door to shut.


<u>Code</u>	<u>Color</u>	<u>Ctn</u>	<u>List/ea</u>
ED-BR	Brown	100 ea.	\$.27
ED-CL	Clear	100	.54

DOOR STOP JIG

Fastcap

The Euro Door Jig is a compact tool used for accurate and repeatable placement of Euro Door Stops on cabinets.

Door Stops sold separately (above).



<u>Code</u>	<u>Description</u>	<u>List/ea</u>
ED-JIG	Euro Door Stop Jig	\$ 7.84

**BALL CATCHES****EPCO THREE WAY BALL CATCH**

Solid extruded brass. Tension adjustable from both sides provided by set screws. Strike enters from front or either side. 10/box.

Length: 1-15/16". Width: 3/8"
Projection: 9/16" strike engaged.

<u>Code</u>	<u>Finish</u>	<u>List/ea</u>
1012DB	Dull Brass	\$ 8.82
1012DC	Dull Chrome	8.82




Length: 2-3/8", Width: 12/32"
Projection: 5/8" strike engaged.

1013DB	Dull Brass	\$ 14.03
1013DC	Dull Chrome	14.03

TENSION CATCH - Sugatsune
BCT/BCTS

Available in Polished Chrome on Zinc alloy and in Solid Polished Stainless Steel finish. Tension force is not adjustable.



<u>Code</u>	<u>Description</u>	<u>H</u>	<u>W</u>	<u>List/ea</u>
BCT-40	Tension Catch, Lt	1-43/64"	.31"	\$ 6.47
BCT-50	Tension Catch, Md	1-31/32"	.39"	7.58
BCT-70	Tension Catch, Hvy	2-3/4"	.53"	12.13
BCTS-70	SS Ten Catch, Hvy	2-3/4"	.53"	71.78

BALDWIN BALL CATCH - Solid Brass

Dual adjustment ball-bearing. Strike: 2.125" x 1.375". Lip to center: .875". Faceplate: 2.125" x 1". Bore: .875" dia. x 1.25" long. 10/box.



<u>Code</u>	<u>Finish</u>	<u>List/ea</u>
0426-003	Lifetime Polished Brass	\$ 28.02
0426-102	Oil Rubbed Bronze	28.02
0426-260	Polished Chrome	28.02
0426-264*	Dull Chrome	28.02
0426-150	Satin Nickel	28.02
0426-151	Antique Nickel	28.02
0426-112	Venetian Bronze	28.02

*disc when out

6

IDH BALL CATCH - Solid Brass

Dual adjustment. Lip strike is especially designed for use when catch is mounted in door.

Faceplate: 2-1/8" x 1"
Bore: 7/8" x 1-1/4"
Strike: 2-1/8" x 1-3/8"
Lip: 7/8" to center



Pack: 10 each.

<u>Code</u>	<u>Finish</u>	<u>List/ea</u>
12011-003	Polished Brass	\$ 11.64
12011-10B	Oil Rubbed Bronze	14.98
12011-026	Polished Chrome	14.98
12011-015	Satin Nickel	14.98
12011-26D	Dull Chrome	12.18
12011-005	Antique Brass	12.32

IVES BALL CATCH - Solid Brass

Adjustable to clearance only.
Faceplate: 1-1/2" x 3/4".
Bore: 9/16" x 7/8"
Strike: 1-1/2" x 25/32".
Lip: 13/32" to center. 15/box.



<u>Code</u>	<u>Finish</u>	<u>List/ea</u>
SP345B3	Bright Brass	\$ 11.66

ROLLER LATCHES**BALDWIN HEAVY DUTY ROLLER LATCH**

Solid Brass



0430

0430 - Latch w/Full Lip Strike

0432 - Latch w/ T-Strike

For interior doors in hospitals or where quiet operation is required. Forged brass throughout. Adjustable roller projection. Screws included.

Faceplate: 3.38" L x 1" W. Mortise Depth: 1.69".

<u>Code</u>	<u>Finish</u>	<u>List/ea</u>
0430-003	Lifetime Pol. Brass	\$ 106.09
0430-056	Lifetime Sat. Nickel	106.09
0430-102	Oil R. Bronze	106.09
0430-264*	Dull Chrome	106.09
0430-150	Sat. Nickel	106.09
0430-260	Pol. Chrome	106.09
0432-102	Oil R. Bronze	106.09

*disc when out

IVES ROLLER CATCH

Solid Brass

With standard box type strike.



336

Adjustable spring tension roller catch. Solid brass.

Faceplate: 2-1/4" x 7/8". Bore: 3/4" x 1-3/4".

Lip: 1-1/8" to center. 10 each per box.

<u>Code</u>	<u>Finish</u>	<u>List/ea</u>
336B3	Polished Brass	\$ 16.79
336B10B	Oil R. Bronze	23.33
336B26	Polished Chrome	24.93
336B15	Satin Nickel	23.29
336B26D	Dull Chrome	18.12

BALDWIN ROLLER LATCH

Solid Brass



0440

Adjustable tension heavy roller latch. Easily installed on thick doors. Fully adjustable from 3 lbs. to 18 lbs. Nylon rollers. Faceplate: 1.062" x 2-1/4", Bore: 1" dia. x 1.625" long, Strike: 2.75" x 1.125" Lip to center: 1.312"

<u>Code</u>	<u>Finish</u>	<u>List/ea</u>
0440-003	Lifetime Pol. Brass	\$ 33.03
0440-056	Lifetime Sat. Nickel	33.03
0440-030*	Pol. Brass	33.03
0440-050	Sat. Brass & Black	33.03
0440-102	Oil R. Bronze	33.03
0440-150	Satin Nickel	33.03
0440-260	Pol. Chrome	33.03
0440-264*	Dull Chrome	33.03
0440-112	Venetian Bronze	33.03

*disc when out

IVES ROLLER CATCH

Solid Brass

With strike for simplified mortising.



335

Adjustable spring tension roller catch. Solid brass.

Faceplate: 2-1/4" x 7/8". Bore: 3/4" x 1-3/4".

Lip: 1-3/16" to center. 10 each box.

<u>Code</u>	<u>Finish</u>	<u>List/ea</u>
335B3	Polished Brass	\$ 18.57
335B10B	Oil R. Bronze	20.73
335B15	Satin Nickel	19.11
335B26	Pol. Chrome	17.24
335B26D	Dull Chrome	20.00




OLYMPUS LOCK

OLYMPUS CABINET DOOR LOCK

For Commercial Doors

**Cabinet Door
Rekeyable
Deadbolt Lock**

100DR



National D4292 5 pin keyway. Solid brass cylinder; pin tumbler. In stock keyed alike or different. Easily rekeyable. Includes bar strike (OL56-1).

Material Thickness: 7/8", Satin Chrome finish.

Code	Key #	Ctn	List/ea
100-26D78-	XXXXX	10 ea.	\$ 38.65

Available Key Numbers:

107, 915, G0001, G0002, G0003, G0004, G0005, G0006, G0007, KD (Keyed Different)

Material Thickness: 7/8",
Black finish.




Code	Key #	Ctn	List/ea
100-1978-	G0001	20 ea.	\$ 53.53

OLYMPUS CABINET DRAWER LOCK

Commercial Cabinet Drawer Plunger Lock




300SD
Plunger Lock
Rekeyable

OLYMPUS CABINET DRAWER LOCK

For Commercial Drawers

**Cabinet Drawer
Rekeyable
Deadbolt Lock**

200DW



National D4292 5 pin keyway. Re-keyable pin tumbler lock. Pinned for 5, drilled for 6. Stocked keyed alike or different.

Material Thickness: 7/8", 1-3/8", or 1-5/8", Satin Chrome finish.

Code	Key #	Mat. Thkns	Ctn	List/ea
200-26D78-	XXXXX	7/8"	10 ea.	\$ 38.40
200-26D138-	XXXXX	1-3/8"	10	38.40
200-26D158-	XXXXX	1-5/8"	10	41.41

Black

200-1978-	G0001	7/8"	10	\$ 50.32
200-19138-	G0001	1-3/8"	10	50.32

Available Key Numbers for 26D finish:

7/8" = 107, 915, G0001 thru G0005, KD (Keyed Diff)

1-3/8" = 107, 915, G0001 thru G0009, KD

1-5/8" = G0001 thru G0007, KD




Speed release mechanism for easy rekeying. Pin tumbler cylinder drilled for 5-pin. Includes strike locator for accurate installation. Satin Chrome finish (26D). Keyed alike or different.

Material Thickness: 7/8"

Code	Key #	Ctn	List/ea
300SD-26D-	XXXXX	20 ea.	\$ 58.00

Available Key Numbers:

G0001 thru G0005, 915, KD (Keyed Different)

OLYMPUS LOCK**OLYMPUS PIN TUMBLER CAM LOCKS - Rekeyable**

5-pin National D4292 keyway. Straight cam and offset cam included. Reversible cam, easy to install, higher security. Keyed alike or different.

Finish: 26D Satin Chrome.

Pack: 20 ea./box

	For Mat. Thickness	Straight Cam (X)	Inbent Cam (Y)	Outbent Cam (Z)	Cylinder Length (A)
DCN1	3/4"	1-1/16"	3/4"	1-3/8"	1"
DCN2	7/8"	1-3/16"	7/8"	1-1/2"	1-1/8"
DCN4	1-1/2"	1-13/16"	1-1/2"	2-1/8"	1-3/4"

6

Code	Mat. Thickness	List/ea
DCN1-26D-	3/4"	\$ 31.47
DCN2-26D-	7/8"	31.47
DCN4-26D-	1-1/2"	31.47


Available Key Numbers: G0001, G0002, G0003, G0004, G0005, 915, KD (Keyed Diff)

PADLOCKABLE CAM LOCK

DCP



DCP-US26




Cam Lock for use with padlock as locking device. Functions on doors and drawers. Ideal for locker applications. Max material thickness: 1-1/8". Barrel diameter: 3/4". US26 finish. Accepts most standard padlocks with a shackle diameter of 3/8" or less.

DCP-US26 15/bx List: \$ 13.79 /ea.

SPACER FOR 7/8" DIA LOCKS

WP21



Thickness: 3/32" shim for flush mounting face of lock with face of cabinet. For 7/8" dia locks.

WP21

List: \$ 1.76 /ea.

Dealer No. B


LARGE ANGLE STRIKE

Heavy duty angle strike.
26D finish.



12-2


List \$ 3.58 /ea.

**PLASTIC BAR STRIKE**

10-055



1/2" bar strike.
White plastic finish.



10-055

List \$ 3.02 /ea.

NATIONAL KEYWAY CUT KEYS

KB-GM2MK-NP

Cut master key for National GM2 (5-pin) master key system.



KB-GM2MK-NP List \$ 4.25 /ea.

**COMPX****FLUSH DOOR INSTALLATION**

CompX/National



For high security installations such as cash drawers. 90° bolt throw for left and right hand doors & drawers. Key removable in locked and unlocked positions. Bore: 3/4" dia. hole. Brass construction. Pin tumbler cylinder. Dull chrome finish. Pack: 10 each.

<u>No.</u>	<u>Cyl. Length</u>	<u>Max. Material Thickness</u>
C8102	1-1/16"	3/4"
C8106	1-7/16"	1-1/8"
C8108	1-3/4"	1-3/8"

<u>Code</u>	<u>Keying</u>	<u>List/ea</u>
C8102-26D-KA915	KA#915	\$ 34.52
C8106-26D-KA915	KA#915	34.52
C8108-26D-KA915	KA#915	34.53

LIPPED DOOR INSTALLATION

CompX/National





Same specifications as the above locks. 26D finish. Brass construction. Pin tumbler cylinder. Dull chrome finish. Pack: 10 each.

<u>Code</u>	<u>Keying</u>	<u>Max Mat.</u>	<u>Cyl.</u>	<u>List/ea</u>
C8103-26D-KA915	KA#915	7/8"	1-3/16"	\$ 34.52

CABINET LOCKS**CHEST LID LOCK**

CompX/National



6

Requires full mortise and 1/2" dia. for keyhole. Hook-type bolt. Bolt travel: 5/16", .200 side shift. Key removable in locked and unlocked position. KA only. Packed with one key, screws, strikes, and keyhole escutcheons.

<u>Code</u>	<u>Finish</u>	<u>Ctn</u>	<u>List/ea</u>
C8384-3-KA	Pol. Brass	25	\$ 26.88

EXTRA STRIKES FOR NATIONAL LOCKS

C2001

Formed Strike,
no bolt hole

C2002


Formed Strike,
no bolt hole,
countersunk holes
reversed

Pack: 25 each per bag. Sold in full bags only. Overall Size: 1-3/4" x 1/2" with 3/16" form.

<u>Code</u>	<u>Finish</u>	<u>Ctn</u>	<u>List/bag</u>
C2001-14A	Nickel Plate	1 bag	\$ 45.41
C2002-14A	Nickel Plate	1 bag	45.25

CABINET LOCKS**COMPX****CompX/National Surface Mounted Drawer Locks**

C8178



Removable Cylinder

6

Locks are reversible. Bore 7/8" dia. hole. Key removable in locked & unlocked positions. Brass construction. Pin tumbler. 3/4" bolt throw. Cylinder can be removed for rekeying while the lock stays in place.

<u>No.</u>	<u>Cyl Length</u>	<u>Ctn</u>
C8178	7/8"	10 ea
C8179	1-3/8"	10

<u>Code</u>	<u>Finish</u>	<u>Keying</u>	<u>List/ea</u>
C8178-26D-KA915	Dull Chrm	KA#915	\$ 45.02
C8178-4G-KA915	Ant. Brass	KA#915	45.02
C8179-26D-KA915	Dull Chrm	KA#915	45.02

CompX/National Surface Mounted Door Locks

C8173


Removable Cylinder

Locks are reversible. Bore 7/8" dia. hole. Key removable in locked or unlocked positions. Brass construction. Pin tumbler. 3/4" bolt throw. Dull Chrome Finish. Cylinder Length: 7/8". Cylinder can be removed for rekeying while the lock stays in place.

<u>Code</u>	<u>Ctn</u>	<u>Keying</u>	<u>List/ea</u>
C8173-26D-KA915	10	KA#915	\$ 45.02

CompX/National Door Lock: C8704

Die-cast cylinder. Steel bolt. For wood up to 15/16" thick. 7/8" dia. hole required. Bolt Throw: 11/32".



Pack: 25 each.


<u>Code</u>	<u>Finish</u>	<u>Keying</u>	<u>List/ea</u>
C8704-14A-KA415	Nickel Plate	KA#415	\$ 15.23

CompX/National Drawer Locks: C8703

Die-cast cylinder. Steel bolt. For wood up to 15/16" thick. 7/8" dia. hole required. Bolt Throw: 11/32".



C8703 for wood
up to 15/16" thick




Pack: 25 each.

<u>Code</u>	<u>Finish</u>	<u>Keying</u>	<u>List/ea</u>
C8703-14A-KA346	Nickel Plate	KA#346	\$ 14.84
C8703-14A-KA413	" "	KA#413	14.84
C8703-14A-KA415	" "	KA#415	14.84

**COMPX****DRAWER LOCK FOR
FALSE FRONT DRAWERS**

CompX/National



The C8060 has a cylinder length of 1-3/4" and a maximum material thickness of 1-7/16". The extra long cylinder makes this an ideal lock for false front drawers. It can also be used on cabinet doors in a lipped, overlay or flush mount. Choice of 90° or 180° cam turn. Key removable in locked and unlocked positions. Comes with two keys.

<u>Code</u>	<u>Finish</u>	<u>Keying</u>	<u>List/ea</u>
C8060-14A-KA346	Pol. Nickel	KA #346	\$ 15.18
C8060-14A-KA413	Pol. Nickel	KA #413	15.20
C8060-14A-KA415	Pol. Nickel	KA #415	15.19
C8060-14A-KD	Pol. Nickel	Keyed Diff.	15.20
C8060-3-KA413	Pol. Brass	KA #413	15.76
C8060-4G-KA415	Ant. Brass	KA #415	15.76
C8060-4G-KD	Ant. Brass	Keyed Diff.	15.76

IMPROVED CAM LOCK STRIKE

Holes large enough
for J085 (1/2 pan
head) screws



This adjustable strike has smooth radiused corners and holes large enough for J085 (1/2 x 8 Pan head) screws.


<u>Code</u>	<u>Color</u>	<u>Ctn</u>	<u>List/ea</u>
SP-101	Black	100 ea.	\$ 1.78

CABINET LOCKS**PADLOCKABLE CYLINDERS FOR LOCKERS**

Closed position



Open position



Padlockable lock cylinder can be used on sports lockers, country club lockers, band room lockers, employee lockers, etc. Each polybag includes cylinder, offset cam, nylon lock nut, body nut and body washer. Material is die-cast zinc, plated and polished. Padlock hole is .406" in diameter. Cylinder diameter is 3/4".


<u>Code</u>	<u>Description</u>	<u>Finish</u>	<u>List/bg</u>
5902	Locker latch	Pol. Chrome	\$ 19.19

CABINET LOCKS**CABINET CAM LOCKS FOR
FLUSH OR LIPPED DOORS**

CompX/National



C8051

C8052, C8053
C8054, C8055

6


Die cast cam locks. Supplied with two bolts: for 3/4" flush door or 3/4" door with 3/8" inset. Requires from 3/4" up to 13/16" dia. hole. Disc tumbler cylinder. 90° cam turn. Pack: 25 ea./box.

No.	Cyl. Length	Max. Material Thickness
C8051	7/16"	7/64"
C8052	5/8"	15/64"
C8053	1-3/16"	7/8"
C8054	15/16"	5/8"
C8055	1-7/16"	1-1/8"

Code	Finish	Keying	List/ea
C8051-14A-KA413	Nickel Plate	KA#413	\$ 10.83
C8051-14A-KD	" "	KD	10.83
C8052-14A-KA413	Nickel Plate	KA#413	10.83
C8052-14A-KA415	" "	KA#415	10.81
C8052-14A-KD	" "	KD	10.83
C8053-14A-KA413	Nickel Plate	KA#413	10.79
C8053-14A-KA415	" "	KA#415	10.79
C8053-14A-KA420	" "	KA#420	10.83
C8053-14A-KD	" "	KD	10.79
C8053-14A-KA346	" "	KA#346	10.79
C8053-14A-MKD	" "	KD-MKD	14.87
C8053-3-KA413	Pol. Brass	KA#413	11.45
C8053-3-KA415	" "	KA#415	11.45
C8053-3-KD	" "	KD	11.45
C8053-4G-KA413	Ant. Brass	KA#413	11.45
C8053-4G-KA415	" "	KA#415	11.44
C8053-4G-KD	" "	KD	11.45
C8054-14A-KA415	Nickel Plate	KA#415	10.83
C8054-14A-KD	" "	KD	10.83
C8055-14A-KA413	Nickel Plate	KA#413	10.83
C8055-14A-KA415	" "	KA#415	10.84
C8055-14A-KD	" "	KD	10.83
C8055-3-KD	Pol. Brass	KD	11.45
C8055-4G-KA415	Ant. Brass	KA#415	11.45

COMPX**DISC TUMBLER CAMS**

CompX/National




C7014

Length: 1-5/8",
Offset: 5/16"

C7005

Length: 3"


The C8053 lock using the C7014 cam accommodates overlay construction using a 3/4" thick front and 3/4" thick frame.




Code	Description	Ctn	List
C7005-2C	Straight Cam	25	\$ 2.04
C7014-2C	Double Formed Cam	25	2.68

PIN TUMBLER CAMS

CompX/National



C7104 C7105



C7114

Applications - Solid lines show locked position of cam	Position of shifter on back of lock	Code	Description	List
		C7104-2C	Straight Cam	\$ 2.56
		C7105-2C	Straight Cam	\$ 2.56
		*C7114-2C	Double Formed Cam	\$ 3.11

* For overlay construction using 3/4" thick front and 3/4" thick frame material. Use with C8102 pin tumbler locks.

**CABINET LOCKS****StealthLock**


Keyless Invisible Cabinet Locking System

Concealed locking for kitchen cabinets, liquor cabinets, entertainment units, healthcare cabinetry, lockers, office furniture, retail display cabinets, closet cabinets and storage.

Transmitter Pad may be stored anywhere, leaving no trace of visible hardware or signs of being secured. Allows multiple (individually accessible) wood cabinet doors or drawers to be locked from a single transmitter pad within a 15 foot range. Easy to install - takes fewer than 10 minutes. Replaces existing cabinet locks.



Residential/Closet



Lockers




Office



Commercial/Hospitals

Features and Functions

- Transmitter pad operates within a 15 ft. range
- One transmitter pad can activate an unlimited number of receiver latches
- Separate user and supervisor codes (four to eight digits) to operate the lock(s)
- Receiver latch is easily programmed by user through the transmitter pad. Mounts within 1/2" drawer suspension clearance.
- Uses (4) AAA batteries (not included) for the receiver latch and a coin battery (included) for the transmitter pad. Low battery indicator on transmitter pad and receiver latch.
- Interior use only - recommended temp range of 50° to 120° F.

Specs**SL-100 StealthLock Kit****List \$ 236.28**

Includes:

- 1 - Transmitter Pad
- 1 - Receiver Latch
- 1 - Cabinet Strike Plate (pre-installed into the receiver latch)
- 1 - Installation Tool (pre-installed into the receiver latch)
- 6 - #6 x 1/2" screws

RL-110 Kit**List \$ 179.58**

Includes:

- 1 - Receiver Latch
- 1 - Cabinet Strike Plate (pre-installed into the receiver latch)

Example: To lock a two-door system using one transmitter pad, one SL-100 and one RL-110 are needed.

Components

Code	Description	List
RL-AP1	Power Supply 120V. Connects to Receiver Latch. Includes 5.5' cord	\$ 104.94
RL-APC-3	Link Cord, 3', for Receiver Latches	10.54
RL-APC-5	Link Cord, 5', " " "	15.84

CABINET LOCKS**KIT-LOCKS: Keyless Locking Solutions for Cabinets and Lockers**

KL1000-G3-SC - locked position

Ideal applications:

- Public lockers, hospitals, workstations.
- Wherever keyless entries are desired
- Easily retrofitted to settings with existing cam locks

2 Modes:

- Private: same code every time. Ideal for personal use
- Public: different code each time. Ideal for lockers with multiple users



Silver Chrome



Black Chrome

Includes:

- Setup for 3/4" thick material
- Additional parts provided for material up to 1" thick and sheet metal up to 1/4"
- Drilling template and 2 AAA batteries included
- Default vertical orientation,
 - Horizontal Left and Right Hand orientations also available special order
- 2 year Guarantee by Manufacturer
- Key Override (Key purchased separately)
- Front battery change

<u>Code</u>	<u>Description</u>	<u>List/ea</u>
KL1000-G3-SC	Kit Lock, Silver Chrome	\$ 148
KL1000-G3-BC	Kit Lock, Black Chrome	148
KL1000-G3-MK	Override Key for Kit Locks	70



COMPX

CENTRAL LOCKING SYSTEM

DISC TUMBLER GANG LOCK

CompX/National



Application: For locking drawers in desk pedestals and other multiple drawer applications. Requires 7/8" dia. hole for cylinder and dado for bar, measuring 7/8" x 1/8" deep on inside of panel.

Operation: Key removable in both locked and unlocked positions. Turning the key locks all drawers simultaneously (drawers must be in closed position). Bar moves studs into notch in drawer or slide, thus preventing drawer movement.

Keying: Will key together with all C8000 and C8700 series cabinet locks (except C8062). Available keyed alike (3 key codes), keyed differently (200 changes).

Packaging: Supplied with two keys, three each stud slides and locking studs, mounting hasp saddle and mounting screws.

D8090

Bar Operation: Deadlocking

Cylinder Length: 15/16"


Bar travel: 11/32"



Saddle
reverses
for mortise
application



Releases plug
from backside
for rekeying



Mounting Hole:
Additional 7/8" x 1/8" deep dado for bar
required on inside of panel

Code	Finish	Keying	List/ea
D8090-14A-KA413	Nickel Plt.	KA#413	\$ 42.51

SLIDING DOOR LOCKS**KV SLIDING GLASS DOOR LOCKS**

Glass sliding door lock, for up to 1/4" thick glass sliding doors. Adjustable for doors overlapping from 1" to 3-3/8".

Polished Nickel finish.
12 ea/box.



965

6 Code Keying List/ea
965KA Alike \$ 53.40




963

Heavy duty sliding glass door lock, for doors 1/4" thick overlapping 3/4" to 3-3/8". Polished Chrome Finish.
12 ea/box.

Code Keying List/ea
963KA Alike \$ 60.48


WOOD SLIDING DOOR LOCKS

Parker



Elongated mounting plate, 1-7/8" x 3/4". Solid brass bolt 9/32" dia. for 7/8" material. KA only, w/screws and strike.

<u>Code</u>	<u>Finish</u>	<u>Ctn</u>	<u>List/ea</u>
2286PB	Polished Brass	10 ea.	\$ 20.99
2286PC	Polished Chrome	10 ea.	23.61



Pin tumbler lock mounts same as 2286.
For 7/8" material. Keyed alike.

<u>Code</u>	<u>Finish</u>	<u>Ctn</u>	<u>List/ea</u>
2290PB	Polished Brass	10 ea.	\$ 28.30
2290PC	Polished Chrome	10 ea.	33.87

**National / Olympus Conversion Chart**

	National		Olympus
C8102	Cam Lock, 1-1/16"	DCN1	Cam Lock, 1-1/16"
C8111	Cam Lock, 15/16"	DCN1	Cam Lock, 1-1/16"
C8112	Cam Lock, 1-1/16"	DCN1	Cam Lock, 1-1/16"
C8103	Cam Lock, 1-3/16"	DCN2	Cam Lock, 1-3/16"
C8113	Cam Lock, 1-3/16"	DCN2	Cam Lock, 1-3/16"
C8106	Cam Lock, 1-7/16"	DCN3	Cam Lock, 1-7/16"
C8108	Cam Lock, 1-3/4"	DCN4	Cam Lock, 1-3/4"
C8109	Cam Lock, 1-3/4"	DCN4	Cam Lock, 1-3/4"
N/A		FC10	File Cabinet Lock F24/F28/F26
C8123	Door Lock 7/8"	100DR	Door Lock 7/8"
C8173	Door Lock 7/8"	100DR	Door Lock 7/8"
C8124	Door Lock 1-1/8"	100DR	Door Lock 1-3/8"
C8174	Door Lock 1-1/8"	100DR	Door Lock 1-3/8"
C8125	Door Lock 1-3/8"	100DR	Door Lock 1-3/8"
C8175	Door Lock 1-3/8"	100DR	Door Lock 1-3/8"
C8138	Drawer Lock 7/8"	200DW	Drawer Lock 7/8"
C8178	Drawer Lock 7/8"	200DW	Drawer Lock 7/8"
C8148	Drawer Lock 1-1/8"	200DW	Drawer Lock 1-3/8"
C8177	Drawer Lock 1-1/8"	200DW	Drawer Lock 1-3/8"
C8149	Drawer Lock 1-3/8"	200DW	Drawer Lock 1-3/8"
C8179	Drawer Lock 1-3/8"	200DW	Drawer Lock 1-3/8"
C8180	Drawer Lock 1-5/8"	200DW	Drawer Lock 1-5/8"
C8142	Sliding Door Lock 1-1/8"	300SD	Sliding Door Lock 1"
C8140	Showcase/Ratchet Lock	329R	Showcase/Ratchet Lock
C8163	Drawer Lock 7/8"	N078	Drawer Lock 1-1/8"
N/A		N078	Drawer Lock 1-3/8"
N/A		N078	Door Lock 1-1/8"
N/A		N078	Door Lock 1-3/8"
C8131	Drawer Latch 7/8"	998	Drawer Latch 7/8"
N/A		998	Drawer Latch 1-3/8"
C8139	Drawer Latch 3/4"	999	Door Latch 7/8"
N/A		999	Door Latch 1-3/8"
C8137	T-Bolt Drawer Lock	T37	T-Bolt Drawer Lock

**Schlage / Olympus Conversion Chart**

Schlage		Olympus	
CL100PB	Door Lock 1-1/8"	700S	Door Lock 1-1/8"
CL100PB	Door Lock 1-3/8"	700S	Door Lock 1-3/8"
CL200PB	Drawer Lock 1-1/8"	800S	Drawer Lock 1-1/8"
CL200PB	Drawer Lock 1-3/8"	800S	Drawer Lock 1-3/8"
CL777R	Door Lock 1-7/16"	777ICP	Door Lock 1-7/16" for Schlage full-size interchangeable core
CL888R	Drawer Lock 1-7/16"	888ICP	Drawer Lock 1-7/16" for Schlage full-size interchangeable core
CL920R	Cam Lock	920	Cam Lock for Schlage full-size interchangeable core
CL929R	Showcase/Ratchet Lock	929R	Showcase/Ratchet Lock for Schlage full-size interchangeable core
N/A		L78	Latch Lock (Field Reversible)
N/A		820S	Cam Lock
N/A		829R	Showcase/Ratchet Lock
N/A		850S	Deadlatching Lock
N/A		L78LC	Latch Lock (Field Reversible)

Best / Olympus Conversion Chart

Best		Olympus	Best	Olympus
N/A		721DR Door Lock 1-1/4"	N/A	725ML Mortise Latch Door Lock - Right Hand
3L7RD2	Rim Deadbolt Drawer Lock	721DW Drawer Lock 1-1/4"	N/A	725ML Mortise Latch Door Lock - Left Hand
5L7RD2	Rim Deadbolt Drawer Lock - Vert	725RD Rim Deadbolt Drawer Lock - Vert	5L7ML5 Mortise Latch Drawer Lock - Inverted	725ML Mortise Latch Drawer Lock - Inverted
N/A		725RD Rim Deadbolt Door Lock - Right Hand	5L7RL2-SL Rim Square Latch Enclosure Lock	725RSL Rim Square Latch Enclosure Lock
N/A		725RD Rim Deadbolt Door Lock - Left Hand	8L7SPR Mail Box Lock	728MBL Mail Box Lock
5L7RD5	Rim Deadbolt Drawer Lock - Inverted	725RD Rim Deadbolt Drawer Lock - Inverted	1E7E4 Cam Lock 1-1/8" diameter	720 Cam Lock 1-1/8" diameter
5L7RL2	Rim Latch Drawer Lock - Vert	725RL Rim Latch Drawer Lock - Vertical	1E7D4 Cam Lock 1-1/8" diameter	720B-DM Cam Lock 1-1/8" diameter Dir Drive
N/A		725RL Rim Latch Door Lock - Right hand	5E Series Cam Lock 3/4" diameter	B7 Cam Lock 3/4" diameter
N/A		725RL Rim Latch Door Lock - Left hand	2P73 File Cabinet Lock	724VR File Cabinet Lock
5L7RL5	Rim Latch Drawer Lock - Inverted	725RL Rim Latch Drawer Lock - Inverted	2S Sliding Door Plunger Lock	722S Sliding Door Plunger Lock
5L7MD2	Mortise Deadbolt Drawer Lock - Vert	725MD Mortise Deadbolt Drawer Lock - Vert	2S-TBM Sliding Door Plunger Lock (thru-bolt)	722S Sliding Door Plunger Lock (thru-bolt)
N/A		725MD Mortise Deadbolt Door Lock - Right hand	3S Showcase/Ratchet Lock	729R Showcase/Ratchet Lock
N/A		725MD Mortise Deadbolt Door Lock - Left hand	4S Sliding Door Cylinder Housing	723S Sliding Door Cylinder Housing
5L7MD5	Mortise Deadbolt Drawer Lock - Inverted	725ML Mortise Deadbolt Drawer Lock - Inverted	N/A	950IC Deadlatching Drawer Lock
5L7ML2	Mortise Latch Drawer Lock - Vert	725ML Mortise Latch Drawer Lock - Vert		